Darada Property



Your medication is called: Atorvastatin

It is to help:



How to take, use, give:



You may also: (tell a doctor or carer if any of these side effects worry you)



Get tummy pains or cramp



Pass wind (fart) more often



Be more likely to get a chest, sinus or nose infection



Get a headache



Get an allergic reaction



Feel sick, be sick or get tummy pain



Get diarrhoea (the runs)



Get constipated (can't do a poo)



Get muscle pain



Get muscle cramps



Get muscle weakness

You may also: (tell a doctor or carer straight away if you)



Get a problem with your pancreas. You may get some side effects, such as:



Find your eyes or skin are yellow or itchy (may be a liver problem)




Get dark urine (wee) (may be a liver problem)



Feel confused or can't remember things



Get a fever (may be pancreatitis)



Get lung and breathing problems



Get pains in your muscles



Lose some hair



Get double vision



Have problems swallowing



Find your eyelids have drooped

What you also need to know to keep you safe while on this medicine: (check with a health professional if you are worried).



Do not drink or eat grapefruit while taking this medicine



You should have regular blood tests on this medicine



This does not mix well with some other medicines. Check this out with your health professional



Do not take this medicine if you are pregnant or breastfeeding



Do not get pregnant for at least 4 months after your last dose



Check the product information leaflet for a full list of side effects and how to use this medicine

Darada Property



Your medication is called: Esomeprazole


It is to help:





Treat Helicobacter stomach infections

How to take, use, give:







You may also: (tell a doctor or carer if any of these side effects worry you)



Get a headache



Get diarrhoea (the runs)



Get constipated (can't do a poo)



You may also: (tell a doctor or carer straight away if you)



Get muscle twitches (may be low magnesium)



Feel sick



Feel tired (may be low magnesium)



Feel less hungry (may be low magnesium)



Get a rash on the skin that gets to see the sun (may be a serious problem called SCLE or Systemic Lupus Erythematous)



Get pains in your joints (may be SCLE)



You can get short of some fats and vitamins (e.g. B12)

What you also need to know to keep you safe while on this medicine: (check with a health professional if you are worried).



This does not mix well with some other medicines. Check this out with your health professional



Do not drive or operate machines if this medicine makes you feel faint or dizzy



Check the product information leaflet for a full list of side effects and how to use this medicine



You must get advice from your healthcare professional if you want to get pregnant or breastfeed