

Darada Property

WmD?[®]

Your medication is called: Apixaban

It is to help:



Blood circulation problems



Prevent blood clots



Atrial fibrillation or flutters
(heartbeat problems)



Cut the risk of a stroke

How to take, use, give:



Take with a drink



Tablets can be crushed if
needed



Can be mixed with soft food
(yoghurt/apple sauce) or
liquid (water/fruit juice)



If you miss a dose, start again when you remember.
Do not take a double dose

You may also: (tell a doctor or carer if any of these side effects worry you)



Feel sick, be sick or get tummy pain



Get a rash on your skin



Feel weak or tired. You may have anaemia



Have heavy or longer periods (more so if you start it just after having a baby)

You may also: (tell a doctor or carer straight away if you)



Have a stroke



Get a headache



Have black stools (poo) (may be a blood problem)



Get unexpected bruising or bleeding (may be a blood problem)



Get dark wee (may be a blood problem)



Get a nose bleed

What you also need to know to keep you safe while on this medicine: (check with a health professional if you are worried).



This does not mix well with some other medicines, including St. John's wort. Check this out with your health professional



Check the product information leaflet for a full list of side effects and how to use this medicine



Make sure your prescriber knows if you get any side effects, no matter how minor



Carry your alert card with you at all times



Do not take this medicine if you are pregnant or breastfeeding



If you have surgery or see a dentist make sure they know you are taking this medicine