

Darada Property

WmD?[®]

Your medication is called: Lisinopril

It is to help:




Heart failure



High blood pressure

How to take, use, give:



Swallow whole



Take with a drink



Take this medicine at the same time every day

You may also: (tell a doctor or carer if any of these side effects worry you)



Feel dizzy when you stand up



Feel sick, be sick or get tummy pain



Get diarrhoea (the runs)



Get constipated (can't do a poo)



Feel dizzy or faint



Feel low or depressed



Get chest pain



Get a cough




Feel sleepy



Get a headache


You may also: (tell a doctor or carer straight away if you)



Find your eyes or skin are yellow (could be a liver problem)



Get dark wee or urine (could be a liver problem)



Get a pain in your kidneys (lower back)



Get a liver problem. You may get more side effects



Feel sick or get tummy pains (may be pancreatitis)



Lose some hair



Find your skin is more sensitive to light. Avoid sunbathing and sunlamps.



Have a heart attack




Get a fever or feel unwell (you may have an infection)



Get an allergic reaction. You may find your lips, mouth and tongue swell

What you also need to know to keep you safe while on this medicine: (check with a health professional if you are worried).



You should have regular blood tests on this medicine



You must get advice from your healthcare professional if you want to get pregnant or breastfeed



This does not mix well with many other medicines. You must not take aspirin or other non-steroidal anti-inflammatory drugs (NSAIDs) such as ibuprofen. Always check with your health professional



Do not drive or operate machines if this medicine makes you feel faint or dizzy



Check the product information leaflet for a full list of side effects and how to use this medicine