My current product design process

From issue to metric

01
Issue




02
Understand



03
Design & ideate




04
Design & build



05
Ship



06
Measure



01 · Issue

Roadmap in Linear, organized by projects

Issue — Understand — Design — Build — Ship — Measure

Every piece of work starts as a Linear issue inside a roadmap project: normally they are always a product improvement or a new feature.



Roadmap & projects

- Product improvements
- New features

02 · Understand

Gather all the context in one place

Issue · Understand · Design · Build · Ship · Measure

Before designing anything, I usually open a project in Claude and input all the context there; this typically encompasses two perspectives: quantitative data and qualitative data.



Claude project

Quantitative · how big is it?


Qualitative · what do users say?

02 · Understand · Quantitative

How big is the problem, in numbers?

Issue — Understand (1/3) — Design — Build — Ship — Measure

Through MCP, Claude queries Datadog, HubSpot and our own database: how many customers are affected, how, and what it costs.



02 · Understand · Qualitative

What are users actually saying?

Issue · **Understand (2/3)** · Design · Build · Ship · Measure

Claude holds the context and pulls more via MCP. I hand it the research questions and it drafts the interview script (I review it).
We run the user interviews, Granola transcribes them and it all flows back to Claude via MCP.



02 · Understand · Visualize

Too complex? Map it out

Issue · Understand (3/3) · Design · Build · Ship · Measure

When the problem is a flow, or the feedback gets messy, I map it out in FigJam straight from Claude.



Claude

MCP →



FigJam

- Mind maps
- User flows

03 · Design & ideate

Context clear. Now sketch the solution

Issue — Understand — **Design** — Build — Ship — Measure

Once I've identified the metric I want to influence, I can begin the design process.
I typically use Figma, and if I need some inspiration, I often turn to Mobbin.
The key here is to diverge and converge, understanding trade-offs, corner cases, and so on... to arrive at a solid grasp of the solution.



Figma

+



Mobbin

Explore options


Pick one. Refine it

04 · Design & build

From design to code


Issue — Understand — Design — Build (1/2) — Ship — Measure

I implement the design myself, in Cursor with Claude Code or directly with Codex, depending on the change.
If it is a prototype, it may remain in this phase, but in 90% of cases, it moves on to production (via a pull request).



Cursor

+



Claude Code

or



Codex

04 · Design & build · Components

New or changed component? Storybook

Issue · Understand · Design · **Build (2/2)** · Ship · Measure

If the change means a new component, or iterating an existing one, I build it in Storybook first: isolated, with all its states, before it goes into the product.



Storybook


- New component
- Iterate an existing one

05 · Ship

Open the PR, link it to the issue

Issue · Understand · Design · Build · **Ship** · Measure

The PR is linked to the original Linear issue. It has been reviewed, approved, and deployed to production.
Linear is also integrated with Slack, so when the issue is completed, a notification is sent via Slack to ensure the team has visibility.



06 · Measure

Did the hypothesis hold?

Issue — Understand — Design — Build — Ship — **Measure**

In Datadog I track the metric we set at the start. If it moves, done. If not, it becomes a new issue.



Track the metric

Yes → ✅ done

No → 🔄 new issue