

000

054

001

055

002

056

003

057

004

058

005

059

006

060

007

061

008

062

009

063

010

064

011

065

012

066

013

067

014

068

# KBody: Towards general, robust, and aligned monocular whole-body estimation

## Supplementary Material

Anonymous CVPR submission


Paper ID \*\*\*\*

### 1. Qualitative Results

Figs. 1 to 20 present 78 qualitative result comparisons between the presented KBody method (rightmost - pink) the optimization-based SMPLify-X [2] (leftmost - light green), and the single-shot models PyMAF-X [3] (middle left - purple) and SHAPY [1] (middle right - green), focusing on pose and shape capturing respectively. The examples represent partial images with missing head and/or lower body information, and present a challenging scenario for high quality monocular body fitting. Our generative inversion-based completion approach handles them gracefully and helps produce reasonable fits even in the absence of important information. As illustrated by the examples, priors alone cannot handle this properly for optimization-based approaches like SMPLify-X [2], while single-shot estimates [1, 3] exhibit reduced performance given the lack of necessary image context.


### References

- [1] Vasileios Choutas, Lea Müller, Chun-Hao P Huang, Siyu Tang, Dimitrios Tzionas, and Michael J Black. Accurate 3D Body Shape Regression Using Metric and Semantic Attributes. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 2718–2728, 2022. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21
- [2] Georgios Pavlakos, Vasileios Choutas, Nima Ghorbani, Timo Bolkart, Ahmed AA Osman, Dimitrios Tzionas, and Michael J Black. Expressive body capture: 3d hands, face, and body from a single image. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pages 10975–10985, 2019. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21
- [3] Hongwen Zhang, Yating Tian, Yuxiang Zhang, Mengcheng Li, Liang An, Zhenan Sun, and Yebin Liu. PyMAF-X: Towards Well-aligned Full-body Model Regression from Monocular Images. *arXiv preprint arXiv:2207.06400*, 2022. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21

108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215

**Figure 1.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269



**Figure 2.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377



**Figure 3.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

CVPR 2023 Submission #\*\*\*\*\*. CONFIDENTIAL REVIEW COPY. DO NOT DISTRIBUTE.

432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485**Figure 4.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593



**Figure 5.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754


755




**Figure 6.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).



802 **Figure 7.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (pink).  
803  
804  
805  
806  
807  
808  
809



**Figure 8.** Left-to-right: SMPLify-X [2], PyMAF-X [3], SHAPY [1] and KBody (Ours).

972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
9841026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
9971039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
10101052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
10641011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
10231065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
10771024  
1025

KBody (Ours)

SMPLify-X [2]

PyMAF-X [3]

SHAPY [1]

**Figure 9.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
10921134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
11461093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
11051147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
11591106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
11191160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
11731120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
11331174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187

Figure 10. Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200

1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227

1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241

1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295



**Figure 11.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (pink).



**Figure 12.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416



1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470

1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429



1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483

1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442



1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496

1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457



1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511

**Figure 13.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (pink).

1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565



SMPLify-X [2] PyMAF-X [3] SHAPY [1] KBody (Ours)

**Figure 14.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (pink).

1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673



**Figure 15.** Left-to-right: SMPLify-X [2], PyMAF-X [3], SHAPY [1] and KBody (Ours).

1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781




**Figure 16.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours) (pink).

1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889



**Figure 17.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours) (pink).

1944  
1945  
1946  
1947  
1948  
1949  
1950



1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963



1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975



1976

1977

1978

1979

1980

1981

1982

1983

1984

1985

1986

1987

1988

1989

SMPLify-X [2]

PyMAF-X [3]

SHAPY [1]

KBody (Ours)

1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997

1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051

**Figure 18.** Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (pink).

2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105



Figure 19. Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).

2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213




Figure 20. Left-to-right: SMPLify-X [2] (light green), PyMAF-X [3] (purple), SHAPY [1] (green) and KBody (Ours).