```
<!DOCTYPE html>
   <html lang="en">
3 <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Bai 1</title>
      <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css">
      k rel="stylesheet" href="style1.css">
     <main>
        <h1>CONTACT US</h1>
        <div class="container">
          <div class="container-left">
            <h2>Contact info</h2>
              <i class="fa-solid fa-location-dot"></i>
              >321 Awesome Street New York, NY 17022
              <i class="fa-regular fa-envelope"></i>
              info@companyname.com
              <i class="fa-solid fa-phone"></i>
              +1 800 123 1234
          <div class="container-right">
            <h2>Having Any Query! Or Book an appointment</h2>
            <input type="text" placeholder="Your Name">
            <input type="text" placeholder="Your Email">
            <input type="text" placeholder="Subject">
            <textarea name="" id="" cols="30" rows="10" placeholder="Message"></textarea>
            <button>Send Message</button>
      </main>
39 </body>
40 </html>
```

```
• • •
   padding: 0;
margin: 0;
box-sizing: border-box;
 position:relative;
padding-bottom: 10px;
18
19 h1::after{
20 content: "";
21 width: 50px;
22 height: 5px;
23 border-radius: 10px;
24 background-color: orange;
25 position:absolute;
26 bottom: 0;
27 left: 0;
28 }
29
 display: flex;
flex-direction: row;
flex-direction: row;
 34

5 /* container-left */


6 .container-left > h2 {

7 margin-top: 20px;

8 margin-bottom: 20px;

9 }
40 .container-left > div {
41 .container-left > div {
42     display: flex;
43     width: 250px;
44     margin: 20px 50px 20px 0;
45     gap: 20px;
46     }
47
47
48 /* container-right */
 flex-direction: column;
gap: 20px


348 / container-right {
50 display: flex;
51 flex-direction: column;
52 gap: 20px
53 }
55 .container-right > h2 {
56 width: 500px;
57 margin-bottom: 0px;
58 padding-top: 20px;
59 }
61 .container-right > input {
62 width: 500px;
63 height: 30px;
64 padding-left: 10px;
65 }
66
67 .container-right > textarea {
68  padding-left: 10px;
69 }
72 width: 100px;
73 height: 40px;
74 border: none;
75 background-color: rgb(43, 193, 193);
76 color: white;
```





```
<!DOCTYPE html>
   <html lang="en">
     <meta charset="UTF-8">
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <title>Bai 2</title>
     k rel="stylesheet" href="style2.css">
   </head>
     </header>
       <h1>Hello, we have brought together the best quality services, offer, projects for you!</h1>
       <div class="container">
         <div class="content">
           <i class="fa-solid fa-display"></i>
           <h3>Outstanding design</h3>
           >Designed to be flexible according to all your needs.
             Create your site with off module position.
         <div class="content">
           <i class="fa-solid fa-mobile-screen-button"></i>
           <h3>Responsive Layout</h3>
           Genius template can be easilly viewed on any mobile device. Smoothly responsive.
         <div class="content">
           <i class="fa-solid fa-gears"></i>
           <h3>Easy to use</h3>
            The modules we have prepared are simple to use. No code infomation is needed.
35 </body>
36 </html>
```

```
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
      padding: 0;
      box-sizing: border-box;
   body{
      background-color: rgb(223, 228, 228);
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
19 header{
      height: 300px;
      background-color: cadetblue;
24 .container{
      display: flex;
      flex-direction: row;
29 .content{
      width: 350px;
      height: 300px;
      display: flex;
      flex-direction: column;
      justify-content: center;
      background-color: white;
      margin: 0 20px;
      padding: 20px;
40 main > h1 {
      width: 850px;
      margin-left: 20px;
      margin-bottom: 40px;
      margin-bottom: 20px;
      font-size: 30px;
      color: greenyellow;
   .content > p{}
      color: gray;
```



```
<!DOCTYPE html>
  <html lang="en">
3 <head>
     <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <title>Bai 3</title>
     k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css">
     k rel="stylesheet" href="style3.css">
9 </head>
10 <body>
      <div class="container">
      <div class="image">
           <img src="/BUOI2/image/upload 1e2a3fd087d94ec9858a87f7a1086f9b master.jpg" alt="">
      </div>
<div class="content">
          <a href="">SHOES</a>
           Explore from our range of different brands
22 </body>
23 </html>
```

```
*{
      margin: 0;
      padding: 0;
      box-sizing: border-box;
7 main{
      position: absolute;
      left: 50%;
      transform: translate(-50%, -50%);
15 .container{
      width: 550px;
      height: 300px;
      display: flex;
      flex-direction: row;
      border: solid 5px greenyellow;
      border-radius: 20px;
24 .image{
      width: 350px;
      height: 100%;
29 .image > img{
      width: 100%;
      height: 100%;
      object-fit: cover;
      border-radius: 20px;
36 .content{
      display: flex;
      flex-direction: column;
      justify-content: center;
      margin-left: 10px;
      margin-right: 15px;
44 .content > a
      color: greenyellow;
      font-size: 30px;
      font-weight: bold;
      text-decoration: none;
```




```
. .
    <html lang="en">
    <head>
     <meta charset="UTF-8">
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
     <title>Bai 4</title>
     link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css">
     k rel="stylesheet" href="style4.css">
10 <body>
        <div class="container">
          <div class="section-top">
            <div class="section">
              <div class="icon">
                <button><i class="fa-solid fa-leaf"></i></button>
            <div class="content">
                <h3>UI/UX Design</h3>
                 Lorem ipsum dolor sit amet, consect adipis elit minim veniam ettis linkeras.
          <div class="section">
            <div class="icon">
                <button><i class="fa-solid fa-display"></i></button>
            <div class="content">
                <h3>Web Development</h3>
                Lorem ipsum dolor sit amet, consect adipis elit minim veniam ettis linkeras.
            <div class="section">
              <div class="icon">
                <button><i class="fa-solid fa-briefcase"></i></button>
              <div class="content">
                <h3>Branding</h3>
                Lorem ipsum dolor sit amet, consect adipis elit minim veniam ettis linkeras.
          <div class="section-bottom">
            <div class="section">
              <div class="icon">
                 <button><i class="fa-solid fa-camera"></i></button>
            <div class="content">
                <h3>Photogaphy</h3>
                Lorem ipsum dolor sit amet, consect adipis elit minim veniam ettis linkeras.
            <div class="section">
              <div class="icon">
                <button><i class="fa-brands fa-android"></i></button>
             <div class="content">
                <h3>Apps Development</h3>
                Lorem ipsum dolor sit amet, consect adipis elit minim veniam ettis linkeras.
          <div class="section">
              <div class="icon">
                <button><i class="fa-solid fa-chart-line"></i></button>
             <div class="content">
                <h3>Digital Marketing</h3>
                Lorem ipsum dolor sit amet, consect adipis elit minim veniam ettis linkeras.
            </div>
74 </html>
```

```
padding: 0;
      box-sizing: border-box;
7 main{
      position: absolute;
      transform: translate(-50%, -50%);
16 .section-top{
      display: flex;
      flex-direction: row;
      width: 70px;
      height: 70px;
     font-size: 30px;
      border-radius: 50px;
      border-color: rgb(16, 159, 195);
      color: rgb(16, 159, 195);
30 .section-bottom{
      display: flex;
      flex-direction: row;
      width: 300px;
      height: 200px;
      background-color: rgb(231, 234, 238);
      display: flex;
      flex-direction: column;
      align-items: center;
      justify-content: center;
      border-radius: 10px;
      margin: 10px 10px;
    .content{
     text-align: center;
53 .content > h3{
      margin: 20px;
      color: gray;
```



```
<!DOCTYPE html>
   <html lang="en">
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Bai 5</title>
      <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css">
      <link rel="stylesheet" href="style5.css">
9 </head>
10 <body>
        <div class="container">
          <a href=""><i class="fa-regular fa-envelope"></i></a>
          <h1>Get the invite</h1>
          Lorem ipsum dolor sit amet, consectetur adipisicing elit. Aliquam viverra orci ut.
          <input type="email" placeholder="Enter Email">
          <button>REQUEST INVITE</button>
      </main>
20 </body>
    </html>
```

```
margin: 0;
      padding: 0;
      font-family: serif;
      box-sizing: border-box;
8 body{
      background-color: rgb(216, 224, 228);
      left: 50%;
      transform: translate(-50%, -50%);
16 .container{
      display: flex;
      align-items: center;
    justify-content: center;
      gap: 10px;
      border: solid 3px rgb(9, 199, 183);
      padding: 20px 25px;
      border-radius: 50px;
      font-size: 30px;
      color: rgb(9, 199, 183);
32 h1{
      margin: 20px 0;
36 p{
      width: 600px;
      text-align: center;
41 input {
      width: 300px;
      height: 35px;
      padding-left: 10px;
      border: solid 2px rgb(9, 199, 183);
      border-radius: 8px;
      width: 200px;
      height: 30px;
      background-color: rgb(9, 199, 183);
      border-radius: 8px;
```



```
<!DOCTYPE html>
   <html lang="en">
   <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css">
      k rel="stylesheet" href="style6.css">
      <title>Bai 6</title>
9 </head>
10 <body>
        <h1>Popular Tags</h1>
        <div class="container">
          <div class="top-section">
            <a href="">Course</a>
            <a href="">Web design</a>
            <a href="">Development</a>
          <div class="mid-section">
            <a href="">Language</a>
            <a href="">Teacher</a>
            <a href="">Speaking</a>
          <div class="bot-section">
            <a href="">Material</a>
            <a href="">Css3</a>
            <a href="">HTML</a>
            <a href="">Learning</a>
      </main>
32 </body>
```

```
margin: 0;
      padding: 0;
      box-sizing: border-box;
    }
    body{
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%,-50%);
12 }
14 h1{
      margin-bottom: 50px;
16 }
18 .container{
      display: flex;
      flex-direction: column;
21 }
22
    .top-section, .mid-section, .bot-section{
24
      width: 400px;
      height: 50px;
26 }
28 a{
      background-color: rgb(6, 161, 161);
       color: white;
      text-decoration: none;
      padding: 10px;
      margin-right: 10px;
      font-weight: bold;
      border-radius: 5px;
```

Popular Tags



```
font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
 position: absolute;
top: 50%;
10 top; 30%;
11 left: 50%;
12 transform: translate(-50%,-50%);
13 width: 850px;
14 height: 500px;
17 header {
18 text-align: center;
19 margin-bottom: 40px;
20 font-size: large;
21 font-weight: 500;
22 line-height: 30px;
23 }
24
25 main {
26 display: flex:
 26 display: flex;
27 flex-direction: row;
28 }
 31 width: 500px;
32 height: 400px;
33 padding: 40px;

34 margin-right: 20px;

35 box-shadow: 0px 0px 10px rgb(202, 200, 200);
 37 38 .side > p {
39 margin-bottom: 30px;
40 line-height: 20px;
42
43 .side > span > p{
44 margin-bottom: 10px;
46
47 .side > span > a {
48 color: blue;
49 text-decoration: none;
50 }
52 .content > p{
53 width: 530px;
54 margin-bottom: 30px;
55 font-weight: 100;
```

Wireframe Connect the Underlying Conceptual Structure

Wireframe Connect the underlying conceptual Struture

Far far away, behind the word mountains, far from the countries Vokalia and Consonantia, thre live the blind texts far from the contries Vokalia and Cnsonantia, there live the blind texts.

Louie Jie Mahusay

CEO, Founder

Far far away, behind the word mountains, far from the countries Vokalia and Consonantia, thre live the blind texts far from the contries Vokalia and Cnsonantia, there live the blind texts.

Far far away, behind the word mountains, far from the countries Vokalia and Consonantia, thre live the blind texts far from the contries Vokalia and Cnsonantia, there live the blind texts.

Far far away, behind the word mountains, far from the countries Vokalia and Consonantia, thre live the blind texts far from the contries Vokalia and Cnsonantia, there live the blind texts. far away, behind the word mountains, far from the countries Vokalia and Consonantia, thre live the blind texts far from the contries Vokalia and Cnsonantia, there live the blind texts.

```
<!DOCTYPE html>
   <html lang="en">
     <meta charset="UTF-8">
     <meta name="viewport" content="width=device-width, initial-scale=1.0">
     k rel="stylesheet" href="style8.css">
     <title>Bai 8</title>
   </head>
10 <body>
       <div class="email">
         Email
         <input type="email" placeholder="example@gmail.com">
       <div class="password">
         Password
         <input type="password" placeholder="Enter your password">
<span class="p-viewer">
           <i class="fa fa-eye"></i>
       </div>
       <div class="re-for_pwd">
         <div class="re_pwd">
          <input type="checkbox">
           Remember me
         <div class="for_pwd">
          <a href="">Forgot password?</a>
       <div class="sign-in">
         <button>Sign in</button>
     </main>
   </body>
   </html>
```

```
. .
                                            1 *{
2 margin: 0;
3 padding: 0;
4 box-sizing: border-box;
                                                                     main{
   position: absolute;
   top: 50%;
   left: 50%;
   transform: translate(-50%,-50%);
                                            14 .email{
15 margin-bottom: 15px;
                                        18 .email > p{
19 margin-bottom: 5px;
20 color: rgb(51, 50, 50);
21 }
                                        22 .email > input{
24     font-size: 15px;
25     width: 280px;
26     height: 40px;
27     padding-left: 5px;
28     border-radius: 10px;
29     }
                                          31 .password{
32 margin-bottom: 15px;
33 position: relative;
                                          35
36 .password > input {
37     font-size: 15px;
38     width: 280px;
39     height: 40px;
40     padding-left: 5px;
41     border-radius: 10px;
42
40
41 borb.
42 }
43
44 .p-viewer{
45 z-index: 9999;
46 position: absolute;
47 top: 55%;
8 right: 10px;
                               49 }
50 |
51 .fa-eye{
52  padding-right: 5px;
53  color: #000;
54  cursor: pointer;
55 }
66
                                     56
57 .password > p{
58 margin-bottom: 5px;
59 color: rgb(51,50,50);
                                        61
62 .re-for_pwd {
63 width: 100%;
64 height: 100%;
65 display: flex;
66 flex-direction: row;
67 margin-bottom: 10px 0px;
68
                                     flex-direction: row;
margin-bottom: 10px
margin-bottom: 10px
margin-bottom: 10px
margin-bottom: 10px
flex
flex-direction: row;
margin-bottom: row;
margin-bottom: row;
margin-bottom: row;
margin-bottom: 10px
                                          76 .re_pwd > p{
77 margin-right: 50px;
78 font-weight:600;
79 }
                                        87 .for_pwd > a{
88 color: red;
89 text-decoration: none;
90 }
                                                                     .sign-in > button{
margin-top: 20px;
width: 280px;
height: 40px;
                                   94 width: 280px;
95 height: 40px;
96 border: none;
97 background-color: rgb(20, 119, 218);
98 color: white;
99 border-radius: 5px;
100 cursor: pointer;
101 }
```

