

Outline

Web: <https://github.com/nickalaskreynolds/nkrpy>

Author: Nickalas Reynolds <nickalaskreynolds@gmail.com>

Author Web: reynolds.oucreate.com

Date: 2018-12-11 11:34:10.669382

Description: This file fully explores all directories of the module *nkrpy*.

Desc. Cont....: This file is auto-generated

• nkrpy/

- .rst_pdf.json <--
- README.md <--
- outline.rst <--
- setup.py <--
- makefile <--

• bin/

- template <--
- outlinegen.py <--
"""This file fully explores all directories of the module *nkrpy*."""
- docgen.sh <--

• templates/

- template.py <--
"""
- template.md <--
- template.rst <--
- template.sh <--

• misc/

- paul_bootstrap.py <--
- arcsat_nightlog_creator.sh <--
- submit_jobs.py <--
- matplotlib_colors.py <--
- QL_ARCSAT.py <--
- fft_h370_example.ipynb <--

• tspec_analysis/

- template_analysis.ipynb <--
- README.md <--

• nkrpy/

- constants.py <--
- coordinates.py <--
- error.py <--
- functions.py <--
"""Just generic functions that I use a good bit."""
- linelist.py <--
"""Main linelist for various wavelength bands. The main
- astro.py <--
- atomicline.py.new <--
- colours.py <--

- files.py <--""."
- load.py <--""."
- __info__.py <--
- keplerian.py <--""orbital_params(lisma,usma,le,ue,li,ui,mass,size). Use orbital_params or orbital_2_xyz as the main function call.
- config.py <--
- check_file.py <--""."
- sorting.py <--
- atomiclines.py <--
- sizeof.py <--
- miscmath.py <--
- decorators.py <--""Generalized decorators for common usage.""
- stdio.py <--
- **dustmodels/**
 - oh1994.tsb <--
 - README.md <--
 - kappa.py <--""Just generic functions that I use a good bit.""
- **plot/**
 - styles.py <--
- **mercury/**
 - orbit.py <--""This packages tries to be fairly robust and efficient, utilizing the speedups offered via numpy where applicable and multicore techniques. To get started, simply need a config file and call orbit.main(config). Inside the config should be mostly 3 things: files<input file list> out_dir<outputdirectory> and out_name<unique output name>. A lot of files will be generated (sometimes tens of thousands). The end goal is matplotlib libraries are ineffient for animation creation, so static thumbnails are created and then a imagmagick shell script is created to utilize a more efficient program.""
 - config_orbit.py <--
 - config_plotting.py <--
 - file_loader.py <--
 - plotting.py <--
- **image/**
 - image_interp.py <--
 - image_reproj.py <--

- **apo/**

- combined_orders_template.ipynb <--
- fits.py <--`"""`
- guidecam_thumbnail.py <--`"""Just call this module as a file while inside the directory of guidecam images."""`
- reduction.py <--
- apoexpcal.pro <--
- generate_ipynb.sh <--

- **arcsat/**

- template_config.py <--
- arcsat_file.py <--`"""`
- reduction.py <--`"""Handles bulk reduction for ARCSAT. Must have a config file defined and tries to do basic reduction quickly."""`
- arcsat_mosaic.py <--`"""`

- **check_file_templates/**

- default.py <--
- sh.py <--
- python.py <--