

Introduction to QGIS: Spatial Data and Spatial Analysis

Friday 3rd April

Practical 1: Introduction to QGIS

Learning outcomes:

Be able to set up QGIS and add data
Understand how to add data with a latitude & longitude coordinate
Join tabular data to spatial data
Understand how to undertake simple calculations
Understanding how to classify data for representation on a map

Several conventions have been adopted in the following instructions:




- **Bold** type indicates software commands, options or window names (e.g. **Open**, **Delete** etc.)
- A **courier** font is used for folder, file or program names (e.g. **world_countries**)
- Accessing a command through a sequence of menus is shown as: **View > Zoom Data > Full Extent**


Many commands require the OK button to be clicked or the Enter key to be pressed after a name has been typed in or an option selected.

File management is very important, create a new folder in your **Documents** folder called **GIS** (or something similar that you know where it is).

- Download the **prac1.zip** data file from <http://bit.ly/qgis-spatial-data>.
- As there are several files they have been compressed into a single zip file, and you will need to first copy this and then extract the data files. Choose somewhere sensible to extract the files to.
- Start QGIS by clicking on Start, then type **QGIS** and select **QGIS Desktop 3.8.1**. *Your version number might vary, **QGIS Desktop** is the key bit.*


Let's start off by creating a blank map and adding some data.

- Start by clicking **Project > New**  from the menu at the top of the screen.
- Click the **Open Data Source Manager**  button.
- Make sure **Vector** is selected.
- Then choose the **Browse** button  and navigate to the **prac1** folder we downloaded earlier.
- Change the option in the drop-down menu on the bottom right to **ESRI Shapefiles (*.shp *.SHP)**. Select the **world_countries.shp** file, click **Open** and click **Add**.
- Then click **Close**.
- This will add a layer which shows the countries of the world.


QGIS has a number of different ways of navigating around spatial data. Click on the **Zoom In** tool  and draw a box around Europe - the display will zoom in to show this area. To view all of the data, click the

Zoom Full tool .

You can also use the mouse wheel to zoom in and out.


Use the **Pan Map** tool  to move around the map by clicking on the tool and then click and drag around the map. You can also use the mouse wheel to zoom in and zoom out. Experiment with the zoom and pan tools, and when you are happy, move on to the next section of the practical.


The Identify Features tool allows you to select a country on the map and see the attribute information stored in the shapefile about that country.


- Select the **Identify Features** tool , and then click on a country.
- A window will appear, titled **Identify Results**, with information about the country you selected.
- Try selecting different countries, to see how the tool works.

When we added the `world_countries` shapefile, QGIS randomly assigned a colour. We can change this to something more sensible - green, for instance.

- Right click on the `world_countries` entry in the **Layers** window on the left hand side of the screen, and click on **Properties**:



- This will open the **Layer Properties** window, where we can change many different options for how the layer is displayed, as well as other options about the layer.
- Click on the **Symbology**  option on the left hand side.
- To change the colour, click on the drop down menu next to the colour option:



- You can then either select one of the pre-set colours, or click on **Choose Color...** and select a colour from the color picker. Use either option, and change the colour to something you like.
- Click **OK** and this will close the Layer Properties window and update the colour on the map.

The options you have in this layer will depend on what type of spatial data you are dealing with. The countries layer is a polygon layer, so we can change the colour of the polygons. Point layers or line layers will have different options. Experiment with different colours and the other options in the Style section of the Layer Properties window.

- Using the same process as previously (or select **Layer > Add Layer > Add Vector Layer... > Vector > ...**) add three more shapefiles to the map.
- The files to add are: `world_deg30.shp`, `world_lakes.shp` and `world_rivers.shp` shapefiles.
- To select multiple files, select the one at the top of the list, hold down Shift on the keyboard and click on the bottom file.
- You may have a **Select Transformation Box** appear. If so, keep the default choice selected and choose **OK**.

QGIS will add the layers, and again assign a random colour. However, you may not be able to see all the data. This is because the order of the different layers in the Layers window is important.

- Re-order the layers (by dragging them up or down) so they are in this order (from top to bottom): `world_lakes`, `world_rivers`, `world_countries` and `world_deg30`.
- Now you should be able to see the three different data sets. We can rename the layers as well - right click on `world_deg30` and select rename. Rename this layer to `oceans` and press enter.
- Also use the **Identify Features** tool to investigate some of the new data layers. *You have to select the*


layer you want to Identify.

- Now is a good time to save the QGIS project file. Select **Project > Save** and save the file somewhere sensible.

The colours of the different layers will also need to be changed, so update the colours to reflect what the layers represent. Remember also to save the project file!

Adding point data from a delimited CSV file

We have already added polygon data and line data, and now we are going to look at adding some point data. Open up the `world-cities.csv` file included in the zip file - it should open in Excel. You can see the file contains four columns: Name, Latitude, Longitude and Country. As this data has some coordinates, QGIS can plot the data on our map. Close the file (without saving, if Excel asks), and return to QGIS.

- Click **Layer > Add Layer > Add Delimited Text Layer...** and click **Browse**  and select the `world-cities.csv` file.
- You should see the different columns appear at the bottom of the window.
- Make sure that **File format** is set to **CSV** and **Geometry Definition** is set to **Point coordinates**.
- Check that **X** field is set to **Longitude** and **Y** field is set to **Latitude**.
- Make sure that **Geometry CRS** is set to **EPSG:4326 - WGS 84**.
- Click **Add**, and **Close**.
- Depending on the settings, QGIS may ask what coordinate system the coordinates are in. Make sure **Coordinate Reference System WGS 84 - Authority ID EPSG:4326** is selected (type the ID number **4326** in the filter box if needed), and click **OK**.

You should now see the 15 cities added to the map. Update the symbols to a colour that fits in with your existing map.

Optional Exercise - See if you can work out how to add a name to each of the cities. Look in the **Layer Properties** window under **Labels**.

Joining tabular data

We only need the `world_countries` layer for the next exercise, so turn all of the other layers off by clicking on the check box next to each layer entry in the Layers panel.






In order to join tabular data it is necessary that both of your datasets have a common attribute (e.g. a name, unique reference or code). This attribute must be unique (i.e. a country must not be listed twice in your Attribute table) and identical (i.e. the country names must be the same and spelt identically, e.g. “Gambia, The” and “The Gambia” will not join successfully).



- Right-click on the `world_countries` layer and choose **Open Attribute Table**. You’ll see that the **NAME** field is unique (different) for each country.


- Close the **Attribute Table**.
- In the data files that you copied today you'll notice that there is also an Excel file named **pop2015.xls**. Double-click this file and it should open in Excel. The dataset contains three fields, a unique identifier called UN_Code, the country **NAME** and population data for 2015 called **POP2015**. Close the Excel file once you have finished viewing the data.

Now that we've identified the two fields in our datasets that we will use to make the join we can move on.

- To add our table to the map we need to use the **Open Data Source Manager** . Click on this, and then choose **Browser** .
- Open **Home** and navigate to where you downloaded your zip file earlier.
- There should be a file listed called **pop2015.xls**.
- Double click on **pop2015.xls** and it will be added to the Layers window.
- Close the **Data Source Manager**.
- The table will now appear as a layer in the Layers window:




- Right-click on the table we have just added (pop2015) and **Open Attribute Table** to check that the data appears correctly (if you have all values there has been a problem importing your data, try adding it again). You should see both fields with data populated.
- Close the attribute table when you have finished viewing the data
- Now we will join this table layer with your spatial data. Right-click on the **world_countries** layer, select **Properties** and click on **Joins** .
- Click on the plus button  to create a new join. The **Add Vector Join** dialogue box will now open
- Make sure that **pop2015** is selected in the **Join layer** dropdown box
- **Name** should be selected in the **Join field** dropdown box
- **NAME** should also be selected in the **Target field** dropdown box




- Click **OK** on the **Add Vector Join** window and also in the **Layer Properties** window
- Open **Attribute Table** of `world_countries` and you will see that a new field (named `pop2015_POP2015`) has been added to the Attribute table! Please ask for help if this is not the case.

The join that we have made is not permanent; it is a temporary link between the two datasets. To make the Join permanent we need to save a new copy of the `world_countries` layer.

- Right-click `world_countries` and click on **Export > Save Features As...**
- In the **Save Vector Layer as** window make sure that the following variables are selected:
 - **Format** is ESRI Shapefile
- Save the new layer as `world_countries_updated` in the `prac1` folder (click **Browse**  to select the folder and enter the filename)
- Leave all other fields as they are
- Click **OK** and the new layer will be added to the map. Open the attribute table to check that the new field (shortened to `pop2015_P0`) is present.
- Right-click `world_countries` and select **Remove Layer**
- If you like, **Save** your project.


Adding a new field and calculating values


We will now add a new field to the attribute table and calculate some values (the change in population between 2005 and 2015) using a simple mathematical operation. This can be useful when you want to create new data or undertake some analyses.

- Open **Attribute Table** of `world_countries_updated`
- Click on the **Toggle Editing**  button





Toggle editing

New field



- Click on **New field**  button
- – Set **Name** to POP_DIFF
- – Leave **Comment** blank
- – Set **Type** to Whole number (integer), change **Length** to 10.
- Click **OK**


You will see that the new field contains values, by default, as NULL. We now need to populate this new field (column) with some data.

- Click on the **Open field calculator**  button and the Field Calculator window will open. It is here that we can undertake many types of mathematical calculations
- Check the checkbox next to **Update existing field** ☒ **Update existing field** and select the field named POP_DIFF from the dropdown box
- Under the list in the centre, click on the expand arrow  next to **Fields and Values**
- Double-click the field named pop2015_P0 to add it to the **Expression**
- Now single-click on the minus (-) sign and double-click on POP2005. Your expression should look like this:
- "pop2015_P0" - "POP2005"
- *(notice how the expression builder puts in the double quote marks for you)*
- Click **OK** to run the calculation and the POP_DIFF field will populate with the calculated values (the first few values should be 9 (Antigua and Barbados), 6399 (Algeria) and 1191 (Azerbaijan), ask if this is not the case)
- Finally, click on the **Toggle editing**  button and choose **Save** when prompted. Close the attribute table
- **Save**  your project.

By the time you get to this section, we should have completed the 'Classification Exercise' worksheet and talked about class boundaries and colours. If we haven't yet, please let me know that you have reached this point.

Classifying population change

Now we have calculated the change in population between 2005 and 2015, we need to display it on the map.

- Open the **Layer Properties** window and the **Symbology**  tab of the world_countries_updated layer.
- Where the option says **Single symbol** at the top, change this to **Graduated**.
- Select the POP_DIFF field from the **Value** list.
- The click **Classify**, you will see the 5 classes for this data set appear in the window.
- Click **OK**, and QGIS will update the map.

Now we have a map of population change. However, there are various things wrong with it. What are they? Have a think, and then chat to your neighbour to see what they think might be wrong. There are a number of things you can change to alter the classification:

1. Try changing the classification method, the default is **Equal Interval**. How do the different methods change the classification of the data. Which is “right”?
2. Try changing the number of classes.
3. Try changing the colours used - how does this impact the message of the map? (ColorBrewer can be accessed through **Color ramp > Create New Color Ramp > Catalog: ColorBrewer**).
4. Try changing the class boundaries - use the **Histogram** tool in QGIS, click **Load Values** to show the histogram.

Once you have finished, remember to save your QGIS Project.

Classifying % Population Change (optional exercise)

What else might be wrong with the data we have calculated?

Currently we are comparing the increase in numbers of people between 2005 and 2015 in each country. It might make more sense to compare the % increase. Calculate this and then show this on a map. Why is this a more logical way of representing this data?

Adding a Basemap (optional exercise)

We have the option of adding a base map to the data we have in QGIS. We can do this through a plugin called QuickMapServices. To install it, click **Plugins > Manage and Install Plugins..** Search for QuickMapServices. Then select the plugin and click **Install Plugin**. Once installed, try **Web > QuickMapServices > OSM > OSM Standard** to begin.

Practical 2: Making a Map

Learning outcomes:


Understand how to design and produce a publication-ready map in QGIS

Be able to add maps, scale bar, legends and labels to a map



Know why scale is important in map design

Know how to save and export maps as PDFs or images

This practical focuses on aspects of map design and symbolisation in QGIS. In particular, it will build upon the skills from the previous practical to look at how QGIS can be used to produce maps that can be easily printed. QGIS has a powerful tool called Print Layout that allows you to view your GIS layers and create maps. An example map is provided at the end of this handout.


We will create the map from scratch and add elements such as north arrow, legends and scale bars. Let's get started! Remember to **Save**  your work as you go.

Getting and setting up the data

- Download the **prac2.zip** data file from <http://bit.ly/qgis-spatial-data>.
- Extract the files to somewhere you can find in the future.
- Open a new, blank project in QGIS.
- We now need to add our data layers to the map.
- To add our data to the map we need to use the **Open Data Source Manager** .
- Select **GeoPackage**  on the left.
- Click **New** and then select the **prac2-data.gpkg** file.
- Select this **prac2-data.gpkg** entry from the list and click **Connect**.
- Select the **IMD-2019-Southern** layer and choose **Add**. Then choose **Close**.



This shows the data very well, but it isn't that obvious where the data is, particularly if you zoom in. We can add a base map to this.


- Click **Plugins > Manage and Install Plugins...**
- Type **quick** in the search bar at the top, and select **QuickMapServices** from the list below.
- Choose **Install Plugin**.
- Close the **Plugins** window.
- Choose **Web > QuickMapServices > OSM > OSM Standard**. This will add an OSM (OpenStreetMap) basemap.

- Zoom in somewhere outside the IMD data, so you can see the base map. It will add in more detail as you zoom in.
- When you have finished looking at the map, right-click on the **IMD-2019-Southern** layer and choose **Zoom to Layer**  **Zoom to Layer** to return to our IMD data.
- Right click on the **IMD-2019-Southern** layer and choose **Properties > Symbology**.
- Click **Change..** next to **Symbol**.
- Alter the **Opacity** option to **50%**. Choose **OK** and **OK**.

Now we can see the base map through the IMD data. You may have to experiment with different values of opacity to be able to see both easily.

The default colours for the IMD data aren't that great, but fortunately we have a Style file, created by Alasdair Rae (see <https://imd2019.group.shef.ac.uk/> for more details).

- Right click on the **IMD-2019-Southern** layer, choose **Properties > Symbology**.
- At the bottom of the **Symbology** window choose **Style > Load Style...** .
- In the **Database Styles Manager** window, under **Load Style** choose **from file** and then click the **Browse**  button and select the **prac2-imd-d-style.qml** file.
- Your window should look like this:





- Click **Load Style** and **OK**. This will load the colours for our IMD Decile layer.

*Map design is often quite subjective and there is not necessarily a **best** map design, so try different options and see what you think about them.*

We can also try an alternative method for showing locations with the IMD data.

- Add in the **Local_Authority_Districts_April_2019_Boundaries_Southern** layer from the same geopackage as we used earlier.
- Open the **Symbology** window.
- Select the **Simple fill** option near the top of the window, and the details below should change.
- Set **Fill Style** to **No Brush** (see screenshot below).
- Choose **OK**.




- Open the Local Authority layer **Properties** again and this time choose **Labels** 
- Change **No labels** to **Single labels**.
- Set **Label with** to **lad19nm** and choose **OK**.
- *If nothing appears, make sure you have selected **lad19nm**.*


This adds the Local Authority boundaries to give us some context for the IMD data. Try experimenting with turning the transparency off - which do you think looks better?

Creating the Map Layout






Now we are going to start constructing the map. Have a look at the example at the end of the handout to see what we are aiming to create. You don't have to stick to the design, feel free to adjust and changes things as you see fit.


- Centre the map display in the main QGIS window. Make sure you can see Winchester and Isle of Wight clearly.
- Click **Project > New Print Layout...** and click **OK**.
- The **Print Layout** window will now open with a blank page.
- We are aiming to create a map like the one attached to the back of this workbook, so we need our page to be landscape. Right-click on the blank piece of paper and choose **Page Properties...**
- Make sure **Orientation** is set to **Landscape**.
- Click the **Add New Map** button 

- Draw a box about the appropriate size on the left hand side of the page. It should look something like this:




As long as the box is in about the right place, we can tweak the position and size later on.





- Your page might be a bit small. Use the **Zoom Full** tool  to zoom in to the page as far as possible.
- We need to make the labels a bit clearer. Go back from the Layout window to the main QGIS window, and open the **Symbology** window for the Local Authority layer.
- Go to **Labels > Buffer** and select **Draw text buffer**. Click **OK**. *See how the labels have a white 'halo' around them now?*
- Go back to the **Layout** window.
- Make sure you have the map selected (using the **Select/Move Item** tool ) and click the “Refresh” button .
- This is a very common way to adjust the map and you will do this a lot.
- You might also need to adjust the scale to get the map looking right. I had a value of 350000 in the scale box. To adjust, type a number in and press Enter.
- You can also move the map around with the map window using the **Move item content** tool .
- When you have finished moving the map content around, make sure you go back to the **Select/Move Item** tool .

- Once you are happy with this bit, select the **Lock layers** and **Lock styles for layers** buttons. This will stop the visible layers and style changing when we alter it for a different map.
- Remember to **Save**  your map regularly.

Now we are going to add the main map for Isle of Wight.

- Go back to the main QGIS window and zoom in on Isle of Wight.
- Then go back to the Layout window and add a new map using .



What do you think of this so far?

- This is ok, but it would be better to make the Isle of Wight stand out a bit more. Go back to the main QGIS window.
- Use the **Select Features** tool  to select the Isle of Wight. Make sure you have the Local Authorities layer selected in the Layers window.
- Once the Isle of Wight is yellow, right-click on the Local Authorities layer and choose **Export > Save Selected Features As...**
- Make sure **Format** is set to **GeoPackage**.
- Click **Browse**  and select the `prac2-data.gpkg` we have been using already by clicking **Save**.
- Set **Layer Name** to `LA-Isle-of-Wight` and click **OK**.
- Click the **Deselect Features**  so we don't have anything selected any more.
- We are going to copy the style from the main LA layer to the new one we have just created.
- Right-click on the `Local_Authority_Districts_April_2019_Boundaries_Southern` layer and choose **Style > Copy Style > All Style Categories**.
- Right-click on the `prac2-data LA-Isle-of-Wight` layer, choose **Style > Paste Style > All Style Categories**.
- Turn off the `Local_Authority_Districts_April_2019_Boundaries_Southern` layer.
- Go back to the layout window, make sure the Isle of Wight map is selected, and click **Refresh** .
- If it doesn't look quite right, try experimenting with some other options. If you are happy with it, select the **Lock layers** and **Lock styles for layers** options.

This is starting to come together now!

Have a go at following the same steps for the **Winchester** local authority.

- The final step is to add some of the additional map marginalia (extra bits like the legend, scale etc.).
- Within the QGIS Layout View, choose **Add Item > Add Legend**. By default the legend includes all of the visible layers, and will automatically update if we change the layers.

- In the **Item Properties** window, under **Legend Items** untick **Auto update**.
- Select the **prac2-data LA-Isle-of-Wight** layer and click the minus  button to remove it.
- Repeat this for the **prac2-data LA-Winchester** layer.
- Select the **Local_Authority_Districts_April_2019_Boundaries_Southern** layer and choose the rename  button. Change the name to **Local Authority boundaries**.
- Repeat the same process to update the colours to **1 More deprived** and **10 Less deprived**. - Replace the title of **IMD-2019-Southern** with **IMD Deprivation Decile**.
- Click **Add Item > Add Scale Bar** and then click in the remaining gap.
- We have to pick which map the scale bar refers to, and make sure that it is clear on the map. Each map will have a number (Map 1, Map 2 and Map 3) and we need to make sure that the scale bar is referring to the correct map. I chose Map 3, the larger, area map at the bottom. - In the Scalebar settings, set **Segments** to **right 5** and **Fixed width** to **5 units**. It should automatically default to **km**.
- The IMD data is made available under the Open Government license (<http://www.nationalarchives.gov.uk/doc/open-government-licence/version/3/>) so we need to include an acknowledgement on our map.
- Click **Add Item > Add Label** and click in the empty space. Type in these details:
- **MHCLD, 2019. Contains National Statistics data © Crown copyright and database right 2020. You can copy and paste the copyright symbol from the Wikipedia copyright symbol page!**
- Click **Font** and change the font size down to 8 or 9.

There is a lot more we could do with this map - have an experiment with the options and see what you can find.

To export a copy of your map:

- Go to **Project > Layout as PDF**, choose a location and a filename to save your map.
- Open up your PDF map to see what it looks like!

This practical was written using QGIS 3.8.1 on Windows 10, and tested in QGIS 3.12.1, last updated on 02/04/2020 by Dr Nick Bearman, nick@geospatialtrainingsolutions.co.uk.

