

Read File, Write File, .env, Server Organization

Software Development Bootcamp



Topic

fs module, read & write file



What Is the fs Module?

- The **fs** module in Node.js provides a way of working with the file system on your computer
- It allows you to read from and write to files, as well as perform other file-related operations
- **fs** stands for "file system"



fs Module Key Points

- Part of Node.js core modules (no installation required)
- Provides both synchronous and asynchronous methods
- Supports operations like reading, writing, updating, and deleting files
- Essential for server-side file management in Node.js applications



What Is fs.readFile?

fs.readFile is an asynchronous function used to read the entire contents of a file

- Asynchronous: Doesn't block the execution of other code
- Flexible: Can read various file types (text, binary, etc.)
- Error-First Callback: Follows Node.js conventions for handling errors



What Is fs.writeFile?

fs.writeFile is an asynchronous function used to write data to a file, replacing the file if it already exists

- Asynchronous: Doesn't block the execution of other code
- Creates or Overwrites: Will create a new file if it doesn't exist, or overwrite if it does
- Flexible: Can write various data types (strings, buffers, etc.)
- Options: Allows specifying file mode, encoding, etc.



Error Handling

- Both **readFile** and **writeFile** use error-first callbacks
- Always check for errors before processing the result
- Common errors:
 - File not found
 - Permission denied
 - Disk full (for write operations)



Why Use readFile and writeFile?

- **fs.readFile** and **fs.writeFile** are powerful tools for file operations in Node.js
- They enable your application to interact with the file system efficiently
- Understanding these methods is crucial for backend development with Node.js



Exercise

Hello Files



Topic .env



What Is A . env File?

- A . env file is a configuration file used to store environment variables
- It's a simple text file with key-value pairs
- Commonly used to store sensitive information like API keys, database credentials, etc.



Why Use .env File With Express?

- **Security**: Keep sensitive data out of your codebase
- Flexibility: Easily change configuration between environments (development, staging, production)
- Best Practice: Follows the Twelve-Factor App methodology for config management



Best Practices for .env Files

- .env always goes inside .gitIgnore never commit .env files to GitHub
- Include a .env.example file with dummy values in your repository
- Use different .env files for different environments
- Validate required environment variables on app startup

Setting Up . env In Postman

- Create a new environment in Postman
 - Click on the "Environments" tab
 - Click "New" to create a new environment
- Add variables to your environment
 - Set variable names and their corresponding values
 - Example: PORT: 3000
- Save your environment



Topic

JSON As A Mock Database



Why Use JSON Files As A Mock Database?

- Quick setup for prototyping
- No need for a separate database server
- Easy to version control
- Suitable for small-scale applications or testing
- Allows focus on API design before implementing a full database



Structure Of A JSON Mock Database

- Create a . json file (e.g. db . json)
- Structure data as an object with arrays

```
"users": [
     {"id": 1, "name": "Alice", "email":
"alice@example.com"},
     {"id": 2, "name": "Bob", "email":
"bob@example.com"}
   ],
   "posts": [
     {"id": 1, "userId": 1, "title": "First
Post", "body": "..."},
     {"id": 2, "userId": 2, "title": "Second
Post", "body": "..."}
```



Advantages Of JSON Mock Databases

- Easy to set up and understand
- No additional dependencies required
- Can be version controlled with your codebase
- Useful for testing and prototyping



Limitations Of JSON Mock Databases

- Not suitable for concurrent writes (race conditions)
- Lack of advanced querying capabilities
- Entire file needs to be read/written for each operation
- Not scalable for large amounts of data or high traffic



Best Practices

- Use for prototyping and testing only
- Implement proper error handling
- Plan to migrate to a real database for production use



Topic

Express Router



What Is Express Router?

- A mini Express application
- Used for modular route handling
- Allows grouping of route handlers for a particular part of a site
- Helps in organizing routes across different files and modules



Why Use Express Router?

- Improves code organization
- Enhances maintainability
- Allows for middleware specific to a set of routes
- Facilitates versioning of API routes
- Makes the main app file cleaner and more modular



Best Practices For Using Router

- Group related routes together
- Use descriptive names for router files
- Keep routers focused on a specific feature or resource
- Use router parameters for shared logic
- Apply middleware at the router level when appropriate



Exercise

Poke Blog