Harvest Models





Learning objectives

Sustainable harvest and geometric growth

Sustainable harvest and logistic growth

Definition of maximum sustainable yield (MSY)

Limitations of MSY

Additive vs compensatory mortality

SUSTAINABLE HARVEST


A sustainable (and large) harvest is a common objective in game management

SUSTAINABLE HARVEST

A sustainable (and large) harvest is a common objective in game management

Sustainable harvest: A harvest that is balanced by population growth such that $N_{t+1}=N_t$

$$N_{t+1} = N_t + N_t r$$



$$N_{t+1} = N_t + N_t r - \underline{H_t}$$

where H_t is the number of animals harvested at the end of year t

$$N_{t+1} = N_t + N_t r - H_t$$

where H_t is the number of animals harvested at the end of year t

What value of H_t achieves equilibrium (i.e., $N_{t+1} = N_t$)?

Sustainable harvest and geometric growth

A sustainable harvest in this context is

$$H_t = N_t r$$

SUSTAINABLE HARVEST AND GEOMETRIC GROWTH

A sustainable harvest in this context is

$$H_t = N_t r$$

Consequently, the sustainbale harvest rate (h) is:

$$h = \frac{H_t}{N_t}$$

SUSTAINABLE HARVEST AND GEOMETRIC GROWTH

A sustainable harvest in this context is

$$H_t = N_t r$$

Consequently, the sustainbale harvest rate (h) is:

$$h = \frac{H_t}{N_t}$$
$$h = r$$

HARVEST AND LOGISTIC GROWTH

$$N_{t+1} = N_t + N_t r_{max} \left(1 - \frac{N_t}{K} \right) - \mathbf{H_t}$$

HARVEST AND LOGISTIC GROWTH

$$N_{t+1} = N_t + N_t r_{max} \left(1 - \frac{N_t}{K} \right) - \mathbf{H_t}$$

What value of H_t achieves equilibrium?

$$H_t = N_t r_{max} \left(1 - \frac{N_t}{K} \right)$$

$$H_t = N_t r_{max} \left(1 - \frac{N_t}{K} \right)$$

In this case, the sustainable harvest rate (h) depends on population size

$$H_t = N_t r_{max} \left(1 - \frac{N_t}{K} \right)$$

In this case, the sustainable harvest rate (h) depends on population size

$$h_t = \frac{H_t}{N_t}$$

$$H_t = N_t r_{max} \left(1 - \frac{N_t}{K} \right)$$


In this case, the sustainable harvest rate (h) depends on population size

$$h_t = \frac{H_t}{N_t}$$

$$h_t = r_{max} \left(1 - \frac{N_t}{K} \right)$$


Example when K = 1000 and $r_{max} = 0.1$

$$H_t = N_t r_{max} \left(1 - \frac{N_t}{K} \right)$$



Example when K = 1000 and $r_{max} = 0.5$

$$H_t = N_t r_{max} \left(1 - \frac{N_t}{K} \right)$$



MAXIMUM SUSTAINABLE YIELD

• MSY is found when N=K/2

- The actual maximum yield is $H = r_{max}K/4$
- The optimal harvest rate is $h = r_{max}/2$

IS MSY USEFUL IN PRACTICE?



Larkin, P.A. 1977. An epitaph for the concept of maximum sustained yield. Transactions of the American Fisheries Society 106: 1-11.

Same assumptions as logistic growth model

- Same assumptions as logistic growth model
 - K is constant
 - No age/sex/individual variation
 - No stochasticity

- Same assumptions as logistic growth model
 - K is constant
 - No age/sex/individual variation
 - No stochasticity
- Ecosystem impacts of reducing a population to half its carrying capacity?

- Same assumptions as logistic growth model
 - K is constant
 - No age/sex/individual variation
 - No stochasticity
- Ecosystem impacts of reducing a population to half its carrying capacity?
- Evolutionary consequences?

Additive vs. compensatory mortality

 One possible mechanism giving rise to logistic growth is density-dependence in survival

Additive vs. compensatory mortality

- One possible mechanism giving rise to logistic growth is density-dependence in survival
- For example, if population size is reduced, survival of the remaining individuals might increase

Additive vs. compensatory mortality

- One possible mechanism giving rise to logistic growth is density-dependence in survival
- For example, if population size is reduced, survival of the remaining individuals might increase
- If harvest is compensated for by improved survival, harvest is a form of compensatory mortality

Additive vs. compensatory mortality

- One possible mechanism giving rise to logistic growth is density-dependence in survival
- For example, if population size is reduced, survival of the remaining individuals might increase
- If harvest is compensated for by improved survival, harvest is a form of compensatory mortality
- However, if harvest is not compensated for by improved survival, harvest is a form of additive mortality

Additive vs. compensatory mortality

- One possible mechanism giving rise to logistic growth is density-dependence in survival
- For example, if population size is reduced, survival of the remaining individuals might increase
- If harvest is compensated for by improved survival, harvest is a form of compensatory mortality
- However, if harvest is not compensated for by improved survival, harvest is a form of additive mortality

If harvest mortality is additive, extra caution is needed to ensure that harvest doesn't cause long-term population declines.

Suppose a population of 100 white-tailed deer is subjected to harvest

Suppose a population of 100 white-tailed deer is subjected to harvest

Harvest takes place prior to any natural mortality

Suppose a population of 100 white-tailed deer is subjected to harvest

Harvest takes place prior to any natural mortality

Natural mortality occurs in a density dependent fashion, such that survival probability (S) declines as N increases.

Suppose a population of 100 white-tailed deer is subjected to harvest

Harvest takes place prior to any natural mortality

Natural mortality occurs in a density dependent fashion, such that survival probability (S) declines as N increases.

A simple model is $S = \beta_0 - \beta 1 \times N$

Suppose a population of 100 white-tailed deer is subjected to harvest


Harvest takes place prior to any natural mortality

Natural mortality occurs in a density dependent fashion, such that survival probability (S) declines as N increases.

A simple model is $S = \beta_0 - \beta 1 \times N$


Let's assume $\beta_0=0.8$ and $\beta_1=0.005,$ so $S=0.8-0.005\times N$

Individual survival vs. population size




$S = 0.8 - 0.005 \times N$

ullet If 20 individuals are harvested, what is S for remaining individuals?




$S = 0.8 - 0.005 \times N$

- If 20 individuals are harvested, what is S for remaining individuals?
- How many individuals will remain at the end of the year?



$S = 0.8 - 0.005 \times N$

- If 20 individuals are harvested, what is S for remaining individuals?
- How many individuals will remain at the end of the year?
- How many would remain at the end of the year if no hunting occurred?





OVERALL SURVIVAL VS. HARVEST RATE

The overall survival rate (\bar{S}) is product of survival throughout the hunting season (1-h) and survial after the hunting season


$$\bar{S} = (1 - h)(\beta_0 - \beta_1(N - Nh))$$

OVERALL SURVIVAL VS. HARVEST RATE





Overall Survival VS. Harvest rate



Conclusion: Because harvest mortality is compensatory, the harvest rate (h) can be as high as 0.2 without negatively impacting overall survival.

SUMMARY

Key points

- If growth is geometric, sustainable harvest occurs when h = r.
- If growth is logisitic, maximum sustainable yield occurs at ${\cal N}={\cal K}/2.$
- If survival is density-dependent, harvest mortality can be compensated for by increased survival of remaining individuals (up to a point).
- If mortality is additive, extra caution is needed because harvest is adding to natural mortality without any compensation.
- Managers need to know if harvest mortality is additive or compensatory when setting harvest regulations.

ASSIGNMENT

Read pages 22–25 in Conroy and Carroll