

How to Use Boost Mode

Add rules, skills, and comparisons without bloating the prompt itself.

3-4 pages

Printable web guide

Accessible figure notes included

What it does and why it matters

A strong prompt workflow usually needs reusable constraints and domain context. RyFine lets you keep those layers outside the main prompt so they stay consistent across runs.

Leave with a reusable rules layer, one custom skill, and a clear sense of when to compare models.

Step-by-step workflow

STEP 1

Use Rules for always-on constraints

Open the Rules drawer and add constraints that should shape every refinement, such as tone, structure, guardrails, or banned output patterns.



ANNOTATED RYFINE WALKTHROUGH

PRIMARY ACTION

Open the Rules drawer and add constraints that should shape every refinement, such as tone, structure, guardrails, or banned output patterns.

ANNOTATION

Rules apply globally to the current workflow, so keep them durable instead of task-specific.

Alt text: The RyFine Rules drawer open on the right with a multiline rules field describing tone and structure constraints.

Next step: Think of Rules as your operating standard, not a suggestion.

STEP 2

Use Skills for domain expertise you want to reuse

Open Skills and create a custom layer with a name, domain, signals, and a lens.

RyFine will merge that expertise into the assembled prompt when it matches the request.



ANNOTATED RYFINE WALKTHROUGH

PRIMARY ACTION

Open Skills and create a custom layer with a name, domain, signals, and a lens. RyFine will merge that expertise into the assembled prompt when it matches the request.

ANNOTATION

Good skill examples include brand voice, legal review, accessibility, analytics, or a preferred code-review lens.

Alt text: A custom skill editor showing fields for skill name, domain, signals, and lens instructions.

Alt text: A custom skill editor showing fields for skill name, domain, signals, and lens instructions.

STEP 3

Use A/B when the cost of picking the wrong refinement is high

Turn on A/B and compare two providers or models side by side. This helps you spot differences in clarity, structure, and instruction fidelity before the prompt leaves RyFine.



ANNOTATED RYFINE WALKTHROUGH

PRIMARY ACTION

Turn on A/B and compare two providers or models side by side. This helps you spot differences in clarity, structure, and instruction fidelity before the prompt leaves RyFine.

ANNOTATION

Comparison mode is most valuable when the downstream task is expensive, public-facing, or hard to rerun.

Alt text: An A/B comparison view showing two refined prompts side by side with provider labels above each panel.

Comparison view showing two refined prompts side by side with provider labels above each panel.

Call to action

Learn more about prompt refinement! Open the app, run one prompt with the workflow above, and save the version you would want to reuse.

SUMMARY

Quick brief

Shows how RyFine becomes a repeatable refinement system instead of a one-shot cleanup utility.

USE CASES

Where this guide helps most

- Editorial teams that need one house style across many prompts.
- Developers who want repeatable architecture or review criteria.
- Agencies comparing models before handing prompts to clients.

BEST PRACTICES

Keep the workflow tight

- Use Rules for stable constraints and Skills for reusable expertise.
- Keep skills narrow enough that they are easy to trigger intentionally.
- Use A/B sparingly and save the winning structure for future runs.