Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://nickkro25.github.io/cse112_team15/

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** **Element** `style` **not allowed as child of element** `noscript` **in this context.**

   (Suppressing further errors from this subtree.)

   From line 26, column 5; to line 26, column 27

   `ript>↵      <style type="text/css">↵`

   Contexts in which element `style` may be used:

   Where metadata content is expected.

   In a `noscript` element that is a child of a `head` element.

   Content model for element `noscript`:

   When scripting is disabled, in a `head` element: in any order, zero or more `link` elements, zero or more `style` elements, and zero or more `meta` elements.

   When scripting is disabled, not in a `head` element: transparent, but there must be no `noscript` element descendants.

   Otherwise: text that conforms to the requirements given in the prose.

2. **Warning** **The** `type` **attribute for the** `style` **element is not needed and should be omitted.**

   From line 26, column 5; to line 26, column 27

   `ript>↵      <style type="text/css">↵`

3. **Error** **Attribute** `disable` **not allowed on element** `a` **at this point.**

   From line 43, column 5; to line 43, column 44

   `per">↵                              <a href="#!" class="brand-logo" disable><img s`

   Attributes for element a:

   Global attributes

   href — Address of the hyperlink

target — Browsing context for hyperlink navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the hyperlink and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

---

4. **Error** **Bad value** `60px` **for attribute** `height` **on element** `img`: **Expected a digit but saw** `p` **instead.**

From line 43, column 45; to line 43, column 92

```
" disable><img src="./assets/img/logo2.png" height='60px'>↵
```

---

5. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 43, column 45; to line 43, column 92

```
" disable><img src="./assets/img/logo2.png" height='60px'>↵
```

---

6. **Error** **Element** `li` **not allowed as child of element** `a` **in this context. (Suppressing further errors from this subtree.)**

From line 44, column 6; to line 44, column 9

```
px'>↵                          <li> Go Go
```

Contexts in which element `li` may be used:

    Inside `ol` elements.

    Inside `ul` elements.

    Inside `menu` elements.

Content model for element `a`:

    Transparent, but there must be no interactive content descendant, `a` element descendant, or descendant with the `tabindex` attribute specified.

---

7. **Error** **Bad value** `work sound` **for attribute** `for` **on element** `label`: **An ID must not contain whitespace.**

From line 61, column 9; to line 61, column 32

```
>↵          <label for="work sound">Work t
```

---

8. **Error** **Bad value** `break sound` **for attribute** `for` **on element** `label`: **An ID must not contain whitespace.**

From line 72, column 9; to line 72, column 33

```
>↵          <label for="break sound">Break
```

9. **Error** Bad value `dark mode` for attribute `for` on element `label`: An ID must not contain whitespace.

From line 83, column 9; to line 83, column 31

```
>↵          <label for="dark mode">Dark m
```

10. **Error** Attribute `name` not allowed on element `label` at this point.

From line 84, column 9; to line 84, column 47

```
>↵          <label name="dark mode" class="switch">↵
```

Attributes for element `label`:

    Global attributes

    for — Associate the label with form control

11. **Error** Attribute `name` not allowed on element `label` at this point.

From line 91, column 9; to line 91, column 42

```
>↵          <label name="mute" class="switch">↵
```

Attributes for element `label`:

    Global attributes

    for — Associate the label with form control

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to **add identifying headings to all sections**, or else use a `div` element instead for any cases where no heading is needed.

From line 57, column 3; to line 57, column 30

```
pup -->↵  <section id="settingsPopup">↵    <
```

13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to **add identifying headings to all sections**, or else use a `div` element instead for any cases where no heading is needed.

From line 101, column 2; to line 101, column 56

```
ompt -->↵          <section id="timerContainer" class="section-container">↵
<di
```

14. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to **add identifying headings to all sections**, or else use a `div` element instead for any cases where no heading is needed.

From line 116, column 2; to line 116, column 169

```
task -->↵          <section id="currentTask" class="section-container" data-title="Tasks"
data-intro="The task you should currently be working on should be displayed here" data-
step='8' > </sec
```

15. **Error** Duplicate attribute `id`.

At line 118, column 53

```
n-container' id='todo' data-ti
```

16. **Error** **Attribute** `overflow` **not allowed on element** `form` **at this point.**

From line 130, column 4; to line 130, column 175

```
iner'>↵                              <form id='add-todo' overflow data-title="Tasks" data-
intro="Here you can enter the name as well as the amount of 25 minute pomo-sessions your
task will take" data-step='7'>↵                              <
```

Attributes for element `form`:

　　Global attributes

　　`accept-charset` — Character encodings to use for form submission

　　`action` — URL to use for form submission

　　`autocomplete` — Default setting for autofill feature for controls in the form

　　`enctype` — Entry list encoding type to use for form submission

　　`method` — Variant to use for form submission

　　`name` — Name of form to use in the `document.forms` API

　　`novalidate` — Bypass form control validation for form submission

　　`target` — Browsing context for form submission

　　`rel`

17. **Warning** **Section lacks heading. Consider using** `h2` – `h6` **elements to add identifying headings to all sections, or else use a** `div` **element instead for any cases where no heading is needed.**

From line 118, column 2; to line 118, column 136

```
list -->↵         <section id='tasklist' class='section-container' id='todo' data-
title="Tasks" data-intro="Your tasks live in this table" data-step='5'>↵
<ta
```

18. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 61, column 9; to line 61, column 32

```
>↵          <label for="work sound">Work t
```

19. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 72, column 9; to line 72, column 33

```
>↵          <label for="break sound">Break
```

20. **Error** **The value of the** `for` **attribute of the** `label` **element must be the ID of a non-hidden form control.**

From line 83, column 9; to line 83, column 31

```
>↵          <label for="dark mode">Dark m
```

21. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

From line 90, column 9; to line 90, column 26

```
>↵          <label for="mute">Mute:<
```

22. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 141, column 4; to line 141, column 33

```
form">↵                 <h1 class='distraction-label'>Report
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 180 milliseconds.