



CITY OF MANCHESTER
PLANNING AND COMMUNITY DEVELOPMENT

Planning and Zoning
Building Regulation
Code Enforcement
Community Improvement Program

Jeffrey D. Belanger, AICP
Director

Nicola Strong
Deputy Director, Planning & Zoning

Michael J. Landry, PE, Esq.
Deputy Director, Building Regulations

August 31, 2026

ZFAB Enterprise, LLC (Owner)
c/o Zacchaeus Olunze
71 Conant Street, #1
Manchester, NH 03102


RE: ZBA2026-077, 58 Myrtle Street, B-1

Zoning Relief Required for Building Permit

Your application for a permit dated **August 12, 2026** to maintain the expansion of a parking area to create two new parking spaces in the front yard, located directly in front of the primary façade, that require backing out onto the sidewalk to exit through the curb cut, where the driveway width is 50' at the property line where 24' is allowed, where the two spaces are within 2' of the building and one space is undersized at 15' 5" where 18.5' is required, with lot coverage of 99% where 90% is allowed, and without the required Type I Landscape Buffer around the parking area in the R-1B Zoning District, all as per documents submitted through **August 12, 2026** and with non-compliance listed in the Zoning Review dated **August 20, 2026** is hereby acknowledged.

According to Section(s) 5.3.1.F.3.I Surface Parking Location, 7.5.2.B.2 Principal Frontage Parking, 7.5.2.D Safety of Parking Design, 7.4.2.A Maximum Driveway Width, 7.5.2.A Parking Setbacks (2 counts), 7.3-A.B Parking Layout, 5.3.1.F.3.H Maximum Lot Coverage, and 8.1.1.B Type I Landscape Buffer of the Zoning Ordinance of the City of Manchester, New Hampshire, passed to be ordained on March 1, 2026, this is prohibited. Consequently, I have no authority to grant this permit. Permit is hereby DENIED.

Further proceedings contemplated pertaining to this application must be pursuant to NH Revised Statutes Annotated 674:33 or the other statutory provisions relative to Zoning Boards of Adjustment, as may be appropriate.



Michael J. Landry, PE, Esq.
Deputy Director, Building Regulations

50 Myrtle St.

Htg....#694....'61....A. J. Tremblay

Htg....#231....'69.... " "

B....#1090....'76....Fernand Authier

E....#27.....'77..... " "

ZONING REVIEW

Reviewed By: Jim Tierney	Date: 8/19/2026	
Revised By: Glenn Gagne	Date Revised: 20-Aug-26	
Applicant Name: Zachaeus Oluwole	Submission Date: 08/12/26	Map / Lot: 39 / 26
Street Address: 58 Myrtle Street	Street Status:	Alley Access: Yes
Secondary Frontages (if any):		Ward: 3
Base Zone: DT-1 (Downtown Center)		
Building Type: Small Multifamily		
Overlay District: None		

Planning Department / Board Action

- ☐ Site Plan
- ☐ Subdivision
- ☐ Planned Development
- ☐ Conditional Use Permit
- ☐ Voluntary Merger

Additional Overlays

- ☐ Airport Approach
- ☐ Airport Noise
- ☐ Airport Navigational Hazard
- ☐ FEMA Flood Plain

Additional Review Required

- ☐ Conservation Commission
- ☐ Regional Impact
- ☐ Heritage Commission

Dimensions	Existing	Proposed
Area of Lot (Square Feet)	5,000	5,000
Area of Building on Lot (Square Feet)	2,785	2,785
Number of Stories	2	2
Total Area of All Floors (Square Feet)	4,053	4,053

Article 4 Uses	Permitted Per	Not Permitted Per	Remarks
☐ Multifamily Dwellings (5 Units)	Table 4.3.1-A		
☐			
☐			
☐			

Article 4 Additional Requirements Per Use	Section	Permitted/ Required	Proposed/ Existing	Remarks
☐				
☐				
☐				
☐				
☐				
☐				
☐				
☐				

Article 5			Section	Permitted/ Required	Proposed/ Existing	Remarks
Dimensional Requirements						
☐	Minimum Lot	Front-Loaded	5.3.1.F.3.A	60 ft.	50 ft.	Existing N/C
☐	Width	Alley-Loaded	5.3.1.F.3.A	50 ft.		
☐	Maximum Lot Width at Frontage		5.3.1.F.3.A	N/A		
☐	Lot Depth		5.3.1.F.3.B	100 ft.	100 ft.	OK
☐	Front/Street	Minimum	5.3.1.F.3.C	0 ft.	16 ft.	Existing N/C
☐	Yard Setback	Maximum	5.3.1.F.3.C	6 ft.		
☐	Minimum Combined Side Yard Setback		5.3.1.F.3.D	10 ft.	1 ft.	Existing N/C
☐	Minimum Setback of One Side		5.3.1.F.3.E	5 ft.	1 ft.	Existing N/C
☐	Minimum Rear Yard Setback		5.3.1.F.3.F	0 ft.	0 ft.	OK
☐	Minimum Buildable Lot Area		5.3.1.F.3.G	6,000 SF / 5,000 SF	5,000 SF	Existing N/C
☒	Maximum Lot Coverage		5.3.1.F.3.H	90%	98.80%	N/C
☐	Uses Within Floors	First Floor	5.3.1.F.4.A	Residential	Residential	OK
☐		Upper Floors	5.3.1.F.4.A	Residential	Residential	OK
☐	Maximum Number of Dwelling Units per Building		5.3.1.F.4.C	9	5	OK
☐	Additional Lot Area Required for Residential Uses		5.3.1.F.4.D	1,000 SF/Unit after 5	0	OK
☐	Front Loaded lot		5.3.1.F.7.B	See Ord.	See Plan	OK
☐	Walkway		5.3.1.F.7.D	See Ord.	See Plan	OK
☐	Other					

Article 5		Section	Permitted/ Required	Proposed/ Existing	Remarks
Height Requirements					
☐	Minimum Height in Stories	5.3.1.F.5.A	2 Stories	2	OK
☐	Maximum Height in Stories	5.3.1.F.5.B	3 Stories		
☐	Maximum Height in Feet	5.3.1.F.5.C	40 ft.	Less	OK
☐	Minimum First Story Height	-	N/A		

Article 5			Section	Permitted/ Required	Proposed/ Existing	Remarks
Street Façade Requirements						
☐	Entrance Type		5.4.2.A	Porch, Recessed Porch, Step, Recessed Entry, Stoop, Stoop With Lightwell, Forecourt, Terrace	Porch	OK
☐	Street Façade Elements		5.4.2.B	N/A		
☐	Minimum Transparency per Façade	First Story - Primary	5.3.1.F.6.A	20%	Existing	OK
☐		First Story - Secondary	5.3.1.F.6.A	20%	N/A	
☐		Upper Stories	5.3.1.F.6.A	20%	Existing	OK
☐	Blank Wall	Primary Façade	5.3.1.F.6.B	15 ft. max.	Existing	OK
☐	Limitations	Secondary Façade	5.3.1.F.6.B	15 ft. max.	N/A	
☐	Number of Street Entrances		5.3.1.F.6.D	Min. 1 entrance per	1	OK
☐	Roof Types		5.4.6.E	Flat, Parapet, Pitched	Pitched	OK
☐	Façade Variety		5.4.6.F	Required if building width > 50 ft.	Existing	OK
☐	Building Materials		-	N/A		

Article 5			Section	Permitted/ Required	Proposed/ Existing	Remarks
Accessory Structures						
☐	Setback	Front/Street Yards	5.6	0 ft.	None	OK
☐		Side Yard		5 ft.	None	OK
☐		Rear Yard		0 ft.	None	OK
☐	Height	Side Yard	5.6			
		Rear Yard				
☐	Size Limits	Side Yard	5.6			
		Rear Yard				
☐	Special Requirements		5.6			

Article 7 Parking Requirements		Section	Permitted/ Required	Proposed/ Existing	Remarks
☒	Surface Parking Location	5.3.1.F.3.I	Side or Rear Yard	Front & Side	N/C
☐	Garage Location	5.3.1.F.3.J	Side or Rear Yard	Rear	OK
☐	Parking, Number of Spaces	Table 7.2-A	5	9	OK
☐	Parking Surfaces	7.3.2	Required	Proposed	OK
☒	Maximum Driveway Width	7.4.2.A	24 ft.	50 ft.	N/C
☒	Parking, Setbacks, From Lot Lines	7.5.2.A	See Ord.	See Plan	N/C
☒	Parking, Setbacks, From Building	7.5.2.A	See Ord.	See Plan	N/C
☒	Parking, Principal Frontage	7.5.2.B.2	See Ord.	See Plan	N/C
☒	Parking, Tandem	7.5.2.C.2	See Ord.	See Plan	N/C
☒	Parking, Safety of Design	7.5.2.D	See Ord.	See Plan	N/C
☒	Parking Dimensions	Table 7.3-A.B	18.5 ft.	*15.5 ft.	N/C - Survey indicates *17.5 ft
☐	Parking Lot Perimeter Landscape	8.1.5.A		N/A	
☐	Parking Lot Interior Landscape, Tree Distribution	8.1.5.B		N/A	
☐	Landscape Islands	Distribution	8.1.5.C.1		N/A
☐		Island Dimensions	8.1.5.C.2		
☐		Shade Trees Required	8.1.5.C.3		
☐	Landscape Islands	Distribution	8.1.5.C.1		N/A
☐		Island Dimensions	8.1.5.C.2		
☐		Shade Trees Required	8.1.5.C.3		
☐	Parking Lot Interior Landscape, Stormwater Integration	8.1.5.E		N/A	
☒	Parking, Bumpers	7.5.2.F	See Ord.	See Plan	N/C
☐	Parking, Demarcation	7.5.2.G	See Ord.	Proposed	Can Comply
☐	Parking, Illumination	7.5.2.H	See Ord.	Existing	OK
☐	Stacking, Number of Spaces	Table 7.5.3-A		N/A	
☐	Stacking, Design	7.5.3.C			
☐	Loading, Number of Spaces	Table 7.5.4-A			
☐	Loading, Location	7.5.4.B			
☐	Loading, Screening	7.5.4.D			
☐	Loading, Dimensions	7.5.4.E			
☒	Number of Accessible Parking Spaces	Table 7.6-A	1	0	N/C
☐	Accessible Parking Space, Dimensions	7.6.5 & 7.6.6			

Parking Space Requirements	Unit of Measurement	Computation	Spaces Required
Building Use			
Multifamily Dwellings	1 per Unit	5 units x 1 = 5	5
		TOTAL:	5

Article 6 Special District-Wide Regulations		Section	Permitted/ Required	Proposed/ Existing	Remarks
☐	Limited Activity Buffer	6.4.2			
☐	Wetlands, Standard	6.4.3.C	10 ft.	N/A	
☐			25 ft.		
☐	Wetlands, High Priority	6.4.3.D	25 ft.	N/A	
☐			50 ft.		
☐	*Other*	6.4			

Article 8 Site and Landscaping Standards		Section	Permitted/ Required	Proposed/ Existing	Remarks
☒	Landscaping, Applicability	8.1.1.B	Required	Proposed	N/C - Removing in front yard.
☐	Landscaped Buffer Yards, Buffer Yard Type Standards	Table 8.1.2-A	Type 1	See Plan	See Above
☐	Landscaped Buffer Yards, District Boundaries	Table 8.1.2-B		N/A	
☐	Landscaped Buffer Yards, Use Abutting R or MX District Boundaries	Table 8.1.2-C		N/A	
☐	Fences and Walls	8.2			
☐	Fence Height	Table 8.2.4-A	4 ft.	Existing 4'	OK
☐			8 ft.	Existing 4'	OK
☐			8 ft.	None	OK
☐	Height of Fences on Walls	8.2.4.A	4 ft.	None	OK
☐	Setback of Retaining Walls > 4 ft.	8.2.4.B	10 ft.	None	OK
☐	Screening of Dumpster & Utilities	Table 8.3-A			
☐	Visibility at Intersections	8.4	30 ft.		
☐	Site Lighting Standards	8.5			
☐	Open Spaces	8.6			

Section 8.7: Planned Developments	Proposed/ Existing	Remarks
☐	N/A	

*See Planned Development Standards Review Sheet

Article 9: Sign Standards	Proposed/ Existing	Remarks
☐	None	OK

*See Sign Standards Review Sheet

Additional Information:

State Use 1112
Print Date 8/4/2026 10:40:22 AM


VISION

State Use 1112
Print Date 8/4/2026 10:40:22 AM

The diagram is a floor plan of a building with the following layout and dimensions:

- Top Left:** A room labeled "BAS UBM" with dimensions 25 (width) and 13 (height).
- Top Right:** A room labeled "UHS FGR" with dimensions 21 (width) and 23 (height).
- Middle Left:** A large room labeled "FUS BAS UBM" with dimensions 25 (width) and 30 (height).
- Middle Right:** A room labeled "FOP" with dimensions 5 (width) and 12 (height). Below it is a small room labeled "FHS BAS UBM" with dimensions 3 (width) and 3 (height).
- Bottom Left:** A room labeled "FHS FUS BAS UBM" with dimensions 14 (width) and 3 (height).
- Bottom Right:** A room labeled "FEP (x2)" with dimensions 6 (width) and 23 (height).
- Corridors and Other Spaces:** Various corridors and smaller rooms are shown with dimensions such as 13, 23, 21, 5, 12, 3, 33, 19, 25, 23, and 6.

A black and white photograph of a two-story house with a gabled roof and a small porch. A car is parked in front of the house, and a fence is visible in the foreground. The house has a prominent chimney and a small dormer window. The porch has a striped awning. A car with a license plate that appears to be '123456' is parked in front. A chain-link fence runs across the foreground, and there is a large pile of dirt or snow in the lower right corner. The background shows other houses and trees.



Property Information

ParcelID 0039-0026
 Location 58 MYRTLE ST
 Owner ZFAB ENTERPRISE LLC




MAP FOR REFERENCE ONLY
 NOT A LEGAL DOCUMENT

City of Manchester, NH makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Geometry updated Daily
 Data updated Daily

Print map scale is approximate.
 Critical layout or measurement activities should not be done using this resource.



City of Manchester
Planning & Community Development
One City Hall Plaza-West Wing
Manchester, NH 03101

(603) 624-6475
www.manchesternh.gov

Jeffrey D. Belanger, AICP
Director

Nicola Strong
Deputy Director Planning & Zoning

Michael J. Landry, PE, Esq.
Deputy Director Building Regulations

RECEIVED
AUG 12 2026

VARIANCE CRITERIA

Complete this form and attach 10 copies along with any supplemental material that would support your appeal.

CITY OF MANCHESTER
PLANNING & COMMUNITY DEVELOPMENT

Deadline for Next Hearing: _____

Property Location: 58 MIRTLE STREET, MANCHESTER, NH - 03107

Owner: ZFAB ENTERPRISE LLC

Address: 71 CONANT STREET, 1, MANCHESTER,
NH - 03102.

Phone #: [REDACTED]

Email: [REDACTED]

Applicant: ZFAB ENTERPRISE LLC

Address: 71 CONANT STREET, 1, MANCHESTER,
NH - 03102.

Phone #: [REDACTED]

Email: [REDACTED]

Relief Sought From Section(s): RSA 674:33 - To expand existing off-street parking from 5 to 7 spots.


1. The variance would not be contrary to the public interest because: The additional 2 spaces decongests on-street parking and better accommodates residents. No increase to units or change in use of property.
 2. The spirit of the ordinance is observed because: It promotes safe & orderly off-street parking while preserving the residential character of neighborhood, without increasing density or altering property use.
 3. Substantial justice would be done because: It provides adequate parking for existing residents and improves neighborhood safety and convenience as it decongests any on-street parking.
 4. The values of surrounding properties would not be diminished because: the improvement will maintain & positively contribute to neighboring property values & desirability as street congestion is reduced.
 5. Literal enforcement of the provisions of the ordinance would result in unnecessary hardship if:
 - (A) Owing to the following special conditions of the property that distinguish it from other properties in the area:
 - i. No fair and substantial relationship exists between the general purposes of the ordinance provisions and the specific application of that provision to the property; and
 - ii. The proposed use is a reasonable one. The existing 5-unit building (3x1 bedrooms, 2x 2 bedrooms) has only 5 parking spaces and insufficient for families resident parking needs. Expanding to 7 spaces is a practical & reasonable enhancement without changing use of property.
- Or (B) Owing to the following special conditions of the property that distinguish it from other properties in the area, the property cannot be reasonably used in strict conformance with the ordinance, and a variance is therefore necessary to enable a reasonable use of it.


Applicant Signature

(ZFAB ENTERPRISE LLC)
ZACHARY OLWOLE
Print Name

08/03/2026
Date

PROSPECT SOUTH BACK





ADDRESS: 58 Myrtle St, Manchester, NH 03104, USA	
Scale: 1"=20'	
Land: 5000 SF	THIS IS NOT A LEGAL SURVEY, NOR IS IT INTENDED TO BE OR REPLACE ONE This work product represents only generalized locations of features, objects or boundaries and should not be relied upon as being legally authoritative for the precise location of any feature, object or boundary.
House: 4053 SF	