

HOMEWORK 1 - Q1

PART A:

```
MINGW64/c/Users/za7md/behind_the_screen_team5
za7md@ZAINAB MINGW64 ~
$ pwd
/c/Users/za7md
za7md@ZAINAB MINGW64 ~
$ AC
za7md@ZAINAB MINGW64 ~
$ AV
bash: $'\026': command not found
za7md@ZAINAB MINGW64 ~
$ mkdir behind_the_screen_team5
za7md@ZAINAB MINGW64 ~
$ cd behind_the_screen_team5
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ touch index.html about.html lesson_zainab.html quiz.html references.html
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ mkdir -p assets/css assets/media
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ touch assets/css/style.css
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -R
.:
about.html  assets/  index.html  lesson_zainab.html  quiz.html  references.html
./assets:
css/  media/
./assets/css:
style.css
./assets/media:
```

PART B:

```
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ touch test.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l
about.html
assets/
index.html
lesson_zainab.html
quiz.html
references.html
test.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ mv test.html draft.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l
about.html
assets/
draft.html
index.html
lesson_zainab.html
quiz.html
references.html
```

PART C:

```
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ rm draft.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l
about.html
assets/
index.html
lesson_zainab.html
quiz.html
references.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ cp index.html backup_index.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l
about.html
assets/
backup_index.html
index.html
lesson_zainab.html
quiz.html
references.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ rm backup_index.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l
about.html
assets/
index.html
lesson_zainab.html
quiz.html
references.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ chmod 755 assets assets/css assets/media

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ chmod 644 index.html about.html lesson_zainab.html quiz.html references.html assets/css/style.css

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l
about.html
assets/
index.html
lesson_zainab.html
quiz.html
references.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -ld assets assets/css assets/media
```

```
za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -ld assets assets/css assets/media
drwxr-xr-x 1 za7md 197609 0 Sep 27 19:45 assets/
drwxr-xr-x 1 za7md 197609 0 Sep 27 19:45 assets/css/
drwxr-xr-x 1 za7md 197609 0 Sep 27 19:45 assets/media/

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ chmod 640 quiz.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l quiz.html
quiz.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$ ls -l quiz.html
quiz.html

za7md@ZAINAB MINGW64 ~/behind_the_screen_team5
$
```

PART D:

Team and topic

- Teams of **3 or 4 students**. Register your team and topic with the instructor **by Friday, September 18, 2026**. Topics must be different across teams; first come, first served.
- The topic must be from **technology, programming, cybersecurity or CIT** and must be teachable in 3-4 lessons (one per member). Each member picks the lesson they will own - this becomes their tab in the navigation and their page in Homework 2.
- Choose a **site name** for your tutorial website (lowercase, no spaces, used as the folder name) and design your own brand: logo, colours and tagline - see Q2. Names must be original: no existing company, product or brand names.
- Number the members 1 to 4 in the About page table; this number decides the layout type each member uses in Homework 2 (odd = Flexbox, even = Grid).

Instructions

Q1 - UNIX and Terminal (20 points, individual, CLO 1)

Every member does this part **on their own Mac account** and includes their own screenshots in the documentation. Use the **Terminal** application only (no Finder for a-c).

- a) (6 points)** Create the complete project folder tree below with `mkdir` and `touch` (use `mkdir -p` for nested folders). Take a screenshot of the Terminal showing the commands and the output of `ls -R` from inside `sitename_team#`.

```
sitename_team#/(e.g. codecraft_team3/)
├── index.html    (home page)
├── about.html    (team page)
├── lesson_firstname.html (one per team member, e.g. lesson_sara.html)
├── quiz.html
├── references.html
├── assets/
│   ├── css/
│   │   └── style.css (the ONLY stylesheet of the site)
│   └── media/        (all images, video and audio files)
```

- b) (3 points)** Create a temporary file `test.html`, rename it to `draft.html` with `mv`, then delete it with `rm`. Copy `index.html` to `backup_index.html` with `cp`, then delete the copy. Screenshot the commands and an `ls -l` after each step.
- c) (5 points)** Set permissions so that folders are 755 and files are 644. Show **both** notations: once with numeric `chmod` and once with symbolic `chmod` (`u=rwx,g=rx,o=rx / u=rw,g=r,o=r`). Screenshot `ls -l` of the project folder and of `assets/media`.
- d) (6 points)** Written answers (in the documentation file):
 - From `assets/css/style.css`, what is the **relative** path to `assets/media/logo.png`? What is the relative path from `index.html` to `style.css`? What is the **absolute** path of `style.css` on the RIT server if your project is in `/home/username/public_html/`?
 - Explain what 755 and 644 mean (owner / group / others). Why should HTML files not be executable?
 - Give the single command that would set `quiz.html` to `rw-r-----` and explain what a visitor of your website would see afterwards and why.

Q2 - HTML structure and content (30 points, team, CLO 3)

Create `index.html` and `about.html`. The other pages (`lesson_*.html`, `quiz.html`, `references.html`) must exist as **minimal valid pages** with the same header, navigation and footer and the text `"TO BE IMPLEMENTED"` in `<main>` - the links in the navigation must work already.

- Head (4 points):** `<!DOCTYPE html>`, `lang` attribute, `<meta charset>`, viewport meta, description, keywords and author meta tags, a meaningful `<title>` and the link to

ANSWERS:

1. Relative path from `assets/css/style.css` to `assets/media/logo.png`

`../media/logo.png`

You go up from the `css` folder to `assets`, then enter `media`.

2. Relative path from index.html to assets/css/style.css

assets/css/style.css

index.html is in the main project folder, so you go into assets, then css.

3. Absolute path of style.css

If the project is located at /home/username/public_html/:

/home/username/public_html/assets/css/style.css

4. Explain 755 and 644

755:

Owner: read, write, execute

Group: read, execute

Others: read, execute

644:

Owner: read, write

Group: read

Others: read

HTML files don't normally need execute permission because they are documents that the web server reads and displays rather than programs that users execute.

5. Set quiz.html to rw-r-----

The command is:

chmod 640 quiz.html

640 means:

Owner: read + write

Group: read

Others: no permission

Therefore, a normal visitor, who is treated as an "other" user, would not have permission to read/access quiz.html; the server would normally return an access-denied/403 response.