Identity, colour and typography

This sheet condenses the production manual into the rules suppliers and staff need day to day. The full manual and the production register sit in `08_APPROVALS`.

Colour

Primary sage grey
#6E7F72 · RGB 110 127 114
Logo, headings, panels, uniforms

GBS red
#E10600 · RGB 225 6 0
Descriptor, icon highlight, CTAs

Light grey
#DADADA · RGB 218 218 218
Dividers, supporting graphics

Off-white
#F9F9F7 · RGB 249 249 247
Paper and page background

Working digital values, not certified spot inks: printers convert through their ICC profile and supply a drawdown for approval. Body text uses a dark sage-neutral (#2E3531); charcoal grey is not part of the system. Red is an accent and never a background for body text.

Typography

Montserrat Bold · headings	**Maintaining exceptional spaces**
Montserrat Bold · descriptor	**PROPERTY MAINTENANCE**
Montserrat Medium · strapline	BUILD | MAINTAIN | IMPROVE
Inter Regular · body	Scheduled programmes that keep communal areas, external fabric and building services in good order. Numerals 0123456789 are tabular for prices, dates and references.
Inter SemiBold · labels	**Scope of Works · Remedial Works · Supply & Install · Job Report**

Context	Sizes
A4 brochure	H1 26-32 pt · H2 14-18 pt · body 9.5-11 pt · footnotes 7.5 pt minimum
Stationery	Letter body 10-11 pt · legal footer 7.5-9 pt
Website	Display 48-64 px desktop / 32-40 px mobile · H2 30-40 / 24-30 px · body 16-18 px

Logo masters

All masters are outlined vectors in `01_LOGO_MASTER/svg` with PNG exports in `01_LOGO_MASTER/png`. The visible logo never carries "Ltd"; the legal name appears in disclosures instead.



Primary with strapline · white / off-white grounds



Primary without strapline · stationery headers, chest prints



Reversed on solid sage (manual-approved)



Reversed, soft descriptor · small sizes on sage




Single-ink sage · stamps, etching, one-colour print



Single-ink white · tonal garments, dark grounds



Strip · lanyards, pens, van rear, narrow bands



Horizon icon and simplified icon (embroidery, under 20 mm)

Minimum sizes

Primary lockup: 35 mm wide in print, 100 mm in embroidery, 140 px on screen. Drop the strapline below 60 mm / 300 px. Icon: 8 mm print, 20 mm embroidery (simplified version). Proof every first application physically.

Clear space, construction and misuse

Unit X is the cap height of the GBS wordmark. Keep at least 1X clear on every side. The red bar top aligns with the cap-height line; all bars stand on the baseline rule, which extends from the left edge of the G to the right edge of the last bar.



Element	Construction (X = 100 units)
Wordmark	Montserrat SemiBold, cap height 1X, tracking +0.08 em, sage
Baseline rule	0.035X thick, 0.25X below the wordmark baseline
Bars (left to right)	Solid 0.06 × 0.42X · hollow 0.20 × 0.95X (stroke 0.05X) · red 0.20 × 1.25X · solid 0.20 × 0.62X · gaps 0.10X · icon starts 0.24X after the S
Descriptor	PROPERTY MAINTENANCE, Montserrat Bold, red, tracking +0.12 em, 96% of lockup width, 0.28X below the rule
Strapline	Montserrat Medium, sage, tracking +0.15 em, cap height 60% of descriptor, red pipes, 0.02X rules to the lockup edges

Do not











