

401(k) FIDUCIARY PLAN DIAGNOSTIC

DEPARTMENT OF LABOR FORM 5500 COMPLIANCE & FEE AUDIT

Employer Sponsor:	AC Dental Company	Active Participants:	10
Plan Name:	AC DENTAL COMPANY, LLC 401(K) PLAN	Fiduciary Assets:	\$2,151,949.00
Employer EIN:	463877877	Plan Administrator:	Sponsor Managed

Fiduciary Scorecard & Performance Indicators

Fiduciary Metric	Filing Value	Threshold Benchmark	Fiduciary Status
Plan Fee Ratio (bps)	—	< 60 bps (0.60%)	SAFE / INSTITUTIONAL
Active Employee Participation	100.0%	> 70% Target	SAFE / TARGET MET
Corrective Compliance Refunds	\$0.00	\$0.00 (No Testing Failures)	SAFE / PASSED
Total Administrative Expenses	\$0.00	Value Validation Required	AUDIT INDICATOR

Fiduciary Risk Assessment & Key Recommendations

• **Fiduciary Oversight Safe:** All checked indicators reside within healthy guidelines. We recommend completing periodic vendor benchmarks every 3 years to maintain institutional pricing structures as plan assets expand.

Advisor Fiduciary Assessment Outreach Proposal

Subject: Fiduciary Health & Fee Diagnostic for AC Dental Company 401(k) Plan

Dear Plan Sponsor at AC Dental Company,

I recently conducted a comprehensive fiduciary health audit of the Department of Labor Form 5500 filings for the AC Dental Company 401(k) plan. Based on our analysis, we identified key opportunities to optimize your plan design, enhance participant returns, and insulate your committee from regulatory risk.

Your plan's primary indicators currently align well with benchmark thresholds. However, periodic fee validation and fiduciary structural checks are highly recommended to ensure you continue to receive institutional pricing as your assets grow.

We would love to offer your committee a complimentary, side-by-side benchmarking report that details actionable steps to minimize fiduciary risk and elevate employee retirement success.

Are you open to a brief 15-minute call next Tuesday or Thursday to walk through our findings?

Best regards,
[Your Name]
[Your Fiduciary Advisory Firm]
[Contact Details]