```
ALTER proc [dbo].[Places_UpdateById]
                     @Name nvarchar(128)
                    ,@Description nvarchar(MAX)
                    ,@OperatingHours nvarchar(MAX)
                    ,@PhoneNumber nvarchar(200)
                    ,@Website nvarchar(200)
                    ,@GlobalRating int
                    --,@MediaId int
                    ,@CategoryId int
                    ,@Slug nvarchar(200)
                    ,@ExtPlaceId nvarchar(max)
                    ,@Id int
/* -----TEST CODE -----
   SELECT *
   FROM [dbo].[Places]
   WHERE Id = 2
       Declare @Id int = 2;
                     @Name nvarchar(128) = 'BILLS SANDWICHES'
       Declare
                    ,@Description nvarchar(MAX) = 'SF SANDWICH JOINT'
                    ,@OperatingHours nvarchar(MAX) = 'Mon-Sun / 7AM - 6PM'
                    ,@PhoneNumber nvarchar(200) = '(714) 555-5555'
                    ,@Website nvarchar(200) = 'www.billssandwiches.com'
                    ,@GlobalRating int = 6
                    --,@MediaId int = 2
                    ,@CategoryId int = 2
                    ,@Slug nvarchar(200) = 'bills-sandwiches'
                    ,@ExtPlaceId nvarchar(max) = 'dfadsfdasfds3r'
    Execute [dbo].[Places_UpdateById]
                     @Name
                    ,@Description
                    ,@OperatingHours
                    ,@PhoneNumber
                    ,@Website
                    ,@GlobalRating
                    --,@MediaId
                    ,@CategoryId
                    ,@Slug
                    ,@ExtPlaceId
                    ,@Id
   SELECT *
   FROM [dbo].[Places]
   WHERE Id = 2
*/
as
BEGIN
UPDATE [dbo].[Places]
         [Name] = @Name
         ,[Description] = @Description
         ,[OperatingHours] = @OperatingHours
         ,[PhoneNumber] = @PhoneNumber
         ,[Website] = @Website
```

```
,[GlobalRating] = @GlobalRating
--,[MediaId] = @MediaId
,[CategoryId] = @CategoryId
,[Slug] = @Slug
,[ExtPlaceId] = @ExtPlaceId
WHERE Id = @Id
```

END