

		Volume	Page
Babactes DC.	II	1023	$\frac{62}{119}^*$ chirila
Babbagia F. Muell.	III	61	$\frac{34}{131}$
Babiana Ker.	III	706	$\frac{50}{173}$
Babingtonia Lindl.	I	702	$\frac{13}{67}^*$ Baeckea
Bacaazia R. et P.	II	485	$\frac{659}{88}^*$ Barnadesia
Baccaurea Lour.	III	283	$\frac{58}{151}$
Baccharis Linn.	II	286	$\frac{165}{88}$
Baccharioides Moench.	II	228	$\frac{16}{88}^*$ Vernonia
Backhousia Hock. et Harv.	I	711	$\frac{40}{67}$
Baconia DC.	II	114	$\frac{236}{84}^*$ Pavetta
Bacopa Aubl.	II	952	$\frac{76}{115}$
Bactris Jacq.	III	941	$\frac{120}{187}$
Bactyribolum Willd.	I	572	$\frac{326}{57}^*$ Cassia
Bacularia F. Muell.	III	903	$\frac{43}{187}$
Badamia Gaertn.	I	686	$\frac{1}{66}^*$ Terminalia
Badiera DC.	I	137	$\frac{3}{20}$
Badula Juss.	II	646	$\frac{12}{100}^*$ Ardisia
Badusa A. Gray.	II	42	$\frac{40}{84}$
Baea Comm.	II	1023	$\frac{64}{119}$
Baea Pers.	II	930	$\frac{10}{115}^*$ Calceolaria
Baeckea Linn.	I	701	$\frac{13}{67}^*$
Baeckea Burm.	I	672	$\frac{5}{63}^*$ Brunia
Baeica Clarke	II	1023	$\frac{65}{119}$
Baeobotrys Forst.	II	641	$\frac{1}{100}^*$ Maesa
Baeometra Salisb.	III	823	$\frac{152}{178}$
Baeoterpe. Salisb.	III	812	$\frac{150}{179}^*$ Hyacinthus
Baeothyon Ehrh.	III	1050	$\frac{11}{199}^*$ Scirpus
Baeria Fisch. et Mey	II	399	$\frac{457}{88}$
Bagassa Aubl.	III	362	$\frac{3}{153}$
Bagnisia Becc.	III	459	$\frac{7}{168}$
Bahia Lag.	II	402	$\frac{468}{88}$
Bahiopsis Kell.	II	376	$\frac{399}{88}^*$ Viguriera
Baikiea Benth.	I	581, 1003	$\frac{349}{57}$
Baileya A. Gray.	II	423	$\frac{526}{88}$
Baillieria Aubl.	II	345	$\frac{320}{88}^*$ Cladodium
Baillonnia Bocq.	II	1143	$\frac{20}{125}$

		Volume	Page
Baissea A. DC	II	719	79/106
Baitaria Ruiz. et Pav.	I	158	8/23 Calandrinia
Bakeria Seem.	I	946	35/81 Plerandra
Balanites Delile.	I	314	26/30 end of 37
Balanocarpus Wendl.	III	883	1/181 Areca
Balanophora Forst.	III	235	5/150
Balanophoreae	III	232	1/150
Balanops Baill.	III	341, 1223	1/152
Balanopseae	III	341	1/152
Balanopteris Gaertn.	I	219	4/32 Hemitelia
Balanostreblus Kurz.	III	377	60/153
Balansaea Boiss. et Reut.	I	898	7/50 Chaerophyllum
Balantium Desv.	I	607	5/58 Pannaria
Balandria Camb.	I	152	24/22 Spergularia
* ¹ Balardia Montrouz.	I	710	35/67 Cloezia
Balaustion Hook.	I	702	16/67
Balbisia Cav.	I	276	13/34
Balbisia DC.	II	442	57/88
Balbisia Willd.	II	392	438/88 Tridax
Balboa Planch. et Tri.	I	172	8/27
Balboa Liebm.	I	497	100/57 Tephrosia
Baldellia Parlat.	III	1005	1/94 Alisma
Baldingera Dennst.	II	1152	42/125 Prema
Baldingera Neck.	II	429	533/88 Cotula
Baldingera Fl. Wett.	III	1138	102/200 Phalaris
Balduina Nutt.	II	391	435/88
Baldwinia Torr. et Gr.	II	391	435/88 Baldwina
Balfouria Br.	II	712	61/106 Wrightia
Balingayum Blanco.	I	348	7/45 Erythropalum
Baliospermum Bl.	III	324	160/151
*→ Ballosporum Salisb.	III	710	56/173 Gladiolus
Ballota Linn.	II	1212	109/126
Baloghia Endl.	III	300	96/151
Balsamifluae	I	664	1/62 Hamamelideae
Balsamina Gaertn.	I	277	19/38 Impatiens
Balsamineae	I	269	1/38

Volume Page

Balsamita Desf.	II	427	529* 529 88	Chrysanthemum
Balsamocarpon Clos.	I	566	309* 57	Caesalpinia
Balsamodendron Kth	I	323,	993	452
Balsamona Vand.	I	779	9* 69	Cuphea
Balsamophleos Berg	I	993		
Balsamorhiza Hook	II	366	381/88	
Baltimora Linn.	II	348	328/88	
Bambos Retz.	III	1210	236 200	Bambusa
Bambusa Schreb.	III	1210	286/200	
Banalia Moq.	III	27	10/30	
Banara Aubl. Moved to <u>Salicaceae</u>	I	8/160	798,1007	6/71
Bancroftia Macf.	I	969		
Bandeiraea Welw.	I	577,1003	335/57	
Banffya Baumg.	I	146	6* 22	Gypsophila
Banisteria Linn.	I	257	29/36	
Bankesia Bruce.	I	622	51* 58	Brayera
Banksia Linn f.	III	184	48/144	
Banksia Forst.	III	189	1* 145	Pimelea
Banksia Koen.	III	646	16* 170	Costus
Baphia Afz	I	553	263/58	
Baphorhiza Link.	II	857	49* 112	Alkanna
Baptisia Vent.	I	466	4/57	
Baratranthus Miq.	III	208	2* 148	Loranthus
Barattia A. Gray.	II	378	404* 88	Encelia
Barbacenia Vaud.	III	740	64/174	
Barbarea Br.	I	68	8/11	
Barbellina Cass.	II	471	690* 88	Stachelina
Barberetta Harv.	III	674	7/172	
Barberina Vell.	II	668	1* 103	Symplocos
Barbeuia Thou.	III	85	13/32	
Barbieria DC.	I	495	96/57	
Barbilus P.Br.	I	337	37* 43	
Barbula Lour.	II	1157	52* 125	Canopteris
Barcella Drude.	III	945	125* 187	Eloais
Barclaya Wall.	I	47	5/8	

	Volume	Page
Bargemontia Gaud.	II	880 29/113
Barhamia Kl.	III	295 $\frac{84}{151}^*$ Cravon
Barjonia Dcne.	II	771 105/107
Barkania Ehrenb.	III	455 $\frac{145}{167}^*$ Halophila
Barkeria Kn. et Westc.	III	529 $\frac{80}{169}^*$ Epidendrum
Barkhausia Moench.	II	513 $\frac{735}{88}^*$ Crepis
Barkhusenia Hoppe.	II	513 " "
Barklya F. Muell.	I	559 $\frac{289}{57}$
Barlaea Reichb.	III	627 $\frac{310}{169}^*$ Habenaria
Barleria Linn.	II	1091 48/122
Barleriacanthus Oerst.	II	1092 $\frac{48}{122}^*$ Barleria
Barlerianthus Oerst.	II	1092 " "
Barleriola Oerst.	II	1093 53/122
Barleriopsis Oerst.	II	1092 $\frac{48}{122}^*$ Barleria
Barleriosiphon Oerst.	II	1092 " "
Barlerites Oerst.	II	1092 " "
Barlia Parlat.	III	620 $\frac{299}{169}^*$ Orchis
Barnadesia Mutis	II	484 659/88
Barnardia Lindl.	III	814 $\frac{135}{178}^*$ Scilla
Barneoudia Cl. Gay.	I	4 $\frac{4}{1}^*$ Anemone
Barosma Willd.	I	290 23/39
Barraldeia Thou.	I	680 $\frac{5}{65}^*$ Corallia
Barrochia Willd.	I	352 $\frac{245}{45}^*$ Poraqueiba
Barringtonia Forst.	I	720, 1006 $\frac{6}{67}$
Barringtoniaceae	I	690 $\frac{*}{67}$ Myrtaceae
Barrotia Gaud.	III	950 $\frac{1}{188}^*$ Pandanus
Barrowia Dcne.	II	779 130/107
Barteria Hook f.	I	812 10/74
Barthea Hook f.	I	751 62/68
Bartholina Br.	III	623 306/169
Bartlettia A. Gray.	II	441 567/88
Bartlingia Brongn.	I	471 $\frac{23}{57}^*$ Pultenaea
Bartlingia Reichb.	II	136 $\frac{293}{84}^*$ Plocama
Bartolina Adans.	II	392 $\frac{438}{88}^*$ Tridax
Bartonia Muehl.	II	818 45/109

		Volume	Page
Bartonia Sims	I	804	$\frac{7}{12}^*$ Mentzelia
Bartramia Gaertn.	I	234	$\frac{13}{33}^*$ Triumfetta
Bartsia Linn.	II	977	$\frac{15}{15}$
Barya Klotzsch.	I	842	$\frac{1}{16}^*$ Begonia
Baryosma Gaertn.	I	551	$\frac{257}{57}^*$ Dipteryx
Baruosma Roem. = Barosma	I	290	23/39
Barysoma Bunge.	I	922	$\frac{127}{80}^*$ Heracleum
Baryxylum Lour.	I	464	
Basaltogeton Salisb.	III	814	$\frac{135}{178}^*$ Scilla
Basanacantha Hook f.	II	82	151/84
Basananthe Peyr.	I	812	7/14
Basella Linn.	III	76	76/131
Basilaea Juss	III	813	$\frac{134}{178}^*$ Eucomis
Basileophyta F.Muell.	II	1012	$\frac{35}{119}^*$ Fieldia
Basistemon Turcz.	II	1244	
Baskerville Lindl.	III	597	237/169
Bassia All.	III	60	$\frac{30}{131}^*$ Chenolea
Bassia Linn.	II	658	658 14/101
<i>Bassovia</i> Aubl.	II	892	9/114
Bastardia H.B. et K.	I	203	17/31
Basteria Houtt.	II	460	$\frac{616}{88}^*$ Berkheya
Batatas Chois	II	872	$\frac{9}{113}^*$ Ipomoea
Batemannia Lindl.	III	546	115/169
Batesia Spruce	I	563, 1002	300/57
Bathysa Presl.	II	49	60/84
Batideae	III	88	$\frac{1}{133}$
Batis Linn.	III	88	$\frac{1}{133}$
Batocarpus Karst.	III	376	57/153
Batodendron Nutt.	II	574	$\frac{19}{92}^*$ Vaccinium
Batrachium DC.	I	5	$\frac{10}{1}^*$ Ranunculus
Batratherum Nees.	III	1128	$\frac{82}{200}^*$ Arthraxon
Batschia Gmel.	II	860	$\frac{57}{112}^*$ Lithospermum
Batschia Moench.	II	246	$\frac{66}{88}^*$ Eupatorium
Batschia Thunb	I	36	$\frac{12}{6}^*$ Abuta
Batschia Vahl.	I	579	$\frac{34}{57}^*$ Humboldtia
Bauhea Fourn.	III	1149	128/200

	Volume	Page
Baudouinia Baill.	I	1003
Bauera Banks.	I	655 72/59
Bauhinia Linn.	I	575 533/57
Baumannia DC.	II	118 $\frac{249}{84}$ * Damnacanthus
Baumannia Spach.	I	790 $\frac{8}{70}$ * Oenothera
Baumea Gaud.	III	1066 $\frac{42}{199}$ * Cladium
Baumgartenia Spr.	III	797 $\frac{90}{178}$ * Borya
Bauschia Seub.	III	850 $\frac{6}{183}$ * Aneilema
Baxteria Br.	III	866 7/186
Baxteria Reichb.	II	772 $\frac{108}{107}$ * Marsdenia
Baziaza Steud.	II	362 $\frac{372}{88}$ * Sabazia
Bdallophyton Eichl.	III	118 $\frac{1}{137}$ * Cytinus
Beatonia Herb.	III	690 $\frac{7}{173}$ * Tigridia
Beatsonia Roxb.	I	141 $\frac{1}{21}$ * Frankenia
Beaucarnia Lemaire	III	780 $\frac{44}{178}$ * Nolina
Beaufortia Br.	I	705 24/67
Beauhanoisia R. et Pav.	I	173 $\frac{10}{27}$ * Tavomita
Beaumontia Wall.	II	721 84/106
Beauprea Brongn.	III	175 21/144
Beautempsia Gaudich.	I	109 $\frac{17}{12}$ * Capparis
Bechium DC.	II	229 $\frac{16}{88}$ * Remonia
Becium Lindl.	II	1172 $\frac{1}{126}$ * Ocimum
Beckera Fresen.	III	1117 47/200
Beckeropsis Fig. et Not.	III	1106 $\frac{14}{200}$ * Pennisetum
Beckmannia Host.	III	1099 6/200
Beclardia A. Rich.	III	583 $\frac{204}{169}$ * Cryptopus
Becquerelia Brongn.	III	1069 53/199
Beddomea Hook f.	I	336 24/43
Bedfordia DC.	II	450 587/88
Beera Beauv.	III	1054 $\frac{19}{169}$ * Hypolytrum
Beesha Kunth.	III	1215 $\frac{298}{200}$ * Ochlandra
Beethovenia Engel.	III	905 $\frac{47}{187}$ * Ceroxylon
Befaria Mut.	II	599 45/93
Begonia Linn.	I	841 1/16
Begoniaceae	I	841 1/76

	Volume	Page
Behaimia Griseb.	I	1002
Behnia Didrichs	III	766 9/18
Behuria Cham.	I	748 52/68
Beilia Eckl.	III	706 $\frac{47}{173}^*$ Watsonia
Beilschmiedia Nees.	III	152 $\frac{6}{143}$
Bejaria Juss.	II	599 $\frac{45}{93}^*$ Bejaria
Belairia A. Rich.	I	558 282/57
Belamcanda Adans.	III	697 25/173
Belangera Camb.	I	650 57/59
Belantheria Nees.	II	1076 $\frac{10}{122}^*$ Biulantaisia
Belenia Dcne	II	902 $\frac{40}{114}^*$ Physochlaina
Belis Salisb.	III	435 $\frac{22}{165}^*$ Cunninghamia
Belladonna Sweet.	III	727 $\frac{27}{174}^*$ Amaryllis
Bellardia All.	II	977 $\frac{151}{115}^*$ Bartsia
Bellardia Colla.	II	506 $\frac{718}{88}^*$ Microseris
Bellardia Schreb.	II	37 $\frac{24}{84}^*$ Manettia
Bellendena Br.	III	175 19/144
Bellevallia Lapeyr.	III	812 $\frac{130}{178}^*$ Hyacinthus
Bellidiastrum Mich.	II	272 $\frac{136}{88}^*$ Aster
Bellinia R. et Sch.	II	891 $\frac{7}{114}^*$ Saracha
Belliopsis Pomel.	II	265 $\frac{118}{88}^*$ Bellium
Bellis Linn.	II	265 117/88
Bellium Linn.	II	265 118/88
Belloa Remy,	II	306 $\frac{215}{88}^*$ Gnaphalium
Bellonia Linn.	II	996 1/19
Bellota C. Gay.	III	151 $\frac{1}{148}^*$ Cryptocarya
Bellucia Neck.	I	768 119/68
Bellynkxia Muell Arg.	II	1229
Belmontia E, Mey.	II	804 4/109
Beloanthera Hassk.	I	144
Beloere Shuttlew.	I	204 $\frac{21}{31}^*$ Abutilon
Belonites E. Mey.	II	722 $\frac{86}{106}^*$ Pachy podium
Belonophora Hook f.	II	109 222/84
Beloperone Nees.	II	1110 95/122
Beloperonides Oerst.	II	1111 $\frac{95}{122}^*$ Beloperone

	Volume	Page
<i>Belostemma</i> Wall.	II	771 $\frac{103}{107}^*$ <i>Tylophora</i>
<i>Belosynapsis</i> Hassk.	III	851 $\frac{111}{183}^*$ <i>Cyanotis</i>
<i>Belotia</i> A. Rich.	I	233 " / 33
<i>Belovia</i> Moq.	III	67 $\frac{50}{131}^*$ <i>Suaeda</i>
<i>Belvala</i> Adans.	III	196 $\frac{23}{145}^*$ <i>Strophiole</i>
<i>Belvisia</i> Desv.	I	723 $\frac{71}{67}^*$ <i>Napoleona</i>
<i>Belvisiaceae</i>	I	690 $\frac{*}{67}$ <i>Myrtaceae</i>
<i>Bembix</i> Lour.	I	251
<i>Bembycodium</i> Kunze.	II	417 $\frac{509}{88}^*$ <i>Athanasia</i>
<i>Bencomia</i> Webb.	I	624 58 / 58
<i>Benincasa</i> Savi.	I	824 14 / 15
<i>Benitzia</i> Karst.	III	458 $\frac{3}{168}^*$ <i>Gymnosiphon</i>
<i>Benjaminia</i> Mart.	II	987 117
<i>Benjaminia</i> Vell.	I	312 $\frac{17}{40}^*$ <i>Dictyoloma</i>
<i>Bennetia</i> Br.	III	287 $\frac{69}{151}^*$ <i>Galearia</i>
<i>Bennetia</i> Miq.	I	128, 972
<i>Bennetia</i> S.F. Gray.	II	471 $\frac{642}{788}^*$ <i>Saussurea</i>
<i>Benthamia</i> A. Rich.	III	625 $\frac{310}{169}^*$ <i>Habenaria</i>
<i>Benthamia</i> Lindl.	I	950 $\frac{5}{82}^*$ <i>Corrus</i>
<i>Benthamia</i> Lindl.	II	851 $\frac{32}{112}^*$ <i>Amsinckia</i>
<i>Bentinckia</i> Berry.	III	916 69 / 187
<i>Benzoin</i> Hayne	II	670 $\frac{3}{103}^*$ <i>Styrax</i>
<i>Benzoin</i> Nees.	III	163 $\frac{31}{143}^*$ <i>Lindera</i>
<i>Benzoinia</i> Schum.	II	29
<i>Berardia</i> Brongn.	I	672 b / 63
<i>Berardia</i> Vill.	II	474 b 45 / 88
<i>Berberideae</i>	I	40 17
<i>Berberidopsis</i> Hook f.	I	964
<i>Berberis</i> Linn.	I	43, 964 8 / 17
<i>Berchemia</i> Neck.	I	377 8 / 49
<i>Berchtholdia</i> Presl.	III	1104 $\frac{11}{200}^*$ <i>Chaetium</i>
<i>Berendtia</i> A. Gray.	II	942 47 / 15
<i>Berenice</i> Salisb.	III	804 $\frac{101}{178}^*$ <i>Allium</i>
<i>Berenice</i> Tul.	I	646 42 / 59
<i>Bergenia</i>	I	635 64 / 59.
<i>Bergera</i> Kaen.	I	304 $\frac{76}{39}^*$ <i>Murraya</i>

	Volume	Page
Bergeretia Desv.	I	967
Berghausia Endl.	III	1118 $\frac{50}{200}^*$ Gomotia
Berghesia Nees.	II	29 $\frac{1}{84}$
Bergia Linn.	I	163, 979 $\frac{2}{25}$
Berginia Harv.	II	1096 $\frac{6}{122}$
Bergkia Sonn.	II	1228
Bergsmia Blume	I	129 $\frac{25}{17}$
Beriesa Steud.	III	744 $\frac{1}{16}^*$ Dioscorea
Beringeria Neck.	II	1212 $\frac{109}{126}^*$ Ballota
Berinia Brign.	II	514 $\frac{135}{88}^*$ Crepis
Berkheya Ehr. Berkheyopsis O. Hoffm.	II	460 $\frac{616}{88}^*$
Berlandiera DC.	II	350 $\frac{335}{88}^*$
Berlinia Soland.	I	579, 1003 $\frac{343}{57}$
Bermudiana Adans.	III	699 $\frac{29}{13}^*$ Sisyrinchium
Bernardia P.Br.	III	308 $\frac{117}{151}$
Bernardina Baudo.	II	630 $\frac{1}{99}$
Bernardinia Planch.	I	431 $\frac{2}{56}$
Berneuxia Dcne	II	621 $\frac{6}{96}$
Berniera DC.	II	497 $\frac{696}{88}^*$ Gerbera
Berrebera Hochst.	I	498 $\frac{104}{57}^*$ Millettia
Berrya Roxb.	I	232, 985 $\frac{6}{33}$
Bersama Fresen.	I	412 $\frac{70}{51}$
Berteroa DC.	I	74 $\frac{34}{11}^*$ Alyssum
Berthelotia DC.	II	291 $\frac{178}{88}^*$ Pluchea
Bertholetia H.B. et K.	I	723 $\frac{70}{67}$
Bertiera Aubl.	II	77 $\frac{138}{84}$
Bertiera DC.	II	69 $\frac{112}{84}^*$ Adenosacme
Bertolonia Raddi.	I	755 $\frac{79}{68}$
Bertolonia Spin.	II	1124 $\frac{1}{123}^*$ Hyopotum
Bertolonia Spreng.	I	172 $\frac{9}{27}^*$ Chrysanthemum
Bertya Planch.	III	264 $\frac{12}{151}$
Berula Koch.	I	893 $\frac{60}{80}^*$ Leontopodium
Beryllis Salisb.	III	816 $\frac{137}{178}^*$ Omithogalum
Berzelia Brongn.	I	671 $\frac{1}{63}$
Berzelia Mart.	III	25 $\frac{5}{130}^*$ Herbstroedelia

	Volume	Page
Beschorneria Kunth.	III	738 59/174
Besenna A. Rich	I	595 $\frac{391}{57}$ * Acacia
Besleria Linn.	II	1015 43/119
Bessera Schult.	III	801 103/178
Bessera Spreng.	III	276 $\frac{36}{151}$ * Securinega
Bessera Spreng. f.	I	972
Bessera Vell.	III	9 $\frac{17}{128}$ * Pisonia
Beta Linn.	III	52 10/131
Betckea DC	II	156 $\frac{8}{85}$ * Plectritis
Betencourtia St.Hil.	I	535 $\frac{212}{57}$ * Galactia
Bethencourtia Chois.	II	448 $\frac{585}{88}$ * Senecio
Betonica Linn.	II	1209 $\frac{102}{126}$ * Stachys
Betula Linn.	III	404 1/159
Betulaceae	III	402 $\frac{*}{159}$
Betulaster Spach.	III	404 $\frac{1}{159}$ Betula
Beurreria Jacq.	II	840 $\frac{5}{112}$ * Bourreria
Beyeria Miq.	III	263 10/151
Beyrichia Cham.et Schl.	II	949 67/115
Beyriopsis Muell.	III	263 $\frac{10}{151}$ * Beyerna
Beythia Endl.	I	240 $\frac{38}{33}$ * Elaeocarpus
Bezanilla Remy	II	297 $\frac{191}{88}$ * Psilocarpus
Bhesa Ham.	I	365 $\frac{20}{47}$ * Kurinia
Bia Kl.	III	329 $\frac{172}{151}$ * Tragia
Bianaea Todar.	I	566 $\frac{308}{57}$ * Caesalpinia
Biarum Schott.	III	966 8/191
Biasilia Vand.	III	843 $\frac{1}{182}$ * Mayaca
Biasolettia Bertol.	I	898 $\frac{71}{80}$ * Chaerophyllum
Biasolettia Koch.	I	898 $\frac{71}{80}$ * Chaerophyllum
Biasolettia Presl.	I	217 /33
Bicchia Parlat	III	625 $\frac{310}{169}$ * Habenaria
Bichenia Don.	II	497 $\frac{694}{88}$ * Trichodine
Bicornella Lindl.	III	624 309/169
Bicorona A.DC.	II	694 $\frac{13}{106}$ * Melodinus
Bidaria Endl.	II	770 $\frac{101}{107}$ * Gymnema
Bidens Linn.	II	387 428/99
Bidwillia Herb.	III	763 178

		Volume	Page
Biebersteinia Stephan.	I	271	1/38
Bielzia Schur	II	478	$\frac{654}{88}$ * Centaurea
Bieneria Reichb	III	618	$\frac{295}{169}$ * Chbraea
Bienertia Bunge.	III	68	53/131
Bifarium Fl. Wett.	III	770	$\frac{19}{178}$ * Haianthemum
Bifora Hoffm.	I	926	139/80
Biforis Spreng.	I	926	139*/80 Bifora
Bifrenaria Lindl.	III	546	116/169
Bigamea Koen.	I	191	$\frac{3}{29}$ * Ancistrocladus
Bigelovia DC.	II	255, 1232	$\frac{89}{88}$ * Chrysanthemum
Bigelovia Spreng.	II	145	$\frac{319}{84}$ * Spermacoce
Bigelowia Sm.	II	676	$\frac{9}{14}$ * Forestiera
Bigelowia Sm.	III	256	151
Biglandularia Seem.	II	1004	$\frac{19}{19}$ * Sinnningia
Bignonia Linn.	II	1033	5/120
Bignoniaceae	II	1026	1/120
Bihania Meissn.	III	155	$\frac{15}{143}$ * Eusideroxylon
Bikkia Reinw.	II	46	52/84
Bikkiopsis Brongn.	II	47	$\frac{52}{84}$ * Bikkia
Bilabium Miq.	II	996	1/19
Bilabrella Lindl.	III	627	$\frac{310}{169}$ * Habenaria
Bilderdykia Dumort.	III	99	$\frac{15}{134}$ * Polygonum
Billardiera Sm.	I	132, 973	6/18
Billardiera Moench.	II	1147	$\frac{26}{125}$ * Verbena
Billardiera Vahl.	II	120	$\frac{256}{84}$ * Coussarea
Billbergia Thunb.	III	664	14/171
Billia Peyr.	I	398	$\frac{21}{51}$ * Aesculus
Billiottia DC.	II	80	145/84
Billiottia Br.	I	703	$\frac{17}{67}$ * Agonis
Billiottia Colla	I	706	$\frac{21}{67}$ * Calothamnus
Billiottia Sch. Bip	II	513	$\frac{735}{88}$ * Gepis
Binectaria Forsk	II	661	$\frac{23}{101}$ * Imbricaria
Binnendykia Kurz.	I	983	
Bionia Mart.	I	536	$\frac{214}{57}$ * Camposema
Biophytum DC.	I	276	$\frac{15}{38}$ * Oxalis
Biota Endl.	III	427	$\frac{5}{165}$ * Thuja

	Volume	Page
Biotia Cass.	II	393 $\frac{442}{88}^*$ Madia
Biotia DC.	II	271 $\frac{136}{88}^*$ Aster
Bipinnula Juss.	III	618 296/169
Biporeia Thou.	I	310 $\frac{8}{40}^*$ Samadera
Birchea A.Rich.	III	571 $\frac{180}{169}^*$ Luisia
Birolia Bellard.	I	162 $\frac{1}{25}^*$ Elatine
Bischofia Bl.	III	281 53/151
Bischofia Blume.	I	283 39
Biscutella Linn.	I	91 $\frac{112}{17}^*$ Vahlia
Bisgoeppertia G.Kuntze		$\frac{4}{17}$
Biserrula Linn.	I	507 $\frac{135}{57}^*$
Bismarckia Wendl.	III	882 187
Bistella Delile.	I	637 $\frac{10}{59}^*$ Vahlia
Bivinia Tul.	I	800 13/71
Bivonaea DC.	I	88 98/11
Bivonia Spreng.	III	308 $\frac{117}{151}^*$ Bernardia
Bixa Linn.	I	125, 971 3/17
Bixineae	I	122 17
Blaberopus DC.	II	705 $\frac{44}{106}^*$ Alstronia
Blachia Baill.	III	301 $\frac{99}{151}^*$
Blackburnia Forst.	I	298 $\frac{51}{39}^*$ Zanthoxylum
Blackstonia Huds.	II	809 $\frac{19}{109}^*$ Chloria
Blackwellia Juss.	I	800 $\frac{15}{71}^*$ Homalium
Bladisia Thunb.	II	645 $\frac{12}{100}^*$ Ardisia
Blaeria Linn.	II	592 26/93
Blainvillea Cass.	II	369 390/88
Blairia Gaertn.	II	1145 $\frac{24}{125}^*$ Priva
Blakea Linn.	I	770 127/68
Blanchetia DC.	II	226 11/88
Blancoa Lindl.	III	676 13/172
Blancoa Bl.	III	917 $\frac{71}{187}^*$ Didymosperma
Blancoa Blume.	I	408 $\frac{54}{51}^*$ Harpullia
Blandfordia Andr.	II	620 $\frac{5}{96}^*$ Galax
Blandfordia Sm.	III	774 39/178
Blandowia Willd.	III	111 $\frac{10}{135}^*$ Apinagia
Blastemanthus Planch.	I	320 9/41
Blastotrophe Didrichs.	II	717 $\frac{75}{106}^*$ Alafia

	Volume	Page
Blastus Lour.	I	752
Blaxium Cass.	II	454
Blechum P.Br.	II	1082
Bleekeria Hassk.	II	700
Bleekeria Miq.	III	315
Bleekrodia Bl.	III	358
Blennoderma Spach.	I	790
Blennodia Br.	I	82,967
Blennosperma Less	II	404
Blennospora A.Gr.	II	321
Blepharacanthus Nees.	II	1089
Blepharandra Griseb.	I	254
Blepharanthemum Kl.	I	202
Blepharanthus Sm.	I	813,1007
Blepharipappus Hook.	II	392
Blepharis Juss.	II	1089 42/122
Blepharispermum Wight.	II	295
Blepharistemma Wall.	I	682
Blepharocalyx Berg.	I	715
Blepharochlariys Presl.	III	234
Blepharochloa Endl.	III	1117
Blepharoden Dcne.	II	756
Blepharolepis Nees.	I	858
Blepharolepis Nees.	III	23,1051
Blepharophyllum Kl.	II	594
Blephilia Raf.	II	1198
Bletia R.et Pav.	III	513 44/169
Bletilla Reichb. f.	III	514
Blightia Koen.	I	399
Blinkworthia Chois.	II	869
Blitanthus Reichb.	III	48
Blitum Linn.	III	52 3* ¹³¹ Chenopodium
Blochmannia Reichb.	III	104
Blonclea Rich.	I	239
Bloomeria Kell.	III	801 104 178

	Volume	Page
Bluffia Nees.	III	1101
Blumea DC.	II	289 17/88
Blumea Nees.	I	18 3/4 Talauma
Blumenbachia Shrad.	I	805 9/12
Blumenbachia Koel.	III	1135 96/200 Sorghum
Blumeodendron Kurz.	III	319 146/151 Mallotus
Blumia Spreng.	I	184
Blysmus Panz.	III	1051 " 199
Blyttia Arn.	II	762
Blyttia Tries.	III	1151
Blyxa Thou.	III	451 5/161
Boaria DC.	II	673
Bobartia Ker.	III	698 28/113
Bobartia Linn.	III	698, 1045
Bobea Gaud.	II	101
Bobeia DC.	I	685
Bebua DC.	II	669
Boca Vell.	I	798
Bocagea St.Hil.	I	29
Bocconia Linn.	I	53 1/10
Bocoa Aubl.	I	552
Bocquillonia Baill.	III	313
Boebera Less.	II	408
Boebera Willd.	II	409
Boeckhia Kunth.	III	1035
Boehmeria Jacq.	III	387 64/153
Boelia Webb.	I	482
Boenninghausenia Reichb.	I	287 11/39
Boerhaavia Linn.	III	5 6/128
Bohadschia Presl.	I	807
Boisduvalia Spach.	I	790
Boissiera Hochst.	III	1175
Bojeria DC.	II	331
Bolanosa A.Gr.	II	232
Bolax Comm.	I	874 6*/80
Bolbophyllaria Reichb.	III	503

	Volume	Page
Bolbophyllopsis Reichb.	III	505
Bolbophyllum Spr.	III	501
Bolborchis Zoll. et Mar.	III	519
Boldea Juss.	III	141
Boldoa Cav.	III	8,1217
Boldu Nees.	III	151
Boleum Desv.	I	98
Bolivaria Cham. et Schl.	II	674
Bollaea Parlat.	III	734
Bollea Reichb.f.	III	543
Bolophyta Nutt.	II	352
Boltonia Lher.	II	269 131/88
Bolusanthus.	I	554
Bomarea Mirb. <i>Now in Alstroemeriaceae</i>	III	736 574 3/174**
Bombax Linn.	I	210 42/31
Bombychodendron Zoll.	I	208
Bombycoosperma Presl.	II	873
Bombycospermum Presl.	I	208
Bonafouxia A.DC.	II	707
Bonamia Thou.	II	877 20/113
Bonamia A.Gr.	II	877 9 ¹ / ₁₃ <i>Breweria</i>
Bonamica Vell.	II	678
Bonania A.Rich.	III	335
Bonannia Guss.	I	910
Bonannia Presl.	I	967 ⁷⁷ / ₁₁ <i>Brassica</i>
Bonapartea R. et Pav.	III	670
Bonapartea Willd.	III	738
Bonatea Willd.	III	628
Bonaveria Scop.	I	489
Bonellia Bert.	II	650
Bongardia C.A. Mey.	I	43 ⁹ / ₇
Bonjeania Reichb.	I	490 ^{60*} / ₅₇ <i>Dorycnium</i>
Bonnaya Link. et Otto.	II	956 87/115
Bonnetia Mart. et Zucc. <i>Now in Bonnetiaceae</i>	I	187 1/28(9)
Bonnetia Schreb.	I	188
Bonninghausia Spreng.	I	513

	Volume	Page
Bonplandia Cav.	II	824
Bonplandia Willd.	I	285
Bontia Linn.	II	1126
Bontia Linn.	II	1160
Bonyunia Schomb.	II	796
Boophane Herb.	III	730
Boopideae Cass.	II	161
Boopis Juss.	II	161
Bootia Bigel.	I	621
Bootia Neck.	I	146
Boottia Wall.	III	453
Bopusia Presl.	II	970
Boquila Dcne. Non <i>Lazibulaceae</i>	I	42 $\frac{2}{7}^*$
Borabora Steud.	III	1045
Boragineae	II	832 112
Borago Linn.	II	854 $\frac{42}{112}$
Borassus Linn.	III	939 $\frac{116}{187}$
Borbonia Linn.	I	475 $\frac{38}{57}$
Borchhausia Link.	II	514
Borderea Miegev.	III	743
Boreava Jaub. et Spach	I	95
Borellia Neck.	II	839
Boretta Neck.	II	596
Borkhausia Roth.	II	931
Boronia Sm.	I	291, 989 $\frac{28}{39}$
Borraginoides Moench.	II	845
Borago Juss.	II	854
Borreria Men.	II	145 $\frac{319}{84}^*$ Spermacoce
Borrichia Adans.	II	368
Borsczovia Bunge.	III	68
Borya Labill	III	797 $\frac{96}{178}$
Borya Willd.	III	256
Bosca Vell.	III	195
Boschia Korth.	I	213
Boschiniakia C.A.Mey	II	985
Boscia Lam.	I	108 16/12

	Volume	Page
<i>Boscia</i> Thunb.	I	301, 969
<i>Bosia</i> Linn.	III	26 7/130
<i>Bosistoa</i> F. Muell.	I	990
<i>Bosquiea</i> Thou.	III	370
<i>Bossiaeae</i> Vent.	I	473 34/57
<i>Bostrychanthera</i> Benth.	II	1216
<i>Boswellia</i> Roxb.	I	322 1/42
<i>Botherbe</i> Steud.	III	695
<i>Bothriochilus</i> Lem.	III	508
<i>Bothriocline</i> Oliv.	II	226
<i>Bothriospermum</i> Bunge.	II	853
<i>Bothriospora</i> Hook f.	II	76
<i>Botria</i> Lour.	I	387
<i>Botrophis</i> Rafin.	I	9
<i>Botryadenia</i> Fisch. et Mey.	II	262
<i>Botryanthe</i> Kl.	III	328
<i>Botryanthus</i> Kunth.	III	812
<i>Botryceras</i> Wild.	I	426
<i>Botrydium</i> Spach.	III	51
<i>Botryocarpium</i> A. Rich.	I	655
<i>Botryodendron</i> Endl.	I	940
<i>Botryolotus</i> Jaub. et Spach.	I	486
<i>Botryopanax</i> Miq.	I	491
<i>Botryophora</i> Hook f.		end 1/51.
<i>Botryopsis</i> Miers.	I	963
<i>Botryoropis</i> Presl.	I	721
<i>Botryosicyos</i> Hochst.	I	809
<i>Botryosicyos</i> Hochst.	III	743
<i>Botryphile</i> Salisb.	III	812
<i>Bottionea</i> Colla.	III	789
<i>Boucerosia</i> W. et Arn.	II	782 139/107
<i>Bouchea</i> Cham.	II	1144 22/125
<i>Bouchetia</i> DC.	II	908
<i>Bouea</i> Meissn.	I	420 9/53
<i>Bougainvillaea</i> Juss.	III	7 11/128.
<i>Bougueria</i> Dcne.	II	1224

	Volume	Page
Boulardia Schutt.	II	984
Bourgaea Coss.	II	470
Bourjotia Pom.	II	844
Bourreria P.Br.	II	840
Boussingaultia H.B.K.	III	77 79/131
Bouteloua Lag.	III	1168 181/200
Boutonia Boj.	III	319
Boutonia DC.	II	1091
Bouvardia Salisb.	II	36 83/84.
Bouzetia Montrous	I	989
Bovea Dcne.	II	948
Bowdichia H.B.et K.	I	557
Bowenia Hook.	III	446 ⁶ / ₁₆₆
Bowiea Harv.	III	786 <i>After Gymnospermae</i>
Bowiea Haw.	III	776
Bowkeria Harv.	II	937
Bowlesia R.et Pav.	I	876 ¹⁰ / ₅₀
Bowmannia Gardn.	II	501
Bowringia Champ.	I	553 265/57
Boykinia Nutt.	I	636 8/59
Boymia Juss.	I	296
Brabeium Linn.	III	177
Brabyla Lour.	III	177
Brachanthemum DC.	II	426
Bracheilema Br.	II	229
Brachieria Griseb.		^{8*} <i>After</i>
Brachionidium Lindl.	III	491 ₂₀₀ <i>Panicum</i>
Brachistus Miers.	II	892
Brachtia Reichb.f.	III	561
Brachyachyris Spreng.	II	250
Brachyactis Ledeb.	II	279
Brachyandra Philippi	II	244
Brachyandra Naud.	I	742
Brachycarpaea DC.	I	87
Brachycentrum Meissn.	I	750
Brachychaeta Torr.et Gr.	II	256

Volume Page

<i>Brachycheila</i> Harv.	II	664 <i>2/120</i> <i>Euclea</i> *
<i>Brachychiton</i> Schott.	I	218 <i>1/32</i>
<i>Brachyclados</i> Don.	II	495 <i>692/88</i>
<i>Brachycodon</i> Prog.	II	814 <i>36/109</i> <i>Pagaea</i>
<i>Brachycome</i> Cass.	II	264 <i>"6/88</i>
<i>Brachycoris</i> Schrad.	II	948 <i>66/115</i> <i>Lindenbergia</i>
<i>Brachycorythis</i> Lindl.	III	632
<i>Brachydersea</i> Cass.	II	514 <i>10/88</i>
<i>Brachyelytrum</i> Beauv.	III	1144
<i>Brachyglottis</i> Forst.	II	444 <i>579/88</i>
<i>Brachylaena</i> Br.	II	288 <i>168/88</i>
<i>Brachylepis</i> W. et Arn.	II	742 <i>14/107</i>
<i>Brachylepis</i> Hook. et Arn.	II	757 <i>60/152</i> <i>Melania</i>
<i>Brachylepis</i> C.A. Mey.	III	73
<i>Brachyobus</i> Schur.	I	966
<i>Brachyloma</i> Sond.	II	613
<i>Brachyloma</i> Hanst.	II	1002
<i>Brachymeris</i> DC.	II	433
<i>Brachynema</i> Benth.	II	666
<i>Brachynema</i> F. Muell.	I	647
<i>Brachynema</i> Griff.	II	1159
<i>Brachyotum</i> Triana.	I	743 <i>33/68</i>
<i>Brachypappus</i> Sch. Bip.	II	449
<i>Brachypodium</i> Beauv.	III	1201 <i>264/200</i>
<i>Brachypteron</i> Benth.	I	549
<i>Brachypterys</i> A. Juss.	I	256 <i>26/36</i>
<i>Brachypus</i> Ledeb.	I	72
<i>Brachyrhamphus</i> DC.	II	525
<i>Brachyrhynchos</i> Lep.	II	448
<i>Brachyrhynchus</i> Nutt.	II	250
<i>Brachyscypha</i> Baker.	III	808
<i>Brachysema</i> Br.	I	467 <i>9/57</i>
<i>Brachysiphon</i> A. Juss.	III	202
<i>Brachyspatha</i> Schott.	III	971
<i>Brachystachys</i> Kl.	III	295
<i>Braclystegia</i> Benth.	I	582,1003 <i>351/57</i>

	Volume	Page
<i>Brachystelma</i> Br.	II	781 $\frac{134}{107}$
<i>Brachystemma</i> Don.	I	149 $\frac{15}{22}$
<i>Brachystemum</i> Mich.	II	1184
<i>Brachystephanus</i> Nees.	II	1105
<i>Brachystephium</i> Less.	II	264
<i>Brachytome</i> Hook f.	II	87 $\frac{164}{84}$
<i>Brachytropis</i> Spach.	I	137 $\frac{2}{20}$ <i>Polygala</i>
<i>Brackenridgea</i> A. Gray.	I	318,993 $\frac{3}{41}$
<i>Bracteolaria</i> Hochst.	I	553 $\frac{263}{57}$ <i>Baphna</i>
<i>Bradburia</i> Torr. et Gr.	II	251
<i>Bradburya</i> Rafin.	I	464
<i>Braddleya</i> Vell.	I	118 $\frac{8}{15}$ <i>Amphithoe</i>
<i>Bradleia</i> Gaertn.	III	272 $\frac{34}{151}$ <i>Phyllanthus</i>
<i>Bragantia</i> Lour.	III	122 $\frac{2}{138}$
<i>Bragantia</i> Vand.	III	40
<i>Brahea</i> Mart.	III	926
<i>Bramia</i> Lam.	II	951
<i>Branciona</i> Salisb.	III	810
<i>Brandesia</i> Mart.	III	38 $\frac{39}{130}$ <i>Telanthaea</i>
<i>Brandisia</i> Hook f.	II	938
<i>Brandonia</i> Reichb.	II	989
<i>Brandtia</i> Kunth.	III	1118
<i>Brasenia</i> Schreb.	I	46 $\frac{2}{8}$
<i>Brassaia</i> Endl.	I	943 $\frac{25}{81}$
<i>Brassaiopsis</i> Dcne. et Plnch.	I	945 $\frac{32}{81}$
<i>Brassavola</i> Br.	III	533
<i>Brassia</i> Br.	III	564
<i>Brassica</i> Linn.	I	84,967 $\frac{77}{11}$
<i>Brassilettia</i> DC	I	565 $\frac{306}{57}$ <i>Peltophorum</i>
<i>Brathydium</i> Spach.	I	165 $\frac{2}{26}$ <i>Hypericum</i>
<i>Brathys</i> Mut.	I	165 $\frac{2}{26}$ <i>Hypericum</i>
<i>Braunea</i> Willd.	I	36 $\frac{13}{6}$ <i>Tiliacora</i>
<i>Brauneria</i> Neck.	II	366
<i>Bravaisia</i> DC.	II	1084
<i>Bravoa</i> Llave.	III	737

	Volume	Page
Braya Sternb.	I	82 $\frac{10}{11}$
Brayera Kunth.	I	622 $\frac{6}{68}$
Brazoria Eng. et Gr.	II	1204
Brebissonia Spach.	I	791 $\frac{10}{70}$ Fuchsia
Bredemeyera Willd.	I	138, 974 $\frac{7}{20}$
Bredia Blume.	I	753 $\frac{7}{68}$
Breea Less.	II	468
Brehmia Harv.	II	797
Bremontiera DC.	I	464
Breonia A. Rich.	II	32
Brevoortia Wood.	III	800 $\frac{100}{178}$
Breweria Br.	II	876 $\frac{19}{113}$
Brewsteria Roem.	I	246
Brexia Thou.	I	645
Brexiaceae	I	629
Breynia Forst.	III	276 $\frac{39}{151}$
Brezia Moq.	III	67
Brickellia Ell.	II	247
Brickellia Raf.	II	823
Bridelia Willd.	III	267 $\frac{22}{151}$
Bridgesia Bert.	I	393
Bridgesia Hook.	II	499
Bridgesia Hook. et Arn.	III	84
Briedelia Willd.	III	267 $\frac{22}{151}$
Brighamia A. Gray.	II	545
Brignolia Bertol.	I	903
Brignolia DC.	II	65
Brillantaisia Beauv.	II	1076 $\frac{10}{122}$
Brimeura Salisb.	III	812
Brindonia Thou.	I	174
Brisegnoa Remy.	III	92
Briseis Salisb.	III	804
Brissonia Desv.	I	494
Britoa Berg.	I	712
Briza Linn.	III	1194 $\frac{25}{200}$

	Volume	Page
<i>Brizophile</i> Salisb.	III	816
<i>Brizopyrum</i> Link.	III	1194 <i>*Demagelia</i> <i>25/200</i>
<i>Brizopyrum</i> Presl.	III	1193 <i>*Distichlis</i> <i>247/200</i>
<i>Brizula</i> Hieron.	III	1026
<i>Brocchia</i> Mauri.	III	265
<i>Brocchia</i> Vis.	II	429
<i>Brocchinia</i> Schutt.	III	665
<i>Brochosiphon</i> Nees.	II	1121
<i>Brodiaea</i> Sm.	III	800 <i>101/178</i>
<i>Brombya</i> F. Muell.	I	991
<i>Bromelia</i> Linn.	III	660 <i>2/171</i>
<i>Bromeliaceae</i>	III	657 <i>1/171</i>
<i>Bromfeldia</i> Neck.	III	256
<i>Bromheadia</i> Lindl.	III	540 <i>101/169</i>
<i>Bromidium</i> Nees.	III	1153
<i>Bromus</i> Linn.	III	1200 <i>263/200</i>
<i>Brongniartia</i> Bl.	III	140
<i>Brongniartia</i> H.B. et K.	I	495
<i>Bronnia</i> H.B. et K.	I	162
<i>Bronnia</i> H.B. et K.	II	821
<i>Brookea</i> Benth.	II	939
<i>Brosimum</i> Sw.	III	369 <i>41/153</i>
<i>Brossaea</i> Linn,	II	583
<i>Brossardia</i> Boiss.	I	91
<i>Broteria</i> Cav.	I	222
<i>Broteria</i> Spreng.	II	408, 1178
<i>Broteria</i> Vell.	I	236
<i>Broteria</i> Willd.	II	463
<i>Broteroa</i> DC.	II	408
<i>Broughtonia</i> Br.	III	531
<i>Broussaisia</i> Gaud.	I	641
<i>Broussonetia</i> Vent.	III	361
<i>Broussonetia</i> Orteg.	I	555
<i>Browallia</i> Linn.	II	910 <i>59/114</i>
<i>Brownea</i> Jacq.	I	577 <i>336/57</i>
<i>Brownleea</i> Harv.	III	631

	Volume	Page
Brownlowia Roxb.	I	231 1/33
Brucea Mill.	I	311, 992 13/40
Bruckenthalia Reichb.	II	591 23/93.
Bruckmannia Nutt.	III	1099
Bruea Gaud.	III	351
Brueckea Karst.	II	1151
Brugmansia Bl.	III	119 4/137
Brugmansia Pers.	II	902
Bruguiera Lam.	I	679 4/63
Bruguiera Thou.	I	1003
Bruinsomannia Miq.	II	65
Brunella Linn.	II	1203 85/126
Brunellia R. et Pav. ^{now} BRUNELLIALE	I	313 1/14 1/40**
Brunfelsia Linn.	II	911 6/14
Brunia Linn.	I	671 4/63
Bruniaceae	I	670 1/63
Bruniera Franch.	III	1001
Brunnera Stev.	II	856
Brunnichia Banks.	III	103, 1219
Brunonia Sm.	II	541 1/90
Brunsvia Neck.	III	256
Brunsvigia Heist.	III	728 20/174
Bruschia Bertol.	II	1240
Brya P.Br.	I	514
Brya Vell.	I	608
Bryanthus Gmel.	II	595 34/93
Bryantia Brangn.	III	950
Brylkinia F. Schm.	III	1192
Bryobium Lindl.	III	509
Bryocarpon Hook f.	II	634
Bryocles Salisb.	III	774
Bryodes Benth.	II	957
Bryomorpha Kar. et Kir.	I	151
Bryomorphe Harv.	II	324
Bryonia Linn.	I	829 3/15
Bryonopsis Arn.	I	829

	Volume	Page
Bryophyllum Salisb.	I	658 5/60
Bubania Gir.	II	627
Bubon Koch.	I	920
Bubon Linn.	I	901
Bubroma Schreb.	I	225
Bucanion Stev.	II	844
Bucco Wendl.	I	290
Bucculina Lindl.	III	624
Bucephalandra Schott.	III	984
Bucephalon Linn.	III	365
Buceras P. Br.	I	686
Buchanania Roxb.	I	421 11/53
Buchenavia Eich.	I	1006 1/66
Buchenraedera Eckl. et Zey.	I	478
Buchia H.B. et K.	II	148
Buchingera Boiss.	I	72
Buchingera Sch.	II	881
Buchloa Engelm.	III	1173
Buchnera Linn.	II	968 123/115
Bucholzia Mart.	III	38, 1218 39-Telanthaea 136
Buchosia Vell.	III	838
Bucida Linn.	I	686 1/66
Buckinghamia F. Muell.	III	182 40/144
Bucklandia Br.	I	668 13/62
Buckleya Torr.	III	226
Bucquetia DC.	I	736
Buddleia Linn.	II	793 14/108
Buekia Nees.	III	1064
Buekia Giseke.	III	648
Buena Cav.	II	65
Buena Pohl.	II	40
Buena Wedd.	II	33
Buergeria Sieb. et Zucc.	I	18
Buettneria Linn.	I	285 32/32
Buettneriaceae	I	214

	Volume	Page
<i>Buffonia</i> Linn.	I	151 17/22
<i>Buforestia</i> Clarke.	III	850 8/153
<i>Bugainvillea</i> Comm.	III	7
<i>Buglossites</i> Moris.	II	854
<i>Buglossoides</i> Moench.		57*
<i>Buglossum</i> Gaertn.	II	855 112
<i>Bugula</i> Moench.	II	1222
<i>Buhsia</i> Bunge.	I	105
<i>Bujacia</i> E. Mey.	I	530
<i>Bulbilis</i> Raf.	III	1173
<i>Bulbillaria</i> Zucc.	III	820
<i>Bulbine</i> Linn.	III	784 55/178
<i>Bulbinella</i> Kunth.	III	784
<i>Bulbocapnos</i> Bernh.	I	56
<i>Bulbocastanum</i> Koch.	I	896
<i>Bulbocastanum</i> Schur.	I	891
<i>Bulbocodium</i> Linn.	III	821 147/178
<i>Bulbophyllum</i> Thou.	III	501 24/169
<i>Bulbospermum</i> Bl.	III	678
<i>Bulbostylem</i> DC.	II	247 $\frac{70}{88}$ <i>Brickellia</i>
<i>Bulbostyles</i> Gardn.	II	246 $\frac{60}{88}$ <i>Eupatorium</i>
<i>Bulbostylis</i> Kunth nom. cons.		9*
<i>Bulliarda</i> DC.	I	657 $\frac{1}{60}$ <i>Tillaea</i> 199
<i>Bulnesia</i> C. Gay.	I	268
<i>Bulowia</i> Schum.	I	812
<i>Bulweria</i> F. Muell.	II	1048
<i>Bumaldia</i> Thunb.	I	412
<i>Bumelia</i> Sw.	II	660
<i>Bunburia</i> Harv.	II	762
<i>Bunburya</i> Meissn.	II	95 $\frac{185}{84}$ <i>Tricalysie</i>
<i>Bunchosia</i> Rich.	I	252
<i>Bungea</i> C. A. Mey.	II	976
<i>Bunias</i> Br.	I	97 147/11
<i>Bunium</i> DC.	I	896 $\frac{66}{80}$ <i>Cnopodium</i>
<i>Bunium</i> Koch.	I	894 $\frac{62}{80}$ <i>Pimpinella</i>
<i>Bunium</i> Linn.	I	891 $\frac{56}{80}$ <i>Carum</i> .
<i>Bunya</i> F. Muell.	II	1140
<i>Buphanes</i> Herb.	III	730

	Volume	Page
Bupleurum Linn.	I	886 44/80
Buprestis Spreng.	I	1008
Bupthalmum Linn.	II	338 298/88
Buraeavia Baill.	III	280
Buraisia Thou.	I	39,960
Burbidgea Hook f.	III	647
Burcardia Scop.	I	1007
Burchardia Br.	III	822
Burchardia Duham.	II	1150 149/178
Burchellia Br.	II	85
Burdachia A. Juss.	I	252
Bureava Baill.	I	688
Burgesia F. Muell.	I	467 $\frac{9}{57}$ Bradysema
Burgsdorffia Moench.	II	1205
Burkea Hook	I	587
Burkhardtia Aubl.	I	1007
Burlingtonia Lindl.	III	559
Burmannia Linn.	III	457 1/168
Burmanniaceae	III	455 168
Burmeisteria Karst.	II	547
Burnatia Michel.	III	1007
Bunettia Lindl.	III	612 $\frac{278}{169}$
Burneya Cham.	II	101,102
Burrielia DC.	II	398
Bursaria Cav.	I	132,973 3/18
Bursera Jacq.	I	324
Burseraceae	I	321 42
Bursinopetalum Wight.	I	950
Burtonia Br.	I	468 $\frac{15}{57}$
Burtonia Salisb.	I	14
Busbeckia Endl.	I	109
Busbeckia Mart.	II	899
Busbequia Salisb.	III	812
Busea Miq.	II	1020
Busiphio Salisb.	III	776
Bustillozia Clos.	I	877

	Volume	Page
Butea Roxb.	I	533 207/57
Buteraea Nees.	II	1087
Butinia Boiss.	I	896
Butomaceae	III	1003
Butomissa Salisb.	III	804
Butomopsis Kunth.	III	1008 10/194
Butomus Linn.	III	1008 9/194
Butonica Juss.	I	721 61/61 Barringtoni
Buttneria Vi Buettneria	I	225 32/32
Buttonia Mcken.	II	970
Butyrospermum Kotsch.	II	661
Buxaceae	III	239
Buxus Linn.	III	266 19/151
Byblis Salisb.	I	664
Byronia Endl.	I	357
Byrsanthes Presl.	II	548
Byrsanthus Guillemin	I	800
Byrsocarpus Schum. et Thn.	I	431
Byrsonima Rich.	I	251 1/36
Byrsophyllum Hook f.	II	83
Bystropogon Lher.	II	1184 37/126
Byttneria Vide. Buettneria	I	