





























































Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(1)	F Pipe	5	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A1	 R11 9	6	3/25
(2)	F Pipe	4	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A2	 R11 9	6	3/31
(3)	F Pipe	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A3	 R11 9	6	3/37
(4)	2nd Electric	5	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A4	 R11 9	146	1/469
(5)	2nd Electric	3	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A5	 R11 9	146	1/457
(6)	A Pipe	6	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A6	 R11 9	178	2/37
(7)	A Pipe	9	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A7	 R11 9	178	2/31
(8)	A Pipe	13	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A8	 R11 9	178	2/25
(11)	C Pipe	8	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A1	 R11 9	102	8/25
(12)	C Pipe	6	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A2	 R11 9	130	6/1
(13)	C Pipe	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A3	 R11 9	158	4/31
(14)	5th Electric	6	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A4	 R11 9	61	7/85
(15)	5th Electric	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A5	 R11 9	131	5/85
(16)	D Pipe	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A6	 R11 9	87	4/49
(17)	D Pipe	5	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A7	 R11 9	130	6/25
(18)	D Pipe	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A8	 R11 9	101	8/55
(21)	E Pipe	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A11	 R11 9	67	7/37






Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(22)	E Pipe	3	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A12	 R11 9	61	7/73
(23)	F Pipe	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A13	 R11 9	12	3/7
(24)	F Pipe	9	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A14	 R11 9	12	3/13
(25)	E Pipe	6	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A15	 R11 9	61	7/55
(26)	F Pipe	12	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A10	 R11 9	12	3/19
(31)	A Pipe	9	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A11	 R11 9	185	2/13
(32)	A Pipe	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A12	 R11 9	185	2/7
(33)	B Pipe	3	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A13	 R11 9	131	5/73
(34)	B Pipe	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A14	 R11 9	171	5/37
(35)	B Pipe	6	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A15	 R11 9	131	5/55
(36)	A Pipe	12	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A10	 R11 9	185	2/19
(41)	4th Electric	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A11	 R11 9	158	4/13
(42)	3rd Electric	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A12	 R11 9	146	1/493
(43)	3rd Electric	3	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A13	 R11 9	146	1/481
(44)	4th Electric	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A14	 R11 9	87	4/55
(45)	3rd Electric	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A15	 R11 9	146	1/487
(47)	6th Electric	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL Right Stairs	 R11 9	171	5/43



Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(48)	6th Electric	9	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL Left Stairs	 R11 9	67	7/43
(51)	7th Electric	10	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A21	 R11 9	67	7/7
(52)	7th Electric	8	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A22	 R11 9	101	8/49
(53)	7th Electric	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A23	 R11 9	102	8/43
(54)	7th Electric	4	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A24	 R11 9	102	8/19
(55)	7th Electric	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A25	 R11 9	171	5/7
(56)	8th Electric	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A31	 R11 9	210	10/37
(57)	7C Electric	3	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A32	 R11 9	102	8/1
(58)	7C Electric	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A31	 R11 9	102	8/13
(59)	8th Electric	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A34	 R11 9	172	9/37
(61)	7th Electric	1	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	FL North Fill Pool	 R13 2	171	5/13
(62)	A Pipe	3	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	FL North Fill Pool	 R11 9	185	2/1
(64)	7th Electric	11	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	FL South Fill Pool	 R13 2	67	7/13
(65)	F Pipe	3	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	FL South Fill Pool	 R11 9	12	3/1
(71)	5th Electric	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Pool Side Light / Fill	 R11 9	61	7/79
(72)	6th Electric	8	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Pool Side Light / Fill	 R11 9	61	7/49
(73)	5th Electric	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Pool Side Light / Fill	 R11 9	131	5/79

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(74)	6th Electric	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Pool Side Light / Fill	 R11 9	131	5/49
(81)	North Bunker Boom		18" Side Arm	Side Arms			
	"	2	ETC ColorSource PAR DB Wide Oval 90w	NE Pool Fill High		173	11/13
(82)	South Bunker Boom		18" Side Arm	Side Arms			
	"	2	ETC ColorSource PAR DB Wide Oval 90w	SE Pool Fill High		1	11/113
(83)	North Bunker Boom		18" Side Arm	Side Arms			
	"	3	ETC ColorSource PAR DB Wide Oval 90w	NE Pool Fill Low		173	11/19
(84)	South Bunker Boom		18" Side Arm	Side Arms			
	"	3	ETC ColorSource PAR DB Wide Oval 90w	SE Pool Fill Low		1	11/119
(85)	North Audience Inner Boom		18" Side Arm	Side Arms			
	"	2	ETC ColorSource PAR DB Wide Oval 90w	NW Pool Fill		205	11/207
(86)	South Audience Inner Boom		18" Side Arm	Side Arms			
	"	2	ETC ColorSource PAR DB Wide Oval 90w	SW Pool Fill		33	11/307
(88)		9	ETC ColorSource Spot DB 25deg-50deg Zoom	South Aisle Light	 R11 9	67	7/31
	E Pipe		24" Side Arm	Side Arms			
(89)		8	ETC ColorSource Spot DB 25deg-50deg Zoom	North Aisle Light		171	5/31
	B Pipe		24" Side Arm	Side Arms			
(91)	B Pipe	11	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Pool Fill / BL	 R11 9	171	5/1

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(92)	8th Electric	3	ETC ColorSource Spot DB 25deg-50deg Zoom+Light Acc C Clamp 160w	North Pool BL	 R13 2	215	9/49
(93)	8th Electric	5	ETC ColorSource Spot DB 25deg-50deg Zoom+Light Acc C Clamp 160w	South Pool BL	 R13 2	216	10/49
(94)	E Pipe	11	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Pool Fill / BL	 R11 9	67	7/1
(101)	2nd Electric	7	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A3/4	 R11 9	146	1/475
(102)	2nd Electric	4	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A4/5	 R11 9	146	1/463
(103)	2nd Electric	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A5/6	 R11 9	146	1/450
(106)	5th Electric	4	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	FL A4/5	 R11 9	92	6/55
(111)	7th Electric	9	ETC ColorSource DB Fresnel Adpater 160w	Top Light A1		67	7/25
(112)	E Pipe	4	ETC ColorSource DB Fresnel Adpater 160w	Top Light A2		61	7/67
(113)	E Pipe	1	ETC ColorSource DB Fresnel Adpater 160w	Top Light A3		87	4/73
(114)	4th Electric	8	ETC ColorSource DB Fresnel Adpater 160w	Top Light A3/4		87	4/61
(115)	4th Electric	6	ETC ColorSource DB Fresnel Adpater 160w	Top Light A4/5		253	4/43
(116)	4th Electric	4	ETC ColorSource DB Fresnel Adpater 160w	Top Light A5/6		158	4/25
(117)	B Pipe	1	ETC ColorSource DB Fresnel Adpater 160w	Top Light A6		158	4/7
(118)	B Pipe	4	ETC ColorSource DB Fresnel Adpater 160w	Top Light A7		131	5/67
(119)	B Pipe	9	ETC ColorSource DB Fresnel Adpater 160w	Top Light A8		171	5/25
(121)	6th Electric	3	ETC ColorSource DB Fresnel Adpater 160w	Top Light A11		130	6/7

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(122)	C Pipe	4	ETC ColorSource DB Fresnel Adpater 160w	Top Light A12		92	6/37
(123)	D Pipe	3	ETC ColorSource DB Fresnel Adpater 160w	Top Light A13		92	6/61
(124)	6th Electric	6	ETC ColorSource DB Fresnel Adpater 160w	Top Light A14		130	6/19
(125)	5B Electric	1	ETC ColorSource DB Fresnel Adpater 160w	Top Light A15		92	6/31
(126)	7th Electric	5	ETC ColorSource DB Fresnel Adpater 160w	Top Light A10		102	8/31
(131)	E Pipe	12	ETC ColorSource DB Fresnel Adpater 160w	Top Light A21		210	10/31
(132)	8th Electric	6	ETC ColorSource DB Fresnel Adpater 160w	Top Light A22		216	10/43
(132xh)	8th Electric		18" Side Arm	Side Arms			
(133)	8th Electric		18" Side Arm	Side Arms			
	"	4	ETC ColorSource DB Fresnel Adpater 160w	Top Light A23		216	10/55
(134)	8th Electric		18" Side Arm	Side Arms			
	"	2	ETC ColorSource DB Fresnel Adpater 160w	Top Light A24		215	9/43
(135)	B Pipe	12	ETC ColorSource DB Fresnel Adpater 160w	Top Light A25		172	9/31
(141)	E Pipe	14	ETC ColorSource DB Cyclight Adapater+Light Acc C Clamp 160w	Colonade Top Light A31		210	10/19
(142)	D Pipe	9	ETC ColorSource DB Cyclight Adapater+Light Acc C Clamp 160w	Colonade Top Light A32		216	10/67
(143)	C Pipe	10	ETC ColorSource DB Cyclight Adapater+Light Acc C Clamp 160w	Colonade Top Light A34		215	9/61
(144)	B Pipe	14	ETC ColorSource DB Cyclight Adapater+Light Acc C Clamp 160w	Colonade Top Light		172	9/19

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(151)	5th Electric		24" Side Arm	Side Arms			
	"	5	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #1	T: R7772 5	61	7/91
(152)	C Pipe	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #2	T: R7772 6	92	6/43
	"	"	24" Side Arm	Side Arms			
(153)	5th Electric						
	"	3	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #3	T: R7772 6	92	6/49
(154)	6th Electric		24" Side Arm	Side Arms			
	"	5	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #4	T: R7772 6	130	6/13
(155)	6B Electric						
	"	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #5	T: R7772 5	101	8/61
(156)	7th Electric		24" Side Arm	Side Arms			
	"	6	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #7	T: R7772 6	102	8/37
(157)	7C Electric	2	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	Stepping Stone Top #8	T: R7772 5	102	8/7
(161)	E Pipe	15	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	BL 21	 R11 9	210	10/13
(162)	D Pipe	10	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	BL 22/23	 R11 9	216	10/79
(163)	C Pipe	11	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	BL 23/24	 R11 9	215	9/73
(164)	B Pipe	15	ETC ColorSource Spot DB 25deg- 50deg Zoom+Light Acc C Clamp 160w	BL 25	 R11 9	172	9/13
(171)	E Pipe	13	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	South God Platform Sidelight FAR	 R11 9	210	10/25

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(172)	E Pipe		24" Side Arm	Side Arms			
	"	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	God Platform Side Light Near	 R11 9	210	10/1
(173)	B Pipe	13	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	North God Platform Sidelight FAR	 R11 9	172	9/25
(174)	B Pipe		24" Side Arm	Side Arms			
	North Bunker Pipe	1	ETC ColorSource Spot DB 36deg+Light Acc C Clamp 160w	God Platform Side Light Near	 R11 9	172	9/1
(181)	7th Electric	10	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A1	T: R7660 1	67	7/19
(182)	E Pipe	5	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A2	T: R7660 1	61	7/61
(183)	E Pipe	2	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A	T: R7660 1	87	4/79
(184)	4th Electric	9	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A3/4	T: R7660 1	87	4/67
(185)	4th Electric	5	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A4/5	T: R7660 1	158	4/37
(186)	4th Electric	3	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A5/6	T: R7660 1	158	4/19
(187)	B Pipe	2	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A6	T: R7660 1	158	4/1
(188)	B Pipe	5	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A7	T: R7660 1	131	5/61
(189)	7th Electric	10	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Walkway Texture A8	T: R7660 1	171	5/19
(191)	D Pipe	8	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	North God Platform Texture	T: R772 28	216	10/61
(192)	C Pipe	9	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	North God Platform Texture	T: R772 28	215	9/55
(194)	B Pipe		24" Side Arm	Side Arms			
	North Bunker Pipe	2	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	NORTH Side Arch Texture	T: R775 72	172	9/7

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(195)	E Pipe		24" Side Arm	Side Arms			
	"	2	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	SOUTH Side Arch Texture	T: R7757 2	210	10/7
(197)	South Audience Outer Boom		18" Side Arm	Side Arms			
	"	3	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Coloade Texture	T: R7757 2	33	11/301
(198)	North Audience Outer Boom		18" Side Arm	Side Arms			
	"	3	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Coloade Texture	T: R7757 2	205	11/201
(201)	D Pipe	2	High End Systems Solaframe 1000 900w	Moving Light		88	6/245
(202)	D Pipe	4	High End Systems Solaframe 1000 900w	Moving Light		91	6/149
(203)	D Pipe	6	High End Systems Solaframe 1000 900w	Moving Light		96	8/149
(204)	C Pipe	3	High End Systems Solaframe 1000 900w	Moving Light		127	6/197
(205)	C Pipe	5	High End Systems Solaframe 1000 900w	Moving Light		128	6/101
(206)	C Pipe	7	High End Systems Solaframe 1000 900w	Moving Light		132	8/101
(211)	South Bunker Boom		18" Side Arm	Side Arms			
	"	1	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	SE Texture Fill	T: R7907 6	1	11/107
(212)	North Bunker Boom		18" Side Arm	Side Arms			
	"	1	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	NE Texture Fill	T: R7907 6	173	11/7

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(215)	South Audience Inner Boom		18" Side Arm	Side Arms			
	"	4	ETC ColorSource Spot DB 25deg-50deg Zoom+Light Acc C Clamp 160w	SW Texture Fill	T: R7907 6	33	11/313
(216)	North Audience Inner Boom		18" Side Arm	Side Arms			
	"	4	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	NW Texture Fill	T: R7907 6	205	11/213
(241)	Electric #9	1	ETC ColorSource DB Cyclight Adapter+Light Acc C Clamp 160w	Sky Drop Top Right		215	9/67
(242)	Electric #9	2	ETC ColorSource DB Cyclight Adapter+Light Acc C Clamp 160w	Sky Drop Top Center		215	9/79
(243)	Electric #9	3	ETC ColorSource DB Cyclight Adapter+Light Acc C Clamp 160w	Sky Drop Top Left		216	10/73
(245)	C Pipe	13	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Sky Drop BL X LEFT		285	11/407
(246)	D Pipe	2	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w	Sky Drop BL X RIGHT		285	11/401
(251)	Audience South	1	Color Kinetics Colorblast 12 50w	South Curtin Wash		104	11/451
(252)	Audience South	2	Color Kinetics Colorblast 12 50w	South Curtin Wash		104	11/454
(253)	Audience South	3	Color Kinetics Colorblast 12 50w	South Curtin Wash		104	11/457
(254)	Audience South	4	Color Kinetics Colorblast 12 50w	South Curtin Wash		104	11/460
(255)	Audience North	1	Color Kinetics Colorblast 12 50w	North Curtin Wash		104	11/463
(256)	Audience North	2	Color Kinetics Colorblast 12 50w	North Curtin Wash		104	11/466
(257)	Audience North	3	Color Kinetics Colorblast 12 50w	North Curtin Wash		104	11/469
(258)	Audience North	4	Color Kinetics Colorblast 12 50w	North Curtin Wash		104	11/472

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(261)	South Bunker Boom	1	ETC ColorSource Spot DB 15deg-30deg Zoom+Light Acc C Clamp 160w	chandelier fill	<input type="radio"/> R13 2	1	11/101
(262)	North Bunker Ground	1	ETC ColorSource Spot DB 15deg-30deg Zoom+Light Acc C Clamp 160w	chandelier fill	<input type="radio"/> R13 2	173	11/1
(263)	North Audience Boom		18" Side Arm	Side Arms			
	"	1	ETC ColorSource Spot DB 15deg-30deg Zoom+Light Acc C Clamp 160w	chandelier fill	<input type="radio"/> R13 2	205	11/219
(264)	South Audience Boom		18" Side Arm	Side Arms			
	"	1	ETC ColorSource Spot DB 15deg-30deg Zoom+Light Acc C Clamp 160w	chandelier fill	<input type="radio"/> R13 2	33	11/319
(301)	Chandelier		Practical	Circuit #1		242	1/242
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
(302)	Chandelier		Practical	Circuit #2		243	1/243
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(303)	Chandel ier		Pratical	Circuit #3		244	1/244
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
(304)	Chandel ier		Pratical	Circuit #4		245	1/245
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
	"		"	"		"	"
(401)	6th Electric	4	Martin Atomic 3000 DMX+Light Acc C Clamp 3kW	Strober		237	6/301
(501)	South Vaum	5	ETC ColorSource Spot DB 50deg+Light Acc C Clamp 160w			Na	11/125
(600)	GROUN D (TBD)	1	look solutions unique 2.1 hazer	Hazer		176	1/501
(801)	7th Electric	3	Osram FLx 90W Work Light+ Light Acc C Clamp 90w	Work Lights		137	1/137
	"	9	"	"		65	1/65
	6th Electric	7	"	"		233	1/233
	D Pipe	12	"	"		269	1/269
	4th Electric	1	"	"		156	1/156
	"	10	"	"		52	1/52

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(901)	F Pipe	11	ETC ColorSource PAR DB Wide Oval 90w	House Lights		34	1/415
(902)	F Pipe	8	ETC ColorSource PAR DB Wide Oval 90w	House Lights		34	1/409
(903)	F Pipe	6	ETC ColorSource PAR DB Wide Oval 90w	House Lights		34	1/403
(904)	F Pipe	5	ETC ColorSource PAR DB Wide Oval 90w	House Lights		34	1/397
(905)	F Pipe	2	ETC ColorSource PAR DB Wide Oval 90w	House Lights		34	1/391
(906)	2nd Electric	6	ETC ColorSource PAR DB Wide Oval 90w	House Lights		73	1/337
(907)	2nd Electric	2	ETC ColorSource PAR DB Wide Oval 90w	House Lights		109	1/331
(908)	1st Electric	3	ETC ColorSource PAR DB Wide Oval 90w	House Lights		73	1/325
(909)	1st Electric	1	ETC ColorSource PAR DB Wide Oval 90w	House Lights		109	1/319
(910)	A Pipe	2	ETC ColorSource PAR DB Wide Oval 90w	House Lights		206	1/361
(911)	A Pipe	5	ETC ColorSource PAR DB Wide Oval 90w	House Lights		206	1/367
(912)	A Pipe	6	ETC ColorSource PAR DB Wide Oval 90w	House Lights		206	1/373
(913)	A Pipe	8	ETC ColorSource PAR DB Wide Oval 90w	House Lights		206	1/379
(914)	A Pipe	11	ETC ColorSource PAR DB Wide Oval 90w	House Lights		206	1/385
(916)	South Pipe	1	ETC ColorSource PAR DB Wide Oval 90w	House Lights		5	1/301
	"	3	"	"		"	1/307
	"	6	"	"		"	1/313

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr &	Dim	Addr
(917)	North Pipe	1	ETC ColorSource PAR DB Wide Oval 90w	House Lights		177	1/343
	"	2	"	"		"	1/349
	"	3	"	"		"	1/355
(950)	A Pipe	1	ETC Source4WRD 90deg 155w	Aisle Light		180	1/180
	"	10	"	"		200	1/200
	1st Electric	2	"	"		69	1/69
	F Pipe	1	"	"		9	1/9
	"	10	"	"		29	1/29
(1000)	House		Can Light	House Lights		294	1/294
	"		"	"		293	1/293
	"		"	"		292	1/292
	"		"	"		291	1/291
	"		"	"		290	1/290
	"		"	"		289	1/289