






















Lake Tahoe Shakespeare Festival









LTSF Little Shop 03JUNE23.lw6

Trad A Burns, Lighting Designer







Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
(1)	2 BOX L MID	2	S4-10° 575w	WARM FRT	 R54	29	1/26
(2)	2 BOX L MID	1	S4-10° 575w	WARM FRT	 R54	28	1/25
(4)	2 BOX R MID	1	S4-10° 575w	WARM FRT	 R54	7	1/7
(5)	2 BOX R MID	2	S4-10° 575w	WARM FRT	 R54	8	1/8
(6)	2 BOX L HIGH	4	S4-10° 575w	WARM FRT	 R54	20	1/22
(7)	2 BOX L HIGH	3	S4-10° 575w	WARM FRT	 R54	23	1/21
(9)	2 BOX R HIGH	1	S4-10° 575w	WARM FRT	 R54	3	1/3
(10)	2 BOX R HIGH	2	S4-10° 575w	WARM FRT	 R54	4	1/4
(11)	2 BOX L LOW	1	S4-5° 575w	WARM FRT	 R54	25	1/29
	"	3	"	"	"	"	"
(12)	2 BOX R LOW	1	S4-5° 575w	WARM FRT	 R54	24	1/11
	"	3	"	"	"	"	"
(13)	2 BOX L HIGH	7	S4-10° 575w	WARM FRT	 R54	22	1/24
	"	8	"	"	"	"	"
(14)	1 BOX L HIGH	4	S4-14° 575w	WARM FRT	 R54	56	1/56
(16)	2 BOX R HIGH	5	S4-10° 575w	WARM FRT	 R54	6	1/6
	"	6	"	"	"	"	"
(17)	1 BOX R HIGH	4	S4-14° 575w	WARM FRT	 R54	44	1/44
(21)	2 BOX L MID	3	S4-10° 575w	COOL FRT	 L500	27	1/27
	"	4	"	"	"	"	"
(22)	2 BOX R MID	3	S4-10° 575w	COOL FRT	 L500	9	1/9
	"	4	"	"	"	"	"
(26)	2 BOX L HIGH	5	S4-10° 575w	COOL FRT	 L500	21	1/23
	"	6	"	"	"	"	"




Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(27)</b>	2 BOX R HIGH	3	S4-10° 575w	COOL FRT	 L500	5	1/5
	"	4	"	"	"	"	"
<b>(31)</b>	2 BOX L LOW	2	S4-5° 575w	COOL FRT	 L500	30	1/30
	"	4	"	"	"	"	"
<b>(32)</b>	2 BOX R LOW	2	S4-5° 575w	COOL FRT	 L501	12	1/12
	"	5	"	"	"	"	"
<b>(33)</b>	2 BOX L MID	5	S4-10° 575w	COOL FRT	 L500	19	1/28
	"	6	"	"	"	"	"
<b>(34)</b>	1 BOX L HIGH	3	S4-14° 575w	COOL FRT	 L500	55	1/55
<b>(36)</b>	2 BOX R MID	5	S4-10° 575w	COOL FRT	 L500	10	1/10
	"	6	"	"	"	"	"
<b>(37)</b>	1 BOX R HIGH	3	S4-14° 575w	COOL FRT	 L500	43	1/43
<b>(41)</b>	1 BOX L MID	4	S4-19° 575w	> COOL	 L502	49	1/49
<b>(42)</b>	1 BOX L MID	3	S4-19° 575w	> COOL	 L502	50	1/50
<b>(43)</b>	1 BOX L HIGH	1	S4-10° 575w	> COOL	 L502	51	1/51
	"	2	S4-14° 575w	"	"	"	"
<b>(44)</b>	TRUSS	3	S4-PAR WFL 575w	> COOL	 L502	68	1/68
	"	4	"	"	"	"	"
<b>(76)</b>	1 BOX R HIGH	1	S4-10° 575w	< COOL	 L502	39	1/39
	"	2	S4-14° 575w	"	"	"	"
<b>(77)</b>	1 BOX R MID	3	S4-19° 575w	< COOL	 L502	38	1/38
<b>(78)</b>	1 BOX R MID	4	S4-19° 575w	< COOL	 L502	37	1/37
<b>(79)</b>	TRUSS	9	S4-PAR WFL 575w	< COOL	 L502	69	1/69
	"	10	"	"	"	"	"
<b>(101)</b>	1 SOUND L	5	S4-36° MPLEX 550w	> TEMP	 L501, T:G697	33	1/33






Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(102)</b>	1 SOUND L	6	S4-26° MPLEX 550w	> TEMP	 L501, T: T:G697	33	1/33
<b>(103)</b>	1 SOUND L	7	S4-19° MPLEX 550w	> TEMP	 L501, T: T:G697	34	1/34
<b>(104)</b>	1 SOUND L	2	S4-36° MPLEX 550w	> TEMP	 L501, T: T:G697	31	1/31
<b>(105)</b>	1 SOUND L	3	S4-26° MPLEX 550w	> TEMP	 L501, T: T:G697	32	1/32
<b>(106)</b>	1 SOUND L	4	S4-19° MPLEX 550w	< TEMP	 L501, T: T:G697	32	1/32
<b>(111)</b>	1 SOUND R	7	S4-19° MPLEX 550w	< TEMP	 L501, T: T:G697	16	1/16
<b>(112)</b>	1 SOUND R	6	S4-26° MPLEX 550w	< TEMP	 L501, T: T:G697	15	1/15
<b>(113)</b>	1 SOUND R	5	S4-36° MPLEX 550w	< TEMP	 L501, T: T:G697	15	1/15
<b>(114)</b>	1 SOUND R	4	S4-19° MPLEX 550w	< TEMP	 L501, T: T:G697	14	1/14
<b>(115)</b>	1 SOUND R	3	S4-26° MPLEX 550w	< TEMP	 L501, T: T:G697	14	1/14
<b>(116)</b>	1 SOUND R	2	S4-36° MPLEX 550w	< TEMP	 L501, T: T:G697	13	1/13
<b>(131)</b>	1 SOUND L	10	D60 Vivid VNR+D60 Half Shield L 161w	> LED WASH		36	3/1
<b>(132)</b>	1 SOUND L	11	D60 Vivid VNR+D60 Half Shield L 161w	> LED WASH		36	3/10
<b>(133)</b>	1 SOUND L	12	D60 Vivid VNR+D60 Half Shield L 161w	> LED WASH		36	3/19
<b>(134)</b>	1 SOUND L	13	D60 Vivid NR+D60 Half Shield L 161w	> LED WASH		36	3/28
<b>(136)</b>	1 SOUND R	10	D60 Vivid VNR+D60 Half Shield R 161w	< LED WASH		18	3/101

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(137)</b>	1 SOUND R	11	D60 Vivid VNR+D60 Half Shield R 161w	< LED WASH		18	3/110
<b>(138)</b>	1 SOUND R	12	D60 Vivid VNR+D60 Half Shield R 161w	< LED WASH		18	3/119
<b>(139)</b>	1 SOUND R	13	D60 Vivid NR+D60 Half Shield R 161w	< LED WASH		18	3/128
<b>(181)</b>	1 SOUND L	14	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	36	3/37
<b>(182)</b>	1 SOUND L	15	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	36	3/50
<b>(183)</b>	1 SOUND L	16	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	36	3/63
<b>(184)</b>	1 SOUND L	17	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	36	3/76
<b>(185)</b>	1 SOUND R	14	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	18	3/137
<b>(186)</b>	1 SOUND R	15	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	18	3/150
<b>(187)</b>	1 SOUND R	16	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	18	3/163
<b>(188)</b>	1 SOUND R	17	ADJ 12P Hex IP+Light Acc C Clamp 104.5w	FRT LED REPLACEMENT	 R114	18	3/176
<b>(203)</b>	1 LADDER L	1	Elation Fuze PAR Z120 IP 158w	LED X BACK		72	2/53
<b>(204)</b>	1 LADDER L	3	Elation Fuze PAR Z120 IP 158w	LED X BACK		72	2/79
<b>(205)</b>	1 LADDER L	5	Elation Fuze PAR Z120 IP 158w	LED X BACK		72	2/105
<b>(207)</b>	1 LADDER L	2	Elation Fuze PAR Z120 IP 158w	LED X BACK		72	2/66
<b>(208)</b>	1 LADDER L	4	Elation Fuze PAR Z120 IP 158w	LED X BACK		72	2/92
<b>(209)</b>	1 LADDER L	6	Elation Fuze PAR Z120 IP 158w	LED X BACK		72	2/118




Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(210)</b>	TRUSS	5	Elation Fuze PAR Z120 IP 158w	LED X BACK		71	2/1
<b>(214)</b>	TRUSS	6	Elation Fuze PAR Z120 IP 158w	LED X BACK		71	2/14
<b>(223)</b>	1 LADDER R	1	Elation Fuze PAR Z120 IP 158w	LED X BACK		85	2/131
<b>(224)</b>	1 LADDER R	3	Elation Fuze PAR Z120 IP 158w	LED X BACK		85	2/157
<b>(225)</b>	1 LADDER R	5	Elation Fuze PAR Z120 IP 158w	LED X BACK		85	2/183
<b>(227)</b>	1 LADDER R	2	Elation Fuze PAR Z120 IP 158w	LED X BACK		85	2/144
<b>(228)</b>	1 LADDER R	4	Elation Fuze PAR Z120 IP 158w	LED X BACK		85	2/170
<b>(229)</b>	1 LADDER R	6	Elation Fuze PAR Z120 IP 158w	LED X BACK		85	2/196
<b>(230)</b>	TRUSS	8	Elation Fuze PAR Z120 IP 158w	LED X BACK		71	2/40
<b>(234)</b>	TRUSS	7	Elation Fuze PAR Z120 IP 158w	LED X BACK		71	2/27
<b>(261)</b>	TRUSS	1	S4-PAR WFL 575w	> SHOP WARM	 R54	67	1/67
	"	2	"	"	"	"	"
<b>(266)</b>	TRUSS	11	S4-PAR WFL 575w	< SHOP WARM	 R54	70	1/70
	"	12	"	"	"	"	"
<b>(271)</b>	1 BOX L OVER	1	S4-10° 575w	SL STOOP WARM	 R54	58	1/58
	1 SOUND R	8	S4-10° MPLEX 575w	"	"	16	1/16
<b>(272)</b>	1 SOUND L	8	S4-10° MPLEX 575w	SR STOOP WARM	 R54	34	1/34
<b>(273)</b>	1 BOX R OVER	1	S4-10° 575w	SL STOOP WARM	 R54	46	1/46



Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(276)</b>	1 SOUND L	1	S4-26° MPLEX 550w	SL STOOP COOL	 L200	31	1/31
<b>(277)</b>	1 SOUND R	1	S4-26° MPLEX 550w	SR STOOP COOL	 L200	13	1/13
<b>(278)</b>	1 BOX R OVER	2	S4-10° 575w	SL STOOP COOL	 L201	47	1/47
<b>(281)</b>	1 BOX L OVER	2	S4-10° 575w	PLANT	 L202	59	1/59
<b>(286)</b>	1 BOX L OVER	3	S4-10° 575w	PLANT	 L715	52	1/52
<b>(311)</b>	1 BOX L MID	5	S4-19° 575w	COOL SET	 L501, T: G530	53	1/53
	"	6	"	"	"	54	1/54
<b>(313)</b>	1 BOX R MID	5	S4-19° 575w	COOL SET	 L501, T: G530	41	1/41
	"	6	"	"	"	42	1/42
<b>(316)</b>	1 BOX L LOW	3	S4-19° 575w	GREEN SET	 L738, T: G530	57	1/57
	"	4	"	"	"	"	"
	"	5	"	"	"	"	"
	"	6	"	"	"	"	"
<b>(318)</b>	1 BOX R LOW	3	S4-19° 575w	GREEN SET	 L738, T: G530	45	1/45
	"	4	"	"	"	"	"
	"	5	"	"	"	"	"
	"	6	"	"	"	"	"
<b>(321)</b>	SL STOOP	3	A LAMP 100w	SCONCE		62	1/62
	"	5	"	"		"	"
<b>(322)</b>	SR STOOP	2	A LAMP 100w	LAMP POST		80	1/80
<b>(323)</b>	TRUSS UNDER	1	SHOP FLUORSCENT	FLUORSCENT		82	1/82

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(324)</b>	SL SHOP	1	PRACT 100w	SL SCONCE		61	1/61
<b>(325)</b>	SR SHOP	1	PRACT 100w	SR SCONCE		79	1/79
<b>(326)</b>	SL STOOP	6	PRACT 100w	STOOP WINDOWS		64	1/64
	SR STOOP	3	"	"		81	1/81
<b>(335)</b>	SL STOOP	4	A LAMP 100w	GARGOYLE		63	1/63
<b>(341)</b>	SHOP SHELVES	1	RGBAW LED TAPE	SHELVES		76	2/205
<b>(342)</b>	SHOP SHELVES	2	RGBAW LED TAPE	SHELVES		76	2/210
<b>(343)</b>	SHOP SHELVES	3	RGBAW LED TAPE	SHELVES		76	2/215
<b>(344)</b>	SHOP SHELVES	4	RGBAW LED TAPE	SHELVES		76	2/220
<b>(345)</b>	SHOP SHELVES	5	RGBAW LED TAPE	SHELVES		76	2/225
<b>(346)</b>	SHOP SHELVES	6	RGBAW LED TAPE	SHELVES		76	2/230
<b>(347)</b>	SHOP SHELVES	7	RGBAW LED TAPE	SHELVES		76	2/235
<b>(348)</b>	SHOP SHELVES	8	RGBAW LED TAPE	SHELVES		76	2/240
<b>(349)</b>	SHOP SHELVES	9	RGBAW LED TAPE	SHELVES		76	2/245
<b>(351)</b>	1 BOOM SL	1	S4-PAR MFL 575w	SHOW WINDOWS	 NC	77	1/77
<b>(352)</b>	1 BOOM SR	1	S4-PAR MFL 575w	SHOW WINDOWS	 NC	96	1/96
<b>(356)</b>	1 BOOM SL	2	S4-PAR MFL 575w	SHOW WINDOWS	 L161	78	1/86
<b>(357)</b>	1 BOOM SR	2	S4-PAR MFL 575w	SHOW WINDOWS	 L161	95	1/95
<b>(362)</b>	DISPLAY WINDOW	1	COLORado BATTEN 332w	RONNETTE TOP		74	2/446

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(381)</b>	PRO ARCH	1	RED LED	LED EYES		76	2/394
<b>(382)</b>	PRO ARCH	2	RED LED	LED EYES		76	2/397
<b>(383)</b>	PRO ARCH	4	RED LED	LED EYES		76	2/400
<b>(384)</b>	PRO ARCH	3	RED LED	LED EYES		76	2/403
<b>(385)</b>	SHOP LEDS	1	RED LED	LED EYES		76	2/406
<b>(386)</b>	SHOP LEDS	2	RED LED	LED EYES		76	2/409
<b>(387)</b>	SHOP LEDS	3	RED LED	LED EYES		76	2/412
<b>(388)</b>	SHOP LEDS	4	RED LED	LED EYES		76	2/415
<b>(389)</b>	SHOP LEDS	5	RED LED	LED EYES		76	2/418
<b>(390)</b>	SHOP LEDS	6	RED LED	LED EYES		76	2/421
<b>(391)</b>	PRO ARCH	5	RED LED	LED EYES		76	2/424
<b>(392)</b>	PRO ARCH	6	RED LED	LED EYES		76	2/427
<b>(393)</b>	PRO ARCH	7	RED LED	LED EYES		76	2/430
<b>(394)</b>	PRO ARCH	8	RED LED	LED EYES		76	2/433
<b>(395)</b>	SL STOOP	1	RED LED	LED EYES		76	2/436
<b>(396)</b>	SL STOOP	2	RED LED	LED EYES		76	2/439
<b>(397)</b>	SR STOOP	1	RED LED	LED EYES		76	2/442
<b>(501)</b>	FLOOR	1	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/251
<b>(502)</b>	FLOOR	2	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/264
<b>(503)</b>	FLOOR	3	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/277
<b>(504)</b>	FLOOR	4	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/290
<b>(505)</b>	FLOOR	5	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/303
<b>(506)</b>	FLOOR	6	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/316



Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(507)</b>	FLOOR	7	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/329
<b>(508)</b>	FLOOR	8	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/342
<b>(509)</b>	FLOOR	9	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/355
<b>(510)</b>	FLOOR	10	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/368
<b>(511)</b>	FLOOR	11	SixBar 1000 145w	RGBAW+UV FOOTS	 45° Frost	75	2/381
<b>(601)</b>	1 SOUND L	9	Elation Proteus Hybrid 750w	FIXTURE 1		35	3/301
<b>(603)</b>	1 SOUND R	9	Elation Proteus Hybrid 750w	FIXTURE 2		17	3/351
<b>(700)</b>	2 BOX L OVER	1	S4-PAR WFL 575w	HOUSE LIGHTS		27	1/19
	"	2	"	"		"	"
	2 BOX L HIGH	1	S4-PAR WFL+7.5" Concentric Ring 575w	"		"	"
	"	2	"	"		"	"
	2 BOX R OVER	1	S4-PAR WFL 575w	"		1	1/1
	"	2	S4-PAR WFL+7.5" Concentric Ring 575w	"		"	"
	"	4	S4-PAR WFL 575w	"		"	"
	2 BOX R LOW	"	"	"		"	"
<b>(701)</b>	1 BOX L MID	1	S4-PAR MFL+7.5" Concentric Ring 575w	HOUSE LIGHTS		60	1/60
	"	2	"	"		"	"
	1 BOX L LOW	1	S4-PAR WFL+7.5" Concentric Ring 575w	"		"	"
	"	2	"	"		"	"

Channel	Position	U#	Type & Acc & Load	Purpose	Clr & Gbo	Dim	Addr
<b>(702)</b>	1 BOX R MID	1	S4-PAR MFL+7.5" Concentric Ring 575w	HOUSE LIGHTS		48	1/48
	"	2	S4-PAR MFL 575w	"		"	"
	1 BOX R LOW	1	S4-PAR WFL+7.5" Concentric Ring 575w	"		"	"
	"	2	"	"		"	"
<b>(997)</b>	1 BOX R OVER	3	S4-10° 575w	SPARE		40	1/40
<b>(998)</b>	2 BOX R OVER	3	S4-10° 575w	NON-SHOW SPECIAL	 +R132	2	1/2
<b>(999)</b>	2 BOX L OVER	3	S4-10° 575w	NON-SHOW SPECIAL	 +R132	30	1/20