

Presi Feature Tour

Builds presentations with React components, URL navigation, speaker notes, fragments, and JavaScript-powered steps.

CURRENT SLIDE

Hash routed

RUNTIME STATE

Hook driven

P R E S I - J S

0

counted up by one <Step /> per step

Presi Feature Tour

Builds presentations with React components, URL navigation, speaker notes, fragments, and JavaScript-powered steps.

CURRENT SLIDE

Hash routed

RUNTIME STATE

Hook driven

P R E S I - J S

1

counted up by one <Step /> per step

Presi Feature Tour

Builds presentations with React components, URL navigation, speaker notes, fragments, and JavaScript-powered steps.

CURRENT SLIDE

Hash routed

RUNTIME STATE

Hook driven

P R E S I - J S

2

counted up by one <Step /> per step

Presi Feature Tour

Builds presentations with React components, URL navigation, speaker notes, fragments, and JavaScript-powered steps.

CURRENT SLIDE

Hash routed

RUNTIME STATE

Hook driven

P R E S I - J S

3

counted up by one <Step /> per step

Big Statement

100% in the browser.

Press the arrow keys to reveal the last statement.

Big Statement

**100% in the browser.
No server.**

Press the arrow keys to reveal the last statement.

Big Statement

100% in the browser.

No server.

Airplane mode on.

Every Transition, Typed

`transitionIn` and `transitionOut` take a typed transition name — every tile below animates in with the transition it is labeled with.

Every Transition, Typed

`transitionIn` and `transitionOut` take a typed transition name — every tile below animates in with the transition it is labeled with.

fade

fade-up

fade-down

fade-left

fade-right

Every Transition, Typed

`transitionIn` and `transitionOut` take a typed transition name — every tile below animates in with the transition it is labeled with.

fade

fade-up

fade-down

fade-left

fade-right

fade-grow

fade-up-grow

fade-down-grow

fade-left-grow

fade-right-grow

Every Transition, Typed

`transitionIn` and `transitionOut` take a typed transition name — every tile below animates in with the transition it is labeled with.

fade

fade-up

fade-down

fade-left

fade-right

fade-grow

fade-up-grow

fade-down-grow

fade-left-grow

fade-right-grow

pop — with its own springy easing

Fragments and Transitions

Add **Fragment** components and assign step indexes to reveal content at the right moment.

Fragments and Transitions

Add **Fragment** components and assign step indexes to reveal content at the right moment.

STEP 1

Reveal fragments

Fragments stay hidden until their step.

Fragments and Transitions

Add **Fragment** components and assign step indexes to reveal content at the right moment.

STEP 1

Reveal fragments

Fragments stay hidden until their step.

STEP 2

Choose motion

Transitions are typed props.

Fragments and Transitions

Add **Fragment** components and assign step indexes to reveal content at the right moment.

STEP 1

Reveal fragments

Fragments stay hidden until their step.

STEP 2

Choose motion

Transitions are typed props.

STEP 3

Keep markup simple

Plain Tailwind classes work as expected.

One Step Can Control Many Things

One step reveals all four cards. The `order` prop overrides DOM order, so the bottom row animates in first.

One Step Can Control Many Things

One step reveals all four cards. The `order` prop overrides DOM order, so the bottom row animates in first.

ORDER 2

Fragments

ORDER 3

Ordering

ORDER 0

Effects

ORDER 1

Cleanup

One Step Can Control Many Things

One step reveals all four cards. The `order` prop overrides DOM order, so the bottom row animates in first.

ORDER 2

Fragments

ORDER 3

Ordering

ORDER 0

Effects

ORDER 1

Cleanup


ONMOUNT / ONUNMOUNT

0s

This timer starts when the slide becomes active and resets when you leave it. The gradient behind it is a custom `background.style`, which fades independently of the content transition.

Steps Can Drive Anything

Steps are not limited to revealing fragments. Here every `<Step />` moves React state one step further and CSS transitions animate the rocket — backwards navigation moves it back.



Steps Can Drive Anything

Steps are not limited to revealing fragments. Here every `<Step />` moves React state one step further and CSS transitions animate the rocket — backwards navigation moves it back.



Steps Can Drive Anything

Steps are not limited to revealing fragments. Here every `<Step />` moves React state one step further and CSS transitions animate the rocket — backwards navigation moves it back.



Steps Can Drive Anything

Steps are not limited to revealing fragments. Here every `<Step />` moves React state one stop further and CSS transitions animate the rocket — backwards navigation moves it back.

