

## © International Baccalaureate Organization 2023

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

#### © Organisation du Baccalauréat International 2023

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

## © Organización del Bachillerato Internacional, 2023

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.





# Chemistry Standard level Paper 1

2 November 2023

Zone A morning | Zone B morning | Zone C morning

45 minutes

#### Instructions to candidates

- Do not open this examination paper until instructed to do so.
- Answer all the questions.
- For each question, choose the answer you consider to be the best and indicate your choice on the answer sheet provided.
- The periodic table is provided for reference on page 2 of this examination paper.
- The maximum mark for this examination paper is [30 marks].

<u>a</u>
Ω
ᆵ
ပ
-
8
ŏ
Ξ
₫
Δ
Φ
ڪ
F

48	2 <b>He</b> 4.00	10 <b>Ne</b> 20.18	18 <b>Ar</b> 39.95	36 <b>Kr</b> 83.90	54 <b>Xe</b> 131.29	86 <b>Rn</b> (222)	118 <b>Uuo</b> (294)
14		9 <b>F</b> 19.00	17 <b>Cl</b> 35.45	35 <b>Br</b> 79.90	53 I 126.90	85 <b>At</b> (210)	117 <b>Uus</b> (294)
91		8 <b>o</b> 16.00	16 <b>S</b> 32.07	34 <b>Se</b> 78.96	52 <b>Te</b> 127.60	84 <b>Po</b> (209)	116 <b>Uuh</b> (293)
15		7 <b>N</b> 14.01	15 <b>P</b> 30.97	33 <b>As</b> 74.92	51 <b>Sb</b> 121.76	83 <b>Bi</b> 208.98	115 <b>Uup</b> (288)
4		6 <b>C</b> 12.01	14 <b>Si</b> 28.09	32 <b>Ge</b> 72.63	50 <b>Sn</b> 118.71	82 <b>Pb</b> 207.2	114 <b>Uug</b> (289)
5		5 <b>B</b> 10.81	13 <b>Al</b> 26.98	31 <b>Ga</b> 69.72	49 In 114.82	81 TI 204.38	113 <b>Unt</b> (286)
12				30 <b>Zn</b> 65.38	48 <b>Cd</b> 112.41	80 <b>Hg</b> 200.59	112 Cn (285)
7				29 <b>Cu</b> 63.55	47 <b>Ag</b> 107.87	79 <b>Au</b> 196.97	111 <b>Rg</b> (281)
9				28 <b>Ni</b> 58.69	46 <b>Pd</b> 106.42	78 <b>Pt</b> 195.08	110 <b>Ds</b> (281)
6		S		27 <b>Co</b> 58.93	45 <b>Rh</b> 102.91	77 <b>Ir</b> 192.22	109 <b>Mt</b> (278)
œ		Atomic number Element lative atomic mas		26 <b>Fe</b> 55.85	44 <b>Ru</b> 101.07	76 <b>0s</b> 190.23	108 <b>Hs</b> (269)
7		Atomic number <b>Element</b> Relative atomic mass		25 <b>Mn</b> 54.94	43 <b>Tc</b> (98)	75 <b>Re</b> 186.21	107 <b>Bh</b> (270)
9		<u> </u>		24 <b>Cr</b> 52.00	42 <b>Mo</b> 95.96	74 <b>W</b> 183.84	106 <b>Sg</b> (269)
Ŋ				23 <b>V</b> 50.94	41 <b>Nb</b> 92.91	73 <b>Ta</b> 180.95	105 <b>Db</b> (268)
4				22 <b>Ti</b> 47.87	40 <b>Zr</b> 91.22	72 <b>Hf</b> 178.49	104 <b>Rf</b> (267)
ო				21 <b>Sc</b> 44.96	39 <b>Y</b> 88.91	57 † <b>La</b> 138.91	89 ‡ <b>Ac</b> (227)
7		4 <b>Be</b> 9.01	12 <b>Mg</b> 24.31	20 <b>Ca</b> 40.08	38 <b>Sr</b> 87.62	56 <b>Ba</b> 137.33	88 <b>Ra</b> (226)
-	- <b>T</b> 1.01	3 <b>Li</b> 6.94	11 <b>Na</b> 22.99	19 <b>K</b> 39.10	37 <b>Rb</b> 85.47	55 <b>Cs</b> 132.91	87 <b>Fr</b> (223)
	~	8	က	4	2	9	^

71	103
<b>Lu</b>	<b>Lr</b>
174.97	(262)
70	102
<b>Yb</b>	<b>No</b>
173.05	(259)
69	101
<b>Tm</b>	<b>Md</b>
168.93	(258)
68	100
<b>Er</b>	<b>Fm</b>
167.26	(257)
67	99
<b>Ho</b>	<b>Es</b>
164.93	(252)
66	98
<b>Dy</b>	<b>Cf</b>
162.50	(251)
65	97
<b>Tb</b>	<b>Bk</b>
158.93	(247)
64	96
<b>Gd</b>	<b>Cm</b>
157.25	(247)
63	95
<b>Eu</b>	<b>Am</b>
151.96	(243)
62	94
<b>Sm</b>	<b>Pu</b>
150.36	(244)
61	93
<b>Pm</b>	<b>Np</b>
(145)	(237)
60	92
<b>Nd</b>	<b>U</b>
144.24	238.03
59	91
<b>Pr</b>	<b>Pa</b>
140.91	231.04
58	90
<b>Ce</b>	<b>Th</b>
140.12	232.04
<b>-</b>	++

- **1.** Which hydrocarbon would produce equal numbers of moles of CO<sub>2</sub> and H<sub>2</sub>O upon complete combustion?
  - A. CH₄
  - B. C<sub>2</sub>H<sub>2</sub>
  - C. C<sub>3</sub>H<sub>8</sub>
  - D. C<sub>4</sub>H<sub>8</sub>
- **2.** Metal M reacts with 16.0 g of sulfur to produce 26.0 g of the compound MS<sub>2</sub>. What is the relative atomic mass of M?
  - A. 5
  - B. 10
  - C. 20
  - D. 40
- 3. 64 g of methane and 96 g of oxygen are reacted according to the equation.

$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(l)$$

What would be found in the reaction vessel at completion of the reaction?

- A.  $CO_{2}(g)$  and  $H_{2}O(l)$  only
- B.  $O_2(g)$ ,  $CO_2(g)$  and  $H_2O(l)$  only
- C.  $CH_4(g)$ ,  $CO_2(g)$  and  $H_2O(l)$  only
- D.  $CH_4(g)$ ,  $O_2(g)$ ,  $CO_2(g)$  and  $H_2O(l)$
- **4.** Ammonia reacts with oxygen to produce nitrogen (II) oxide and water.

$$\_\_NH_3(g) + \_\_O_2(g) \rightarrow \_\_NO(g) + \_\_H_2O(l).$$

What is the NH<sub>3</sub>:O<sub>2</sub> ratio in the balanced equation?

- A. 2:5
- B. 4:5
- C. 1:1
- D. 2:1

- **5.** Gallium ( $A_r = 69.72$ ) consists of two stable isotopes, Ga-69 and Ga-71. What is the relative abundance of Ga-71?
  - A. 36%
  - B. 40%
  - C. 60%
  - D. 64%
- **6.** Which electron configuration represents a d-block element in the ground state?
  - A.  $1s^22s^22p^63s^23p^64s^13d^1$
  - B.  $1s^22s^22p^63s^23p^64s^13d^{10}$
  - C.  $1s^22s^22p^63s^23p^64s^23d^9$
  - D.  $1s^22s^22p^63s^23p^64s^13d^{10}4p^1$
- **7.** A beam containing two different kinds of particles is passed through oppositely charged plates with the results shown in the diagram.



What conclusion can be drawn from this observation?

- A. Particle 1 has a larger mass than particle 2.
- B. Particle 2 has a larger mass than particle 1.
- C. Particle 1 is positively charged.
- D. Particle 2 is positively charged.
- 8. Which factor generally increases when first ionization energy increases?
  - A. Atomic radius
  - B. Electronegativity
  - C. Metallic character
  - D. Nuclear charge

9.	The periodic table provided shows 118 elements. Which group of elements would a new element
	with atomic number 119 be most similar to?

- A. Alkali metals
- B. Halogens
- C. Lanthanoids and actinoids
- D. Noble gases

10.	The formula for	praseodymium	phosphate is PrPO <sub>4</sub> .	What is the formula for	praseodymium oxide?

- A. Pr<sub>2</sub>O
- B. PrO
- C. Pr<sub>2</sub>O<sub>3</sub>
- D. PrO<sub>2</sub>

11. For which molecule can resonance structures be used to describe the bonding?

- A. HCN
- B. H<sub>2</sub>CO<sub>3</sub>
- C. PCl<sub>3</sub>
- D. SO<sub>2</sub>

**12.** What are the electron domain and molecular geometries of SO<sub>3</sub>?


	Electron domain geometry	Molecular geometry	
A.	Trigonal planar	Trigonal planar	
B.	Trigonal planar	Trigonal pyramidal	
C.	Trigonal pyramidal	Trigonal planar	
D.	Trigonal pyramidal	Trigonal pyramidal	

- **13.** Which substance has high volatility in its pure state **and** high electrical conductivity in aqueous solutions?
  - A. C<sub>6</sub>H<sub>5</sub>Cl
  - B. HCl
  - C. NaCl
  - D. HCN
- **14.** Which reactions release heat?
  - I.  $C(s) + O_2(g) \rightarrow CO_2(g)$
  - II.  $Na^+(g) + e^- \rightarrow Na(g)$
  - III.  $NH_3(g) \rightarrow NH_3(l)$
  - A. I and II only
  - B. I and III only
  - C. II and III only
  - D. I, II and III
- **15.** Which expression represents the calculation used to obtain the  $\Delta H^{\ominus}$  value for the conversion of oxygen to one mole of ozone  $(O_3)$ ?

		Δ <b>H</b> <sup>⊕</sup> , kJ
Eqn (i)	$2CO_2 \rightarrow 2CO + O_2$	+566
Eqn (ii)	$3CO + O_3 \rightarrow 3CO_2$	<b>-992</b>

- A. -566 992
- B. -566 + 992
- C.  $1.5 \times (-566) + 992$
- D.  $1.5 \times (-566) 992$

**16.** Which expression represents the calculation of  $\Delta H$ ?



- A. I–II
- B. II-I
- C. I-III
- D. II–III
- **17.** Which statement describes a role that a catalyst might have in increasing the rate of reaction by providing an alternative mechanism?
  - A. It increases frequency of collisions between molecules
  - B. It increases energy of collisions between molecules
  - C. It increases proportion of molecules colliding in correct orientation
  - D. It increases proportion of molecules with a given energy
- 18. Which of the following equilibria would shift left with an increase in pressure?
  - A.  $H_2(g) + Br_2(g) \rightleftharpoons 2HBr(g)$
  - B.  $C(s) + H_2O(g) \rightleftharpoons CO(g) + H_2(g)$
  - C.  $NO(g) + \frac{1}{2}O_2(g) \rightleftharpoons NO_2(g)$
  - D.  $4NH_3(g) + 3O_2(g) \rightleftharpoons 2N_2(g) + 6H_2O(l)$
- 19. What is the correct way to express the formula for the conjugate base of ethanoic acid?
  - A. CH<sub>3</sub>COO
  - B. CH<sub>3</sub>COO<sup>-</sup>
  - C.  $C_2H_3O_2^-$
  - D.  ${}^{-}C_2H_3O_2$


- **20.** Sulfur dioxide emissions from coal-fired power plants is a source of acid deposition. Which are pre-combustion methods of reducing sulfur dioxide emissions?
  - I. Wash flue gases with crushed limestone and water.
  - II. Crush and wash the coal.
  - III. Crush and mix coal with a sulfur solvent, then wash.
  - A. I and II only
  - B. I and III only
  - C. II and III only
  - D. I, II and III
- **21.** In which compound does vanadium have an oxidation state of +4?
  - A.  $V(NO_3)_2$
  - B.  $V(SO_4)_2$
  - C.  $V_3(PO_4)_5$
  - D.  $V_3(PO_4)_2$
- **22.** The acid H<sub>2</sub>S reacts with an active metal, M. Which combination shows the correct role of H<sub>2</sub>S, and product formed from the reaction?

	Role of H <sub>2</sub> S	Product from H <sub>2</sub> S reaction
A.	Oxidizing agent	H <sub>2</sub> (g)
B.	Oxidizing agent	S(s)
C.	Reducing agent	H <sub>2</sub> (g)
D.	Reducing agent	S(s)

- 23. What occurs during the operation of the voltaic cell Cu | Cu<sup>2+</sup> || Ag<sup>+</sup> | Ag?
  - I. The blue colour of the Cu<sup>2+</sup>(aq) solution will fade.
  - II.  $NO_3^-$ (aq) ions in the salt bridge will migrate toward the copper electrode.
  - III. The mass of the silver electrode will increase.
  - A. I and II only
  - B. I and III only
  - C. II and III only
  - D. I, II and III
- 24. Which species will most readily react with propane?
  - A. Br atom
  - B. Br<sub>2</sub> molecule
  - C. Br ion
  - D. Br<sup>+</sup> ion
- **25.** Which pair of compounds are structural isomers?

	1st compound	2nd compound
A.	NH <sub>2</sub> CH <sub>2</sub> COOH	NH <sub>2</sub> CH <sub>2</sub> OCH <sub>3</sub>
B.	CH₃CH₂OH	CH <sub>3</sub> COCH <sub>3</sub>
C.	CH₃CH₂OH	CH₃OCH₃
D.	NH <sub>2</sub> CH <sub>2</sub> COOH	NH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> COOH

**26.** What is the correct classification for the two compounds given?




	Type of amine	Type of alcohol
A.	Primary	Primary
B.	Tertiary	Tertiary
C.	Tertiary	Primary
D.	Primary	Tertiary


- **27.** Which is the first product of distillation from the reaction of propan-1-ol with acidified potassium dichromate (VI)?
  - A. CH<sub>3</sub>COCH<sub>3</sub>
  - B. CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>OH
  - C. CH<sub>3</sub>CH<sub>2</sub>CHO
  - D. CH<sub>3</sub>CH<sub>2</sub>COOH
- **28.** Which procedure is most likely to produce a systematic error in determining the original concentration of NaOH(aq) by titration with HCl(aq)?
  - A. Repeating the titration only once instead of five times
  - B. Using various burettes for each trial instead of the same one
  - C. Using a varying number of drops of the indicator for the titrations
  - D. Titrating the sample two days after preparing it instead of on the day it was prepared

**29.** Which graph shows the relationship between quantity of product formed and quantity of excess reactant after the limiting reactant is consumed?


A.




B.



C.



D.



**- 12 -** 8823-6116

- A. Percentage composition
- B. Enthalpy of combustion
- C. <sup>1</sup>H NMR
- D. Infrared spectroscopy (IR)