

© International Baccalaureate Organization 2023

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2023

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2023

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.



Chemistry
Standard level
Paper 2

3 November 2023

Zone A morning | **Zone B** morning | **Zone C** morning

Candidate session number

1 hour 15 minutes

--	--	--	--	--	--	--	--	--	--

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all questions.
- Answers must be written within the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **chemistry data booklet** is required for this paper.
- The maximum mark for this examination paper is **[50 marks]**.



Answer **all** questions. Answers must be written within the answer boxes provided.

1. Methanoic acid (HCOOH) is the first member of the homologous series of carboxylic acids.

(a) Outline what is meant by the term “homologous series”. [1]

(b) Draw the Lewis (electron dot) structure of methanoic acid. [1]

(c) Calculate the percentage, by mass, of oxygen in methanoic acid. [2]

(This question continues on the following page)



(Question 1 continued)

- (d) Methanoic acid and ethanal (CH_3CHO) both contain a carbonyl group and have similar molar masses.

- (i) Explain why, in terms of the strongest intermolecular forces between the molecules, ethanal has a much lower boiling point than methanoic acid. [2]

.....

.....

.....

.....

- (ii) Outline why ethanal and methanoic acid are both fully miscible with water. [1]

.....

.....

.....

- (iii) Predict, giving an explanation, the relative electrical conductivity of solutions of methanoic acid, ethanal and hydrochloric acid of the same concentration. [3]

Relative electrical conductivity: _____ < _____ < _____

Explanation:


.....

.....

.....



2. Methanoic acid can be produced by the hydrogenation of carbon dioxide according to the equilibrium



- (a) Explain why this process has been extensively investigated in recent years. [2]

.....

- (b) State the equilibrium constant expression for this reaction. [1]

.....

(This question continues on the following page)



(Question 2 continued)

(c) Bond enthalpies are a useful way of finding approximate enthalpy changes for reactions.

(i) Determine the enthalpy change, ΔH^\ominus , of this reaction, using section 11 of the data booklet.

[3]

(ii) Assuming a 0.1 % uncertainty for each bond enthalpy, determine the resultant percentage uncertainty of the calculated enthalpy change of the reaction.

[2]

(This question continues on the following page)




(Question 2 continued)

- (d) Deduce how the value of K_c would be affected by increases in temperature. [1]

.....

- (e) The conversion of carbon dioxide to methanoic acid is usually carried out over an iridium-based catalyst.

- (i) Sketch, on the axes provided, energy profiles of the reaction both with and without a catalyst, indicating ΔH and the activation energies. [3]



- (ii) State **one** change, other than carrying out the reaction over a catalyst at high temperature, that would increase the reaction rate. [1]

.....

(This question continues on the following page)



(Question 2 continued)

(f) Determine the oxidation state of carbon in methanoic acid.

[1]

.....
.....



3. Methanoic acid can be converted into methyl methanoate, HCOOCH_3 .

(a) State the name of the reagent and catalyst required.

[2]

Reagent:

Catalyst:

(b) 1.72 g of methyl methanoate is produced from 2.83 g of methanoic acid and excess of the other reagent. Determine the percentage yield.

[2]

.....

(This question continues on the following page)



(Question 3 continued)

(c) The conversion of methanoic acid to methyl methanoate can be followed by changes in spectra.

- (i) State **one** similarity and **one** difference you would expect in the infrared (IR) spectra of methanoic acid and methyl methanoate in the region of $1500\text{--}3500\text{ cm}^{-1}$. Use section 26 of the data booklet.

[2]

Similarity:

.....

Difference:

.....

- (ii) Deduce, referring to the integration trace, whether the ^1H NMR spectrum shown is that of methanoic acid or methyl methanoate.

[1]

Removed for copyright reasons

.....

.....

(This question continues on page 11)



Please **do not** write on this page.

Answers written on this page
will not be marked.



(Question 3 continued)

- (d) State the class of compounds to which methyl methanoate belongs. [1]

.....
.....


- (e) Draw the full structural formula of the carboxylic acid isomer of methyl methanoate. [1]

- (f) State the name of a compound that produces the isomer in (e) when refluxed with acidified potassium dichromate (VI). [1]

.....
.....



4. Carbon disulfide, CS_2 , undergoes gas phase hydrolysis according to the overall equation



- (a) Calculate the enthalpy change in this reaction from section 12 of the data booklet and the given values:

[2]

	$\text{CS}_2(\text{g})$	$\text{H}_2\text{S}(\text{g})$
ΔH_f^\ominus	$+88.7 \text{ kJ mol}^{-1}$	$-20.6 \text{ kJ mol}^{-1}$

.....

.....

.....

.....

.....

.....

- (b) Deduce the molecular geometries of CS_2 and H_2S , and the reason why they are different.

[2]

Molecular geometry CS_2 :

Molecular geometry H_2S :

Reason for difference:

.....

(This question continues on the following page)



(Question 4 continued)

- (c) Sulfur has a number of natural isotopes and a sample of sulfur was enriched in $^{36}_{16}\text{S}$, to produce a mixture with the following composition:

Isotope	Percent
$^{32}_{16}\text{S}$	90 %
$^{33}_{16}\text{S}$	1 %
$^{34}_{16}\text{S}$	4 %
$^{36}_{16}\text{S}$	5 %

- (i) Calculate the relative atomic mass of this enriched sample, correct to two decimal places.

[2]

.....

.....

.....

.....

- (ii) State the technique by which the percentages of different isotopes in this sample could have been determined.

[1]

.....

.....

- (iii) In naturally occurring sulfur, the relative abundance of $^{36}_{16}\text{S}$ is only 0.0100 %. Calculate the number of atoms of this isotope that would be present in 1.00 g of natural sulfur. Use sections 2 and 6 of the data booklet.

[2]

.....

.....

.....

.....


.....

.....



5. Beryllium is a low-density metal that is used in specialized lightweight alloys.

(a) The production of beryllium is illustrated in the diagram.



(i) Outline why molten BeCl₂ is considered an electrolyte.

[1]

.....

(ii) Identify the electrode at which beryllium will be produced, **and** the polarity of that electrode.

[1]

Electrode:
 Polarity:

(iii) Write a balanced equation for the reaction occurring at the other electrode, to the one you identified in 5(a)(ii).

[1]

.....

(This question continues on the following page)



(Question 5 continued)

- (b) Explain, in terms of nuclear charge, electron subshells and the shielding provided by filled electron shells, why the first ionization energy increases from Li to Be, but decreases from Be to B.

[4]

.....

.....

.....

.....

.....

.....



References:

© International Baccalaureate Organization 2023



16EP16