

dotCMS

#37931

Ticket Details

Status	Priority	Source	Type
Open	High	Portal	Problem
Group	Agent	Product	Severity
Support (T3)	Nicolas Molina	dotCMS	High
Order	Environment Type	Environment	dotCMS Version
	Live	QA	Current Release (dotEvergreen)
Version	Main Topic	Related GitHub Issue	Github Issue Filed
Recently Upgraded/Updated	Maintenance Type	Comment	Aprx Total Hours
Yes			
Summary	Follow Up	AI Response	

by **Arun Muthu** on **Wed, 17 Jun at 3:21 PM** via **Portal**

@dotcms/experiments 1.0.0 – Next.js 15 Integration Issues and Documentation Clarification

Title

Environment

- dotCMS QA Environment
- @dotcms/experiments: 1.0.0
- Next.js 15 (App Router)
- @dotcms/react
- Analytics App enabled
- Experiment configured on page with DEFAULT and custom variants

Issue Summary

We are attempting to integrate A/B testing using @dotcms/experiments@1.0.0 in a Next.js 15 App Router application.

While following the npm package documentation, we encountered multiple issues related to SDK usage, documentation, and UVE/backoffice compatibility.

Documentation Clarification Needed

The npm documentation references:

```
import { DotExperimentsProvider } from "@dotcms/experiments";
```

However, the package does not appear to export `DotExperimentsProvider`. The only public export available is:

```
import { withExperiments } from "@dotcms/experiments";
```

Can you confirm the recommended integration pattern for Next.js 15 App Router applications?

Current Implementation

```
const DotLayoutWithExperiments = withExperiments(DotCMSLayoutBody, {  
  apiKey,  
  server,  
  redirectFn,  
});
```

The wrapped component is rendered only when analytics configuration is available.

Issues Observed

1. UVE / Backoffice Editor Failure

When opening a page inside the dotCMS editor, the page fails to load and displays:

```
A client-side exception has occurred
```

2. Experiment API Error

Browser console shows:

```
GET /api/v1/experiments/DEFAULT 404 (Not Found)
```

3. Experiment Assignment

Console logs indicate:

```
No experiments assigned to the client
```

even though an experiment is configured on the page and variants exist.

Questions

1. Is `withExperiments` the recommended approach for Next.js 15 App Router?
2. Should the `server` configuration point directly to the dotCMS origin, or is using Azure Front Door/CDN supported?
3. Is the SDK expected to function inside UVE/backoffice editor mode, or should experiment initialization be disabled while editing?
4. What causes the SDK to request `/api/v1/experiments/DEFAULT` and return 404?
5. Can you provide a complete working example for Next.js 15 App Router using `@dotcms/experiments 1.0.0`?

Expected Behavior

- Experiments should initialize successfully on published pages.
- Pages should continue to function correctly inside the dotCMS editor.
- SDK documentation should align with the actual exported API.

Would like have call, to understand the issue and fix it in live working session
as this needs for business team to run AB testing
host www.lennoxcommercial.com index page

Comments

by **Nathan Hildebrandt** on **Wed, 17 Jun at 3:38 PM** as **Private note**

Triage flags

None — no Critical Care indicators. Priority: High, severity: High. FR SLA due 2026-06-18 14:21 UTC — respond today.

Customer is requesting a live call to unblock A/B testing on the Lennox Commercial homepage (lennoxcommercial.com). This is business-critical and ProServ-adjacent — loop in CSM/ProServ before committing to a call format.

Research summary

- **Similar tickets:** None found — this is the first ticket on @dotcms/experiments + Next.js 15 App Router integration.
- **GitHub:** Not searched — no specific exception class or PR to target from ticket alone.
- **Slack:** No prior discussion found for this specific combination of issues. A Great Clips experiments issue appeared in #support (Nov 2025) but was CSM-level, not SDK-level.
- **Core repo:** Searched `core-web/libs/sdk/experiments/src/`. Key findings below.
- **Confidence: MEDIUM** — SDK behavior is confirmed from source; root cause of the DEFAULT 404 and UVE crash requires more info from the customer.

Code findings:

1. **DotExperimentsProvider is NOT exported** — `src/index.ts` only exports `withExperiments`. The npm docs are stale. `DotExperimentsProvider` is an internal component wrapped by `withExperiments`. The customer's current implementation using `withExperiments` is correct.
2. **UVE editor detection IS implemented in the SDK** — `DotExperimentsProvider.tsx` calls `getUVEState()?.mode` from `@dotcms/uve` on init and skips experiment initialization when inside the editor. `useExperimentVariant.ts` also checks `UVE_MODE.EDIT` before waiting for variants. The UVE crash they're experiencing is likely because their Next.js setup is missing the UVE integration layer (`DotCMSPageEditor` or equivalent) that sets up the UVE state — so `getUVEState()` returns `null/undefined`, the guard doesn't fire, and the SDK tries to run inside the editor and crashes.
3. **The `/api/v1/experiments/DEFAULT 404`** — The SDK itself calls `/api/v1/experiments/isUserIncluded`, not `/api/v1/experiments/DEFAULT`. The `DEFAULT` call is almost certainly coming from the dotCMS backoffice/UVE trying to look up an experiment result, where something is resolving the page's default variant name ("`DEFAULT`" is a constant in the SDK: `EXPERIMENT_DEFAULT_VARIANT_NAME = 'DEFAULT'`) as an experiment ID instead of the actual experiment UUID. We need the customer's experiment ID from their dotCMS backoffice to confirm.

4. **CDN/Azure Front Door** — The `server` config should point to the dotCMS origin directly. CDN layers can cache or strip headers that the experiments API depends on.



Draft first response

Hi Arun,

Thank you for the thorough write-up — this level of detail makes it much easier for us to dig in quickly. We've reviewed the SDK source and have some clear answers for you, along with a few questions to help us nail down the remaining issues.

1. **withExperiments is the correct API**

You're doing the right thing. `withExperiments` is the only public export from `@dotcms/experiments@1.0.0` — the `DotExperimentsProvider` referenced in the npm docs is an internal component that `withExperiments` wraps. The docs are out of sync with the package, and we'll flag that for the team. Your current implementation is the supported pattern.

2. **UVE/editor crash**

The SDK does have built-in editor detection — it calls `getUVEState()` from `@dotcms/uve` and skips experiment initialization when inside the editor. The crash you're seeing suggests the UVE state isn't being set up before the experiments SDK initializes. In a Next.js App Router setup, this typically means the UVE integration layer (the component that establishes the editor context) needs to wrap or run before `withExperiments` renders. Could you share how you've integrated `@dotcms/uve` in your layout — specifically whether you're using `DotCMSPageEditor` or a similar editor wrapper, and where it sits relative to the experiments-wrapped component?

3. **GET /api/v1/experiments/DEFAULT — 404**

The SDK itself calls `/api/v1/experiments/isUserIncluded`, not `/api/v1/experiments/DEFAULT`. The `DEFAULT` path you're seeing in the browser console is coming from somewhere else — likely the dotCMS backoffice UI trying to fetch an experiment by ID, where "DEFAULT" (the SDK's internal name for the default variant) is being used instead of the experiment's actual UUID. To help us identify the source: what is the name and status of the experiment you've configured in your dotCMS backoffice? Is it in "Running" status?

4. **No experiments assigned to the client**

This is expected when the experiment isn't in "Running" status, or when the Analytics/CubeJS layer hasn't recorded a session for the client yet. Confirming the experiment status will clarify this.

5. **Azure Front Door / CDN as the server value**

We recommend pointing the `server` config directly to your dotCMS origin rather than through Azure Front Door. CDN layers can cache or interfere with the experiments API responses, which are session-specific and should not be cached.

Regarding a live call:

We'd be glad to help set that up — let us connect you with the right person on our team who can join a working session. We'll follow up shortly on scheduling.

We're actively looking into this and will keep you updated as we have more.

Best regards,

Nathan

dotCMS Support

! Agent notes

- Confirm experiment is in "Running" status in backoffice before sending — if it's not Running, "no experiments assigned" and the 404 may both resolve once it's started.
- Ask ProServ/CSM before committing to the call — this is a lennoxcommercial.com integration which may be a ProServ engagement.
- The npm docs discrepancy (DotExperimentsProvider export) should be filed internally — flag to the Scout/SDK team.

by **Nathan Hildebrandt** on **Wed, 17 Jun at 3:57 PM** as **Outbound email**

Hi Arun,

Thanks for the detailed information, I have reached out to our T3 team who should be able to assist you with these Next.js questions in regards to Experiments. They will reach out as soon as they have any information to share.

Ticket URL: <https://helpdesk.dotcms.com/helpdesk/tickets/37931>

Thanks,

*****For any site outage—even if reported during regular support hours—please call our Critical Care line at 1-800-509-1676 to ensure continued support after hours.*****



Nathan Hildebrandt
Product Support Specialist

✉ nathan.hildebrandt@dotcms.com

🌐 dotcms.com

dotcms

by **Nicolas Molina** on **Wed, 17 Jun at 4:36 PM** as **Outbound email**

Hi Arun,

Thank you for the detailed write-up — it gives us a clear picture of what's happening and makes it much easier to dig in.

I've reviewed the `@dotcms/experiments` SDK source and can already confirm a few things:

1. **withExperiments** is the correct API. It's the only public export in `@dotcms/experiments@1.0.0` — `DotExperimentsProvider` is an internal component that `withExperiments` wraps. The npm docs referencing it are out of date, and we're correcting that on our side. Your current implementation pattern is the supported one.

2. The UVE/editor crash and the `/api/v1/experiments/DEFAULT 404` are on our radar. The SDK itself only calls `/api/v1/experiments/isUserIncluded`, so the `DEFAULT` request is coming from elsewhere, and we've identified the likely source. We're reproducing both issues on a Next.js 15 App Router setup to confirm the root cause.

I'm actively working on this now and will be putting together a complete, working Next.js 15 App Router example for `@dotcms/experiments` as part of it.

To help us nail down the remaining details, could you confirm:

- The **name and status** of the experiment configured on the page — specifically, is it in **Running** status?
- How you've integrated `@dotcms/uve` in your layout (which editor wrapper you use and where it sits relative to the experiments-wrapped component).
- Whether your `server` config points directly to your dotCMS origin or goes through Azure Front Door/CDN. We recommend pointing directly to the origin, since CDN layers can cache or strip headers the experiments API depends on.

I'll keep you posted as I make progress. We're also happy to set up a working session — we'll follow up shortly on scheduling.

Best regards, Nicolas Molina

by **Arun Muthu** on **Thu, 18 Jun at 6:02 AM** as **Incoming email**

Hi Team,

Move to site `www.lennoxcommercial.com` in dotCMS backoffice, index page and variant name = HomeNew

Page url would be: `www.lennoxqa.com/commercial`

Attaching code snippet: Page.tsx on experiment usage

Server config pointed to azure app server url, where has to be pointed? To instance url `https://lennox-test.dotcms.cloud` ?

Regards,
Arun