

Claro

Banking support with verified outcomes

Spanish and Portuguese transaction support
with confirmed cases for human review

We keep organizer analysis, authored language scenarios and public demo fixtures
separate.


4.43M

transactions audited

42

distinct customer
utterances
in organizer transcripts

Customer evidence and verified cases



1 Understand

Ask for the transaction when the request is unclear.

2 Show the evidence


Preserve amount, currency, status and historical source.

3 Confirm and verify

Create one sandbox case. Read it back before success.

Permissions and actions stay in service code

The model advises the workflow. It cannot select an identity or execute a banking action.



Opaque sessions + CSRF

Customer/workspace isolation

Idempotent confirmed writes

Fraud candidates did not earn release

4,425,008 validated transactions

Contracts, quarantine and source hashes
Strictly prior customer/currency history
Two full runs with identical feature bytes

Temporal evaluation


Train before January 2026
Calibrate January, select February
Test March through the June snapshot

Synthetic retrospective labels. Demo fixtures receive no fraud probability.

Claro / Factored 2026 / 4

451,823 test transactions / 409 fraud labels

Average precision




4 / 409

fraud labels reached at 1% review capacity by each learned candidate

Measured language and workflow results

Intent classification

140 frozen authored cases / macro-F1




117/140 exact labels correct

Authored synthetic cases, without independent human language review.

After correcting cancellation: 63/70 outcomes and 30/30 handoffs in a regression replay.


First workflow challenge

70 independent-agent cases / correct outcomes



28/30 required handoffs on first pass

Demo and the route to a bank integration



Verified deployed demo

<https://claro-banking-hackathon-2026.onrender.com>

Deliberate trade-offs

Single worker and SQLite
Simple deployment. Free-host restarts
can reset sandbox state.

Local model, no remote model calls
Portable CPU inference. Synthetic tests
limit claims about real customer demand.

Before real customers

Bank identity, approved policies, durable
storage and independent ES/PT review.