Kiel Nicolai D. Orgas
BSIT 2-3

Object-Oriented Programming:
CodeAnalysis_Activity#2
3/13/26

PART 1:

- Bitwise Operators

Bitwise.java | Assignment.java | Multiple_Ope...

```java
package Java;

public class Bitwise {
    public static void main (String[] args) {
        int x = 33;
        int y = 12;

        System.out.println(x & y);
        System.out.println(x ^ y);
        System.out.println(~y);
        System.out.println(x &= y);
        System.out.println(x ^= y);
    }
}
```

Problems | Javadoc | Declaration | Console

<terminated> Bitwise [Java Application] C:\Users\Kiel\.p2\pool\plugins\org.eclipse.justj.openjd

```
0
45
-13
0
12
```

Kiel Nicolai D. Orgas
BSIT 2-3

Object-Oriented Programming:
CodeAnalysis_Activity#2
3/13/26

- Ternary Operators

```java
package Java;

public class Ternary {
    public static void main(String[] args) {
        int num1 = 76;
        int num2 = 43;
        String output = (num1>num2)? "Num 1 is bigger than Num 2" : "Num 2 is bigger than Num 1";

        System.out.println(output);
    }
}
```

```
<terminated> Ternary [Java Application] C:\Users\Kiel\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.10.v20260205-0638\jre\
Num 1 is bigger than Num 2
```

- Assignment Operators

```java
package Java;

public class Assignment {
    public static void main (String[] args) {
        double x = 7;
        double y = 6;

        x+=y;
        System.out.println(x); // x = x + y = 13 | x = 13

        y-=x;
        System.out.println(y); // y = y(6) - x (13)  = -7 | y = -7

        x*=y;
        System.out.println(x); // x = x (13) * y (-7) = -91 | x = -91

        y/=x;
        System.out.println(y); // y = y (-7) / x (-91) = 0.07692307692307693 | y = 0.07692307692307693


    }
}
```

```
<terminated> Assignment [Java Application] C:\Users\Kiel\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.10.v20260205-0638
13.0
-7.0
-91.0
0.07692307692307693
```

Kiel Nicolai D. Orgas
BSIT 2-3

Object-Oriented Programming:
CodeAnalysis_Activity#2
3/13/26

PART 2:

- Multiple Operators

package-info.java | Bitwise.java | Ternary.java | Assignment.java | Multiple_Operators.java

```java
package Java;

public class Multiple_Operators {

    public static void main(String[] args) {
        int first = 12;
        int second = 8;

        System.out.println(first + second);
        System.out.println("first == second = " + (first == second));
        System.out.println(first > 10 && second < first);
        System.out.println(++first * second++);
        System.out.println(first+=first);
        System.out.println(first++ | ++second);

    }

}
```

Problems | Javadoc | Declaration | Console

<terminated> Multiple_Operators [Java Application] C:\Users\Kiel\.p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.10.v20260

```
20
first == second = false
true
104
26
26
```