







# **Web Developer**

HTML, CSS e Strumenti di Digital Marketing (SEO, SEM, SEA)

Docente: Shadi Lahham



# Float

Legacy layout

Shadi Lahham - Web development

### Property: Float

- Floats were historically used to make images float inside text blocks
- They were also used to create layouts with multiple columns because at the time there weren't good ways to create a complex layout
- Modern CSS tools like grids and flexboxes are now used for creating layouts
- Floats are now mainly used for simple tasks like placing text next to images or wrapping text around an image and are not as popular for creating multi-column layouts in modern web development

Floating elements

# Property: Float

- Floating an element moves it as far to the left or right of its containing element as possible
- Other elements, e.g. paragraphs or lists, will wrap around the floated element
- Floated elements without a width will take up the whole width of the container and not appear floated
- It's possible to specify
  - Whether an element is floated or not
  - Which side it floats on

### Float - example

Note: floated elements will fill the space from left to right and go to a new line based on remaining space

# Float - multiple float example

```
.float {
                                                                                                 Lorem
                                                                I am a floater
                             I am a floater
float: left;
                                                                                                 ipsum
width: 200px;
                                                              dolor sit amet
background: #bada55;
                                                                              I am a floater
                             I am a floater
                                                              consectetuer
                                                              accumsan Sed
.float-right {
                           vitae mauris risus. Magna eget a Phasellus a nibh nisl risusnetus mauris nec.
float: right;
width: 150px;
background: darkorange;
<div class="float">I am a floater</div>
<div class="float">I am a floater</div>
<div class="float">I am a floater</div>
<div class="float-right">I am a floater</div>
<div>Lorem ipsum dolor sit amet consectetuer accumsan Sed vitae mauris risus...</div>
```

# Float - Placing elements side by side

```
.float-child-left {
  float: left;
  width: 200px;
  background: #4fc3f7;
}
.float-child-right {
  float: right;
  width: 150px;
  background: #ffa726;
}
```

The left child The right child

To place two block level elements to be side by side float both elements; One left and one right

### Clear

- Clearing tells the element on which side (right, left, both) other elements cannot appear
- If an image is floated left, to avoid that a paragraph is wrapped next to it, clear:left; should be added to the style of the paragraph
- Clearing both ensures the element doesn't wrap next to floats on either side

#### Examples:

```
clear: right;
clear: left;
clear: both;
```

### Clear - example

```
.float {
float: left;
width: 200px;
background: #bada55;
margin: 8px;
padding: 5px;
.clear-both {
clear: both;
```

I am a floater

cleared: Lorem ipsum dolor sit amet consectetuer

<div class="float">I am a floater</div>
<div class="clear-both">cleared: Lorem ipsum dolor sit amet consectetuer </div>

# Your turn

### 1.Columns columns

- Create a page with
  - Header, footer, sidebar, and two main columns
  - Use position, float and margins to create the layout
- Header and footer
  - Should stay in place when the page scrolls
- The sidebar and two columns
  - Should fill the rest of the page, vertically and horizontally
  - Should expand proportionally when window is resized
- One of the columns should contain
  - An image and a caption placed on top of the image
- Use semantic HTML5 elements
- Fill the page with meaningful content



### 2.United nations

### • Make a scrollable list of at least 50 countries

- Each list item should contain: the flag, the name and the population number
- The name should be left aligned and the population should be right aligned
- Use position, float and margins to create the layout
- Countries with large populations should be highlighted in some way
- The flags area should have a background color
- o If the flag is not rectangular (e.g. Switzerland) the flag should be centered in the flag area
- Include at least one country with an irregularly sized flag (e.g Switzerland)

#### Include a header above the list.

- It should contain the following titles: 'Flag', 'Country', 'Population'
- It should be spaced and aligned properly
- It should remain in place when the list is scrolled
- Not to be confused with the <header> tag

### References

CSS Layout - float and clear

CSS Layout - clear and clearfix

CSS Layout - Float Examples

float - CSS: Cascading Style Sheets | MDN

Floats - Learn web development | MDN