```
    void transfer(int from, int to, int sum)
    {
        // deadlock
        auto& acc1 = _accounts[from];
        auto& acc2 = _accounts[to];

        lock_guard lk1(acc1.get_mutex());
        lock_guard lk2(acc2.get_mutex());

        std::cout << "Moving money from = " << from
      << " to = " << to << " sum = " << sum << "\n";

        if (acc1.balance() >= sum)
        {
            acc1.deposit(-sum);
            acc2.deposit(sum);
        }
    }
```



```
void transfer(int from, int to, int sum)
{
    // deadlock
    auto& acc1 = _accounts[from];
    auto& acc2 = _accounts[to];

    lock_guard lk1(acc1.get_mutex());
    lock_guard lk2(acc2.get_mutex());

    std::cout << "Moving money from = " << from
      << " to = " << to << " sum = " << sum << "\n";

      if (acc1.balance() >= sum)
      {
          acc1.deposit(-sum);
          acc2.deposit(sum);
      }
}
```

```
nik@Nicolas-MacBook-Air:~/GitHub/cpp_sandbox/multithreading/thread_sync$
clang++ -std=c++14 deadlock.cpp
nik@Nicolas-MacBook-Air:~/GitHub/cpp_sandbox/multithreading/thread_sync$
./a.out
Moving money from = 0 to = 1 sum = 10
```