

浙江大学爱丁堡大学联合学院 ZJU-UoE Institute

Introduction to image analysis

Nicola Romanò - nicola.romano@ed.ac.uk

Outline


Introduction to the course

Why do we need to analyse images?

Simple operations with images

Biomedical image analysis 4

Semester 1 only course, 20 UoE credits. CO: Nicola Romanò - nicola.romano@ed.ac.uk




Zeiss - CC-BY-2.0

Biomedical image analysis 4

Semester 1 only course, 20 UoE credits.
CO: Nicola Romanò - nicola.romano@ed.ac.uk

This course aims to give you the ability to apply and improve strategies and pipelines for biomedical image analysis.



Zeiss - CC-BY-2.0

Learning outcomes

- · Describe and critically discuss strategies and algorithms for analysis of biomedical images
- · Implement these strategies using Python
- Work in a team to critically address a real-life problem involving image analysis by developing and applying an appropriate pipeline
- Professionally document their analysis, presenting their pipeline and the results of their analysis, in the context of the biomedical problem it is aiming to solve.

Please see the course handbook for more information

Assessment

ICA 1 - Group work - 40% final mark

You will produce a well-documented piece of Python software to solve a specific problem in bio-imaging.

ICA 2 - Individual work - 60% final mark

You will produce an individual report highlighting the use for your software and reflecting on your group work.

Specific information on the ICAs will be given later during the course.

What will we talk about (roughly)

- Weeks 1-5 Basic operations on images, filters and features.
- Weeks 6-7 More complex operations (tracking, registration, segmentation)
- Weeks 8-12 Traditional and modern machine learning methods for image analysis
- Weeks 13-14 Discussion on recent topics in image analysis



Matt Cornock - CC BY-NC 2.0

What will we talk about (roughly)

- Weeks 1-5 Basic operations on images, filters and features.
- Weeks 6-7 More complex operations (tracking, registration, segmentation)
- Weeks 8-12 Traditional and modern machine learning methods for image analysis
- Weeks 13-14 Discussion on recent topics in image analysis



Matt Cornock - CC BY-NC 2.0

We will cover both the theory and practical aspects (with Python code!) of these topics. You will have Python workshops to practice with these problems first hand.

What will we talk about (roughly)

- Weeks 1-5 Basic operations on images, filters and features.
- Weeks 6-7 More complex operations (tracking, registration, segmentation)
- Weeks 8-12 Traditional and modern machine learning methods for image analysis
- Weeks 13-14 Discussion on recent topics in image analysis



Matt Cornock - CC BY-NC 2.0

We will cover both the theory and practical aspects (with Python code!) of these topics. You will have Python workshops to practice with these problems first hand.

You will need Python knowledge to make the most of this course.

Asking for help



You have all been added to a Slack group, please join and introduce yourself, if you have not already!

This is an invaluable opportunity to discuss anything related to the course with your peers and myself.

Introductory material about Pytnon is available on Learn and further material can be provided, if needed - plase ask!

Outline


Introduction to the course

Why do we need to analyse images?


Simple operations with images

Examples of biomedical images and associated problems


Image processing is a major task in biomedical sciences (and not only). Problems in image analysis include detection of object; quantification of their properties; improvement of image quality; classification of images...



Becky Stern - CC-BY-SA 2.0



NIH - CC-BY-SA 2.0




Zeiss - CC-BY 2.0



ISIC melanoma competition - CC-o


Examples of image analysis problems



Zeiss - CC-BY 2.0

How many worms are in this image?
Where are they located?
Where are they moving to (assuming you have a video!)?

Examples of image analysis problems



NIH - CC-BY-SA 2.0


Where are the cells located? How intense is the green staining in each cell? How uniformly is the staining distributed?

Examples of image analysis problems



ISIC melanoma competition - CC-o

Is this a melanoma?



In this course...

Outline

Introduction to the course


Why do we need to analyse images?


Simple operations with images

Images as rasters

When analysing digital images we are concerned with rasters.

A raster is a series of **pixels** arranged in a rectangular grid, which represent an image. Each pixel is associated with a value or a series of values, representing its intensity and colour.





Images as matrices (or tensors)

Because images are grids of values, we can represent them as matrices.

The dimensions of the matrix will be (width, height). For example, if o is black and 255 is white (more on this later)

237	80 166	46	52	144	151
245	166	190	166	190	245
2	27	76	167	206	222
245	27 184 186	163	182	119	83
112	186	253	172	201	43
6	204	230	6	125	134

237	80	46	52	144	151
245	166	190	166	190	245
2	27	76	167	206	222
245	184	163	182	119	83
112	186	253	172	201	43
6	204	230	6	125	134

What about colour?


Colour images are generally stored as RGB (red, green, blue).

The color of each pixel depends on its intensity in each of these three **colour channels**.



What about colour?

Colour images are generally stored as RGB (red, green, blue). The color of each pixel depends on its intensity in each of these three **colour channels**.




Adapted from Wikipedia

RGB is not the only way to represent color. If you are interested in knowing more about **colour spaces** see the attached review by Hastings and Rubins, 2012.

What about colour?

Colour images are generally stored as RGB (red, green, blue). The color of each pixel depends on its intensity in each of these three **colour channels**.




RGB is not the only way to represent color. If you are interested in knowing more about **colour spaces** see the attached review by Hastings and Rubins, 2012.

Adapted from Wikipedia


Important: microscope images are often composed of multiple grayscale images, e.g. of different fluorophores. In this case each pixel has multiple colour channels.

Storing colour images



Colour images are stored as a 3-dimensional matrix, also called a **tensor** with dimensions (number of colour channels, width, height).

Storing colour images



Colour images are stored as a 3-dimensional matrix, also called a **tensor** with dimensions (number of colour channels, width, height).




Multi-dimensional matrices can be also used to represent videos (number of frames, width, height) or stacks of images, e.g. in confocal images, with dimensions (number of planes, width, height).

Note that the order of the dimensions might vary.

Bit depth


Bit depth is the number of bits necessary to represent each pixel in the image.



Increasing bit depth > Increasing information

Bit depth

Bit depth is the number of bits necessary to represent each pixel in the image.



Increasing bit depth > Increasing information

You can also represent images with floating point numbers. In that case, you have infinite levels between [0.0, 1.0] or [-1.0, 1.0].

Representing matrices in Python



The Numpy library simplifies working with matrices in Python.

NumPy is a Python open-source library for numerical computing, with support for n-dimensional arrays and many functionalities to work with matrices.

Numpy can be installed via pip

pip install numpy

Our first NumPy matrix!

```
# This is the standard way of importing numpy
import numpy as np
a = np.array([1, 2, 3])
```



Multiple dimensions

Numpy supports n-dimensional arrays with any number of dimensions.

```
import numpy as np
b = np.array([[1, 2, 3][4, 5, 6]])
print(b.shape)
```

(2, 3)

The shape of an array is a vector showing the number of element in each of the dimensions of the array. In this case we have a matrix of 2 rows and 3 columns.

Matrix operations in Python

The Numpy library allows easy manipulation of matrices (and thus images).

```
import numpy as np
# We can define a matrix
a = np.array([[10, 15, 20], [20, 25, 30], [120, 5, 20]])
# Perform basic operations on it
b = a + 10
c = a * 2
```

Matrix operations in Python

The Numpy library allows easy manipulation of matrices (and thus images).

```
import numpy as np
# We can define a matrix
a = np.array([[10, 15, 20], [20, 25, 30], [120, 5, 20]])
# Perform basic operations on it
b = a + 10
c = a * 2
```

$$a = \begin{bmatrix} 10 & 15 & 20 \\ 20 & 25 & 30 \\ 120 & 5 & 20 \end{bmatrix} \quad b = \begin{bmatrix} 20 & 25 & 30 \\ 30 & 35 & 40 \\ 130 & 15 & 30 \end{bmatrix} \quad c = \begin{bmatrix} 20 & 30 & 40 \\ 40 & 50 & 60 \\ 240 & 10 & 40 \end{bmatrix}$$

Matrix operations in Python

The Numpy library allows easy manipulation of matrices (and thus images).

```
import numpy as np
# We can define a matrix
a = np.array([[10, 15, 20], [20, 25, 30], [120, 5, 20]])
# Perform basic operations on it
b = a + 10
c = a * 2
```

$$a = \begin{bmatrix} 10 & 15 & 20 \\ 20 & 25 & 30 \\ 120 & 5 & 20 \end{bmatrix} \quad b = \begin{bmatrix} 20 & 25 & 30 \\ 30 & 35 & 40 \\ 130 & 15 & 30 \end{bmatrix} \quad c = \begin{bmatrix} 20 & 30 & 40 \\ 40 & 50 & 60 \\ 240 & 10 & 40 \end{bmatrix}$$

More information can be found on the NumPy paper (Harris et al., Nature 2020) or on the NumPy website (www.numpy.org)

Matplotlib and Scikit Image

Two very useful libraries to draw and manipulate images are Matplotlib and Scikit Image.



Install using

pip install matplotlib
pip install scikit-image

Matplotlib and Scikit Image

Two very useful libraries to draw and manipulate images are Matplotlib and Scikit Image.



Install using

```
pip install matplotlib
pip install scikit-image
```

Matplotlib - very powerful, general-purpose plotting library. You will generally using by importing the pyplot submodule.

import matplotlib.pyplot as plt

Matplotlib and Scikit Image

Two very useful libraries to draw and manipulate images are Matplotlib and Scikit Image.



Install using

```
pip install matplotlib
pip install scikit-image
```

Matplotlib - very powerful, general-purpose plotting library. You will generally using by importing the pyplot submodule.

```
import matplotlib.pyplot as plt
```

Scikit Image - built on top of Matplotlib and is specialized for image manipulation and analysis. Contains many submodules to perform specific operations.

Loading images - Matplotlib vs Scikit Image

matpl tlib

```
import matplotlib.pyplot as plt
img = plt.imread("cells.jpg")
plt.imshow(img)
plt.show()
```

Loading images - Matplotlib vs Scikit Image

matpl**%**tlib

```
import matplotlib.pyplot as plt
img = plt.imread("cells.jpg")
plt.imshow(img)
plt.show()
```



```
from skimage import io
img = io.imread("cells.jpg")
io.imshow(img)
io.show()
```

Loading images - Matplotlib vs Scikit Image

matpl tlib

```
import matplotlib.pyplot as plt
img = plt.imread("cells.jpg")
plt.imshow(img)
plt.show()
```




```
from skimage import io
img = io.imread("cells.jpg")
io.imshow(img)
io.show()
```

These are [almost] equivalent. The img variable is a Numpy array.


Pseudocoloring

Often colour is applied to microscopic images **after** acquisition to mark different parts of the image. This is called **pseudocolouring** or **false colouring**.



Look-up tables (LUTs)

Pseudocoloring is obtained through look-up tables (sometimes referred to as "palettes" or "colourmaps")




Colourmaps can be sequential/linear or non sequential.

Divergent and non linear colour maps can be good to enhance differences in the image, but should be used with caution!

The Jet palette - when colourmaps go bad...


The Jet colourmap has for a long time been the standard palette in Matlab, is used in many pieces of software and is seen in many published articles. Jet is problematic because it can create artefacts in your data.



Jet can create artefacts in the data. [Source: Matplotlib website] See https://www.youtube.com/watch?v=xAoljeRJ3lU

The Jet palette - when colourmaps go bad...

The Jet colourmap has for a long time been the standard palette in Matlab, is used in many pieces of software and is seen in many published articles. Jet is problematic because it can create artefacts in your data.



Colourmapping in Matplotlib

We can easily colourmap an image loaded in Matplotlib

```
import matplotlib.pyplot as plt
img = imread("cells.tif")
# plt.subplots allows plotting more than one image
# side by side. It creates and returns a figure and
# a list of axes (the subplots)
fig, ax = plt.subplots(ncols=3, nrows=1, figsize=(10, 6))
```

Colourmapping in Matplotlib


We can easily colourmap an image loaded in Matplotlib


```
import matplotlib.pyplot as plt
img = imread("cells.tif")
# plt.subplots allows plotting more than one image
# side by side. It creates and returns a figure and
# a list of axes (the subplots)
fig. ax = plt.subplots(ncols=3, nrows=1, figsize=(10, 6))
ax[0].imshow(img, cmap="viridis")
ax[1].imshow(img, cmap="terrain")
ax[2].imshow(img, cmap="spring")
plt.show()
```

Colourmapping in Matplotlib

We can easily colourmap an image loaded in Matplotlib

Colourmap: gray







And now some practice on what we saw today!