F-UJI

FAIR assessment

F-UJI version 4.0.1: Please note that the F-UJI website now uses software version 4.0.1 and metric v0.8. More information about the changes and their effects can be found here (Zenodo) and here (github).

Disclaimer:

The test results shown here are based on preliminary data and code which still is under development.
F-UJI is rapidly evolving and not yet available in a productive environment.

Click here to assess another data set

Assessment Results:

Evaluated Resource:

Study of ML models for Racing LLM Appliances

https://doi.org/10.5281/zenodo.23416916

Save {JSON} New

FAIR level: ?	moderate
Resource PID/URL:	https://doi.org/10.5281/zenodo.23416916
DataCite support:	enabled
Metric Version:	0.8
Metric Specification:	https://doi.org/10.5281/zenodo.15045911
Software version:	4.0.1

Download assessment results:	{JSON}
Save and share assessment results:1	Saved assessments: • FAIR 84% 2026-10-17 (4.0.1)
Harvested metadata:	show metadata


```
[
    {
        "method": "json_in_html",
        "url": "https:\/\/zenodo.org\/records\/23416916"
        "format": "json-ld",
        "schema": "http:\/\/schema.org",
        "namespaces": [
            "http:\/\/schema.org",
            "https:\/\/schema.org",
            "https:\/\/creativecommons.org\/licenses\/by
            "https:\/\/zenodo.org\/api\/records\/2341691
            "http:\/\/schema.org\/",
            "https:\/\/schema.org\/",
            "https:\/\/zenodo.org\/records",
            "https:\/\/doi.org\/10.5281",
            "http:\/\/schema.org",
            "http:\/\/www.w3.org\/1999\/02\/22-rdf-synta
        ],
        "metadata": {
            "object_identifier": [
                "https:\/\/doi.org\/10.5281\/zenodo.2341
                "https:\/\/zenodo.org\/records\/23416916
            ],
            "title": "Study of ML models for Racing LLM
            "summary": "For student university project.R
            "publication_date": "2026-10-16",
            "publisher": [
                {
                    "name": "Zenodo"
                }
            ],
            "creator": [
                "Zalki"
            ],
            "license": [
                "https:\/\/creativecommons.org\/licenses
            ],
```


```
            "object_type": [
                "Dataset"
            ],
            "object_size": "508.05 KB",
            "object_content_identifier": [
                {
                    "url": "https:\/\/zenodo.org\/api\/r
                    "type": "application\/zip",
                    "size": "None"
                }
            ]
        }
    },
    {
        "method": "meta_tag",
        "url": "https:\/\/zenodo.org\/records\/23416916"
        "format": "xhtml",
        "schema": "http:\/\/purl.org\/dc\/elements\/1.1\
        "namespaces": [
            "http:\/\/purl.org\/dc\/elements\/1.1\/",
            "http:\/\/purl.org\/dc\/elements\/1.1\/"
        ],
        "metadata": {
            "summary": "For student university project.R
        }
    },
    {
        "method": "microdata",
        "url": "https:\/\/zenodo.org\/records\/23416916"
        "format": "microdata",
        "schema": "http:\/\/www.w3.org\/TR\/microdata",
        "namespaces": [
            "http:\/\/www.w3.org\/TR\/microdata",
            "http:\/\/schema.org\/"
        ],
        "metadata": {
            "object_type": [
                "http:\/\/schema.org\/WebPage"
            ]
        }
    },
    {
        "method": "meta_tag",
        "url": "https:\/\/zenodo.org\/records\/23416916"
        "format": "html",
        "schema": "highwire_eprints",
        "namespaces": [
            "highwire_eprints"
        ],
```

```
        "metadata": {
            "title": "Study of ML models for Racing LLM
            "creator": "Zalki, Manohar",
            "object_identifier": [
                "10.5281\/zenodo.23416916"
            ],
            "summary": "https:\/\/zenodo.org\/records\/2
        }
    },
    {
        "method": "rdfa",
        "url": "https:\/\/zenodo.org\/records\/23416916"
        "format": "rdfa",
        "schema": "https:\/\/ogp.me\/",
        "namespaces": [
            "https:\/\/ogp.me\/",
            "http:\/\/ogp.me\/ns#"
        ],
        "metadata": {
            "title": "Study of ML models for Racing LLM
            "object_identifier": [
                "https:\/\/zenodo.org\/records\/23416916
            ],
            "summary": "For student university project.R
            "publisher": [
                {
                    "name": "Zenodo"
                }
            ]
        }
    },
    {
        "method": "content_negotiation",
        "url": "https:\/\/doi.org\/10.5281\/zenodo.23416
        "format": "json-ld",
        "schema": "http:\/\/www.schema.org",
        "namespaces": [
            "http:\/\/www.schema.org",
            "https:\/\/creativecommons.org\/licenses\/by
            "http:\/\/schema.org\/",
            "https:\/\/zenodo.org\/doi\/10.5281",
            "http:\/\/datacite.org\/schema",
            "https:\/\/doi.org\/10.5281",
            "http:\/\/schema.org",
            "http:\/\/www.w3.org\/1999\/02\/22-rdf-synta
        ],
        "metadata": {
            "object_identifier": [
                "https:\/\/zenodo.org\/doi\/10.5281\/zen
```

```
            "oai:zenodo.org:23416916"
        ],
        "title": "Study of ML models for Racing LLM
        "summary": "For student university project.R
        "publication_date": "2026-10-16",
        "publisher": [
            {
                "name": "Zenodo"
            }
        ],
        "creator": [
            "Zalki"
        ],
        "license": [
            "https:\/\/creativecommons.org\/licenses
        ],
        "object_type": [
            "Dataset"
        ]
    }
},
{
    "method": "content_negotiation",
    "url": "https:\/\/doi.org\/10.5281\/zenodo.23416
    "format": "json",
    "schema": "http:\/\/datacite.org\/schema",
    "namespaces": [
        "http:\/\/datacite.org\/schema",
        "http:\/\/datacite.org\/schema\/"
    ],
    "metadata": {
        "object_identifier": [
            "https:\/\/doi.org\/10.5281\/zenodo.2341
        ],
        "object_type": [
            "Dataset"
        ],
        "creator": [
            "Zalki, Manohar"
        ],
        "creator_first": "Manohar",
        "creator_last": "Zalki",
        "publisher": [
            {
                "name": "Zenodo"
            }
        ],
        "title": "Study of ML models for Racing LLM
        "publication_date": 2026,
```

```
            "license": [
                "https:\/\/creativecommons.org\/licenses
            ],
            "summary": "For student university project.R
            "related_resources": [
                {
                    "related_resource": "10.5281\/zenodo
                    "relation_type": "IsVersionOf"
                }
            ],
            "datacite_client": "cern.zenodo",
            "access_level": [
                "https:\/\/creativecommons.org\/licenses
            ]
        }
    }
]
```


Summary:



	Fair level:
Findable:	advanced
Accessible:	moderate
Interoperable:	moderate
Reusable:	moderate

Report:

Findable

FsF-F1-01MD - Metadata and data are assigned a globally unique identifier.

FsF-F1-02MD - Metadata and data are assigned a persistent identifier.

FsF-F2-01M - Metadata includes descriptive core elements (creator, title, data identifier, publisher, publication date, summary and keywords) to support data findability.

FsF-F3-01M - Metadata includes the identifier of the data it describes.

FsF-F4-01M - Metadata is offered in such a way that it can be registered or indexed by search engines.

Accessible

FsF-A1-01M - Metadata contains access level and access conditions of the data.

FsF-A1-02MD - Metadata and data are retrievable by their identifier

FsF-A1.1-01MD - A standardized communication protocol is used to access metadata and data.

FsF-A1.2-01MD - Metadata and data are accessible through a standardized communication protocol which supports authentication.

Interoperable

FsF-I1-01M - Metadata is represented using a formal knowledge representation language.

FsF-I2-01M - Metadata uses registered semantic resources

FsF-I3-01M - Metadata includes qualified references between the data and its related entities.

Reusable

FsF-R1-01M - Metadata specifies the content of the data.

FsF-R1.1-01M - Metadata includes license information under which data can be reused.

FsF-R1.2-01M - Metadata includes provenance information about data creation or generation.

FsF-R1.3-01M - Metadata follows a standard recommended by the target research community of the data.

FsF-R1.3-02D - Data is available in a file format recommended by the target research community.

About Feedback Privacy Policy Terms of Use

Legal Notice

F-UJI is a result of the FAIRsFAIR “Fostering FAIR Data Practices In Europe” project which received funding from the European Union’s Horizon 2020 project call H2020-INFRAEOSC-2018-2020 (grant agreement 831558).