F-UJI

FAIR assessment

F-UJI version 4.0.1: Please note that the F-UJI website now uses software version 4.0.1 and metric v0.8. More information about the changes and their effects can be found here (Zenodo) and here (github).

Disclaimer:

The test results shown here are based on preliminary data and code which still is under development.
F-UJI is rapidly evolving and not yet available in a productive environment.

Click here to assess another data set

Assessment Results:

Evaluated Resource:

Study of ML models for Racing LLM Appliances


https://doi.org/10.5281/zenodo.23416916

Save {JSON} New

FAIR level:	moderate
Resource PID/URL:	https://doi.org/10.5281/zenodo.23416916
DataCite support:	enabled
Metric Version:	0.8
Metric Specification:	https://doi.org/10.5281/zenodo.15045911
Software version:	4.0.1

Download assessment results:	{JSON}
Save and share assessment results:1	Saved assessments: • FAIR 84% 2026-10-17 (4.0.1)
Harvested metadata:	show metadata

Summary:



	Fair level:
Findable:	advanced
Accessible:	moderate
Interoperable:	moderate
Reusable:	moderate

Report:

Findable

FsF-F1-01MD - Metadata and data are assigned a globally unique identifier.

FsF-F1-02MD - Metadata and data are assigned a persistent identifier.

FsF-F2-01M - Metadata includes descriptive core elements (creator, title, data identifier, publisher, publication date, summary and keywords) to support data findability.

FsF-F3-01M - Metadata includes the identifier of the data it describes.

FsF-F4-01M - Metadata is offered in such a way that it can be registered or indexed by search engines.

Accessible

FsF-A1-01M - Metadata contains access level and access conditions of the data.

FsF-A1-02MD - Metadata and data are retrievable by their identifier

FsF-A1.1-01MD - A standardized communication protocol is used to access metadata and data.

FsF-A1.2-01MD - Metadata and data are accessible through a standardized communication protocol which supports authentication.

Interoperable

FsF-I1-01M - Metadata is represented using a formal knowledge representation language.

FsF-I2-01M - Metadata uses registered semantic resources

FsF-I3-01M - Metadata includes qualified references between the data and its related entities.

Reusable

FsF-R1-01M - Metadata specifies the content of the data.

FsF-R1.1-01M - Metadata includes license information under which data can be reused.

FsF-R1.2-01M - Metadata includes provenance information about data creation or generation.

FsF-R1.3-01M - Metadata follows a standard recommended by the target research community of the data.

FsF-R1.3-02D - Data is available in a file format recommended by the target research community.

F-UJI is a result of the FAIRsFAIR “Fostering FAIR Data Practices In Europe” project which received funding from the European Union’s Horizon 2020 project call H2020-INFRAEOSC-2018-2020 (grant agreement 831558).