



## Age vs DTI (CC1, segment 10)




Original : p-value = 0.000, F-stat = 15.39

Adjusted : p-value = 1.000, F-stat = 0.00


### Age Distribution










### JND Distribution




### IHD Distribution






Feature selection based on simple linear regression using f\_regression  
DTI metrics FA










Feature selection based on simple linear regression using r\_regression

DTI metrics FA



## Best features for JND based on r\_regression



**CC 1**

**CC 2**

**CC 3**


**CC 4**

**CC 5**

**CC 6**

**CC 7**

### Pearson's r for JND on selected features







---

FA JND \ segment cc: 1 [94, 95, 93, 76, 46, 86, 77, 87, 49, 6]  
p-value pour cc 1: 0.0146  
p-value bonf. corrected pour cc 1: 0.102  $\square$

---

FA JND \ segment cc: 2 [96, 13, 7, 87, 94, 86, 5, 97, 85, 73]  
p-value pour cc 2: 0.0678  
p-value bonf. corrected pour cc 2: 0.475  $\square$

---

FA JND \ segment cc: 3 [91, 92, 93, 90, 94, 89, 97, 8, 38, 39]  
p-value pour cc 3: 0.155  
p-value bonf. corrected pour cc 3: 1.087  $\square$

---

FA JND \ segment cc: 4 [89, 97, 88, 90, 87, 7, 8, 86, 96, 91]  
p-value pour cc 4: 0.163  
p-value bonf. corrected pour cc 4: 1.140  $\square$

---

FA JND \ segment cc: 5 [59, 60, 79, 18, 61, 17, 78, 80, 83, 81]  
p-value pour cc 5: 0.0864  
p-value bonf. corrected pour cc 5: 0.604  $\square$

---

FA JND \ segment cc: 6 [52, 97, 53, 54, 51, 96, 55, 49, 50, 35]  
p-value pour cc 6: 0.128  
p-value bonf. corrected pour cc 6: 0.896  $\square$

---

FA JND \ segment cc: 7 [52, 42, 53, 47, 41, 51, 48, 46, 43, 40]  
p-value pour cc 7: 0.00368  
p-value bonf. corrected pour cc 7: 0.026  $\square$