













## Age vs DTI (CC1, segment 10)



Original : p-value = 0.000, F-stat = 25.07


Adjusted : p-value = 1.000, F-stat = 0.00






# Feature selection based on simple linear regression using f\_regression

## DTI metrics MD

















# Feature selection based on simple linear regression using r\_regression


## DTI metrics MD




# Best features for JND and IHD based on r\_regression



Pearson's r for JND and IHD on selected features



Linear regression of DTI on JND and IHD after adjustment for age  
Mean of 10 best features DTI metrics MD





---

MD JND \ segment cc: 1 [24, 25, 26, 23, 49, 27, 22, 28, 21, 50]  
p-value pour cc 1: 0.0175  
p-value bonf. corrected pour cc 1: 0.123  $\square$

---

MD JND \ segment cc: 2 [33, 32, 31, 87, 30, 34, 96, 29, 81, 94]  
p-value pour cc 2: 0.0843  
p-value bonf. corrected pour cc 2: 0.590  $\square$

---

MD JND \ segment cc: 3 [1, 0, 2, 29, 3, 28, 30, 27, 31, 4]  
p-value pour cc 3: 0.0786  
p-value bonf. corrected pour cc 3: 0.550  $\square$

---

MD JND \ segment cc: 4 [82, 81, 83, 80, 61, 62, 84, 63, 87, 85]  
p-value pour cc 4: 0.0438  
p-value bonf. corrected pour cc 4: 0.307  $\square$

---

MD JND \ segment cc: 5 [17, 18, 0, 88, 19, 86, 1, 21, 87, 60]  
p-value pour cc 5: 0.0298  
p-value bonf. corrected pour cc 5: 0.208  $\square$

---

MD JND \ segment cc: 6 [94, 95, 68, 93, 73, 92, 69, 89, 87, 63]  
p-value pour cc 6: 0.0617  
p-value bonf. corrected pour cc 6: 0.432  $\square$

---

MD JND \ segment cc: 7 [70, 69, 71, 36, 35, 72, 68, 34, 83, 84]  
p-value pour cc 7: 0.155  
p-value bonf. corrected pour cc 7: 1.083  $\square$

---

MD \ segment cc: 1 [47, 48, 49, 46, 50, 20, 19, 51, 40, 21]  
p-value pour cc 1: 0.209  
p-value bonf. corrected pour cc 1: 1.466  $\square$

---

MD \ segment cc: 2 [46, 47, 45, 95, 94, 48, 44, 42, 49, 43]  
p-value pour cc 2: 0.0856  
p-value bonf. corrected pour cc 2: 0.599  $\square$

---

MD \ segment cc: 3 [97, 96, 95, 63, 62, 64, 20, 55, 65, 19]  
p-value pour cc 3: 0.684  
p-value bonf. corrected pour cc 3: 4.791  $\square$

---

MD \ segment cc: 4 [27, 28, 26, 29, 31, 32, 30, 25, 33, 24]  
p-value pour cc 4: 0.265  
p-value bonf. corrected pour cc 4: 1.852  $\square$

---

MD \ segment cc: 5 [48, 52, 53, 56, 54, 49, 57, 55, 51, 58]  
p-value pour cc 5: 0.147  
p-value bonf. corrected pour cc 5: 1.031  $\square$

---

MD \ segment cc: 6 [45, 46, 44, 43, 47, 42, 1, 6, 0, 49]  
p-value pour cc 6: 0.412  
p-value bonf. corrected pour cc 6: 2.883  $\square$

---

MD \ segment cc: 7 [11, 12, 32, 13, 10, 14, 31, 8, 7, 9]  
p-value pour cc 7: 0.225  
p-value bonf. corrected pour cc 7: 1.576  $\square$