













Age vs DTI (CC1, segment 10)




Original : p-value = 0.000, F-stat = 34.90

Adjusted : p-value = 1.000, F-stat = 0.00




















Feature selection based on simple linear regression using f_regression DTI metrics RD




Feature selection based on simple linear regression using r_regression DTI metrics RD




Best features for JND and IHD based



Pearson's r for JND and IHD on selected features



Linear regression of DTI on JND and IHD after adjustment for age
Mean of 10 best features DTI metrics RD



RD JND \ segment cc: 1 [49, 94, 25, 82, 26, 79, 24, 80, 83, 77]

p-value pour cc 1: 0.0183

p-value bonf. corrected pour cc 1: 0.128 $\square$

RD JND \ segment cc: 2 [87, 86, 81, 96, 85, 80, 33, 7, 88, 20]

p-value pour cc 2: 0.0926

p-value bonf. corrected pour cc 2: 0.648 $\square$

RD JND \ segment cc: 3 [1, 2, 0, 3, 4, 5, 6, 7, 97, 8]

p-value pour cc 3: 0.1

p-value bonf. corrected pour cc 3: 0.701 $\square$

RD JND \ segment cc: 4 [97, 61, 60, 62, 1, 59, 63, 0, 48, 2]

p-value pour cc 4: 0.0813

p-value bonf. corrected pour cc 4: 0.569 $\square$

RD JND \ segment cc: 5 [17, 18, 59, 19, 60, 0, 58, 16, 61, 22]

p-value pour cc 5: 0.0447

p-value bonf. corrected pour cc 5: 0.313 $\square$

RD JND \ segment cc: 6 [68, 52, 55, 53, 54, 93, 92, 66, 56, 75]

p-value pour cc 6: 0.132

p-value bonf. corrected pour cc 6: 0.923 $\square$

RD JND \ segment cc: 7 [36, 37, 41, 42, 47, 46, 38, 71, 48, 52]

p-value pour cc 7: 0.0199

p-value bonf. corrected pour cc 7: 0.139 $\square$

RD \ segment cc: 1 [47, 48, 46, 49, 78, 79, 77, 50, 21, 20]
p-value pour cc 1: 0.229
p-value bonf. corrected pour cc 1: 1.602 $\square$

RD \ segment cc: 2 [94, 95, 42, 46, 45, 23, 87, 47, 97, 86]
p-value pour cc 2: 0.219
p-value bonf. corrected pour cc 2: 1.535 $\square$

RD \ segment cc: 3 [97, 96, 95, 9, 8, 10, 7, 6, 0, 80]
p-value pour cc 3: 0.297
p-value bonf. corrected pour cc 3: 2.080 $\square$

RD \ segment cc: 4 [39, 66, 67, 10, 38, 9, 97, 65, 62, 2]
p-value pour cc 4: 0.775
p-value bonf. corrected pour cc 4: 5.422 $\square$

RD \ segment cc: 5 [56, 55, 57, 54, 58, 48, 53, 52, 61, 63]
p-value pour cc 5: 0.105
p-value bonf. corrected pour cc 5: 0.736 $\square$

RD \ segment cc: 6 [46, 43, 45, 44, 42, 51, 47, 52, 41, 50]
p-value pour cc 6: 0.13
p-value bonf. corrected pour cc 6: 0.907 $\square$

RD \ segment cc: 7 [69, 63, 70, 32, 64, 62, 31, 65, 68, 33]
p-value pour cc 7: 0.143
p-value bonf. corrected pour cc 7: 1.001 $\square$