

References used during the internship

Nicolas Lejeune

April 2021

References

- [1] B. Ding, X. Zhao, et al. Mechanism of improving the performance of perovskite solar cells through alkali metal bis(trifluoromethanesulfonyl)imide modifying mesoporous titania electron transport layer. *Journal of Power Sources*, **484**, 229275 (2021).
- [2] M. Samadpour, A. Golchini, et al. Modified Antisolvent Method for Improving the Performance and Stability of Triple-Cation Perovskite Solar Cells. *ACS Omega*, **6** (2021).
- [3] S. Sandhu, C. Saharan, et al. Micro structurally engineered hysteresis-free high efficiency perovskite solar cell using Zr-doped TiO₂ electron transport layer. *Ceramics International*, page S0272884221002248 (2021).
- [4] A. Mutlu, T. Yeşil, et al. Approach To Enhance the Stability and Efficiency of Triple-Cation Perovskite Solar Cells by Reactive Antisolvents. *ACS Applied Energy Materials*, **4** (2021).
- [5] M. Makenali, I. Kazeminezhad, et al. Charge transfer balancing of planar perovskite solar cell based on a low cost and facile solution-processed CuOx as an efficient hole transporting layer. *Journal of Materials Science: Materials in Electronics* (2021).
- [6] P.-H. Liu, C.-H. Chuang, et al. Conjugated polyelectrolytes as promising hole transport materials for inverted perovskite solar cells: effect of ionic groups. *Journal of Materials Chemistry A*, **8** (2020).
- [7] S. M. Abdulrahim, Z. Ahmad, et al. Long-Term Stability Analysis of 3D and 2D/3D Hybrid Perovskite Solar Cells Using Electrochemical Impedance Spectroscopy. *Molecules*, **25** (2020).
- [8] K. K. Markose, M. Jasna, et al. Performance enhancement of organic/Si solar cell using CNT embedded hole selective layer. *Solar Energy*, **211**, 158–166 (2020).
- [9] Navjyoti, V. Saxena, et al. Ambient-air fabrication with inorganic/polymer hole transport layer: Towards low cost perovskite solar cells. page 030296. Jodhpur, India (2020).
- [10] B. Hailegnaw, N. S. Sariciftci, et al. Impedance Spectroscopy of Perovskite Solar Cells: Studying the Dynamics of Charge Carriers Before and After Continuous Operation. *physica status solidi (a)*, **217** (2020).
- [11] N. A. Abd Malek, N. Alias, et al. Enhanced-Charge Transfer in Atoms-Thick 2H-WS₂ Nanosheets Electron Transport Layer of Perovskite Solar Cells. *Solar RRL*, **4** (2020).

- [12] M. K. Otoufi, M. Ranjbar, et al. Enhanced performance of planar perovskite solar cells using TiO₂/SnO₂ and TiO₂/WO₃ bilayer structures: Roles of the interfacial layers. *Solar Energy*, **208**, 697–707 (2020).
- [13] S. Chen, Y. Wang, et al. Noncorrosive necking treatment of the mesoporous BaSnO₃ photoanode for quantum dot-sensitized solar cells. *Solar Energy*, **208**, 527–531 (2020).
- [14] F. Wu, R. Pathak, et al. Reduced hysteresis in perovskite solar cells using metal oxide/organic hybrid hole transport layer with generated interfacial dipoles. *Electrochimica Acta*, **354**, 136660 (2020).
- [15] S. M. Abdulrahim, Z. Ahmad, et al. Electrochemical Impedance Spectroscopy Analysis of Hole Transporting Material Free Mesoporous and Planar Perovskite Solar Cells. *Nanomaterials*, **10** (2020).
- [16] Z. Zhao, J. Huang, et al. Inverted planar perovskite solar cells with efficient and stability via optimized cathode-interfacial layer. *Solar Energy*, **207**, 1165–1171 (2020).
- [17] Y. Feng, J. Bian, et al. Real-Time Dynamic Observation of a Thermal and Electrical Coeffect on the Interfacial Evolution of Hybrid Perovskite Solar Cells by Electrochemical Impedance Spectroscopy. *ACS Applied Energy Materials*, **3** (2020).
- [18] Y. Ko, Y. Kim, et al. Self-Aggregation-Controlled Rapid Chemical Bath Deposition of SnO₂ Layers and Stable Dark Depolarization Process for Highly Efficient Planar Perovskite Solar Cells. *ChemSusChem*, **13** (2020).
- [19] V. Raj and S. K. Sarkar. Eradication of non-capacitive effects with potassium incorporation in perovskite solar cells. *Journal of Applied Physics*, **128** (2020).
- [20] A. Roy, S. Bhandari, et al. Incorporating Solution-Processed Mesoporous WO₃ as an Interfacial Cathode Buffer Layer for Photovoltaic Applications. *The Journal of Physical Chemistry A*, **124** (2020).
- [21] X. Zhang, J. Zhang, et al. Perovskite-Type BaTiO₃ Nanocrystal Modifier in TiO₂/CH₃NH₃PbI₃ Interface to Enhance the Performance of Planar Perovskite Solar Cells. *Journal of Electronic Materials*, **49** (2020).
- [22] X. Chen, W. Xu, et al. Dual Interfacial Modification Engineering with 2D MXene Quantum Dots and Copper Sulphide Nanocrystals Enabled High-Performance Perovskite Solar Cells. *Advanced Functional Materials*, **30** (2020).
- [23] Z. Shadrokh, S. Sousani, et al. Enhanced stability and performance of poly(4-vinylpyridine) modified perovskite solar cell with quaternary semiconductor Cu₂MSnS₄ (M= Co²⁺, Ni²⁺, Zn²⁺) as hole transport materials. *Solar Energy Materials and Solar Cells*, **211**, 110538 (2020).
- [24] J. Ryu, S. Yoon, et al. Fabrication of nickel oxide composites with carbon nanotubes for enhanced charge transport in planar perovskite solar cells. *Applied Surface Science*, **516**, 146116 (2020).

- [25] L. Wang, K. Chen, et al. Inverted pyramid Er^{3+} and Yb^{3+} Co-doped TiO_2 nanorod arrays based perovskite solar cell: Infrared response and improved current density. *Ceramics International*, **46** (2020).
- [26] A. Mahapatra, R. Runjhun, et al. Elucidation of the role of guanidinium incorporation in single-crystalline MAPbI_3 perovskite on ion migration and activation energy. *Physical Chemistry Chemical Physics*, **22** (2020).
- [27] A. Mohammadbeigi, S. Mozaffari, et al. Yolk-shell $\text{SnO}_2@\text{TiO}_2$ nanospheres as electron transport layer in mesoscopic perovskite solar cell. *Journal of Sol-Gel Science and Technology*, **94** (2020).
- [28] G. Wu, R. Sun, et al. Synergistic Benefits of Cesium-Doped Aqueous Precursor in Air-Processed Inverted Perovskite Solar Cells. *Solar RRL*, **4** (2020).
- [29] A. Mahapatra, N. Parikh, et al. Changes in the Electrical Characteristics of Perovskite Solar Cells with Aging Time. *Molecules*, **25** (2020).
- [30] N. Tsvetkov, A. Nikolskaia, et al. TiO_2 /halide perovskite interface: The impact of surface state passivation on energy alignment and photovoltaic performance of perovskite solar cells. *Applied Surface Science*, **512**, 145666 (2020).
- [31] A. Mashreghi, K. Maleki, et al. Two-phase synthesized $\text{Cu}_2\text{ZnSnS}_4$ nanoparticles as inorganic hole-transporting material of paintable carbon-based perovskite solar cells. *Solar Energy*, **201**, 547–554 (2020).
- [32] M. Rameez, S. Shahbazi, et al. Development of Novel Mixed Halide/Superhalide Tin-Based Perovskites for Mesoscopic Carbon-Based Solar Cells. *The Journal of Physical Chemistry Letters*, **11** (2020).
- [33] C. Li, A. Wang, et al. Secondary lateral growth of MAPbI_3 grains for the fabrication of efficient perovskite solar cells. *Journal of Materials Chemistry C*, **8** (2020).
- [34] J. Song, W. Hu, et al. A double hole-transport layer strategy toward efficient mixed tin-lead iodide perovskite solar cell. *Solar Energy Materials and Solar Cells*, **207**, 110351 (2020).
- [35] J.-a. Yang, A. Xiao, et al. Precise control of PbI_2 excess into grain boundary for efficacious charge extraction in off-stoichiometric perovskite solar cells. *Electrochimica Acta*, **338**, 135697 (2020).
- [36] B. Zhang, B. Zhang, et al. Applying neoteric MgTiO_3 -coated TiO_2 nanoparticulate films as scaffold layers in perovskite solar cells based on carbon counter electrode for retarding charge recombination. *Electrochimica Acta*, **338**, 135884 (2020).
- [37] D. Wang, W. Li, et al. Highly Efficient CsPbBr_3 Planar Perovskite Solar Cells via Additive Engineering with NH_4SCN . *ACS Applied Materials & Interfaces*, **12** (2020).
- [38] T. M. H. Nguyen and C. W. Bark. Synthesis of Cobalt-Doped TiO_2 Based on Metal–Organic Frameworks as an Effective Electron Transport Material in Perovskite Solar Cells. *ACS Omega*, **5** (2020).

- [39] A. M. Bakhshayesh, H. Abdizadeh, et al. Layered Ruddlesden–Popper Perovskites with Various Thicknesses for Stable Solid-State Solar Cells. *Physics of the Solid State*, **62** (2020).
- [40] C.-H. Tsai, C.-M. Lin, et al. Investigation of the Effects of Various Organic Solvents on the PCBM Electron Transport Layer of Perovskite Solar Cells. *Coatings*, **10** (2020).
- [41] D. Yao, X. Mao, et al. Dimensionality-Controlled Surface Passivation for Enhancing Performance and Stability of Perovskite Solar Cells via Triethylenetetramine Vapor. *ACS Applied Materials & Interfaces*, **12** (2020).
- [42] C. Yang, Z. Hu, et al. Elimination of Light-Soaking Effect in Hysteresis-Free Perovskite Solar Cells by Interfacial Modification. *The Journal of Physical Chemistry C*, **124** (2020).
- [43] C.-F. Fan, J.-H. Tsai, et al. Low Temperature (<40 °C) Atmospheric-Pressure Dielectric-Barrier-Discharge-jet (DBDjet) Plasma Treatment on Jet-Sprayed Silver Nanowires (AgNWs) Electrodes for Fully Solution-Processed n-i-p Structure Perovskite Solar Cells. *ECS Journal of Solid State Science and Technology*, **9** (2020).
- [44] J. Liu, M. Lei, et al. Communication—Enhancing Hole Extraction in Carbon-Based CsPbBr₃ Inorganic Perovskite Solar Cells without Hole-Transport Layer. *ECS Journal of Solid State Science and Technology*, **9** (2020).
- [45] M. Hu, L. Zhang, et al. Electron Transporting Bilayer of SnO₂ and TiO₂ Nanocolloid Enables Highly Efficient Planar Perovskite Solar Cells. *Solar RRL*, **4** (2020).
- [46] A. Bashir, S. Shukla, et al. Low temperature, solution processed spinel NiCo₂O₄ nanoparticles as efficient hole transporting material for mesoscopic n-i-p perovskite solar cells. *Solar Energy*, **196**, 367–378 (2020).
- [47] F. Ebadi, N. Taghavinia, et al. Origin of apparent light-enhanced and negative capacitance in perovskite solar cells. *Nature Communications*, **10** (2019).
- [48] G. I. Ryu, B. Kim, et al. Effects of Chemical Bath-Deposited TiO₂ Compact Layer on the Performance of the Fully Screen-Printable Hole-Transport Material-Free Mesoscopic Perovskite Solar Cells with a Carbon Electrode. *Journal of Electronic Materials*, **48** (2019).
- [49] A. Bakhshayesh, H. Abdizadeh, et al. Designing highly stable yet efficient solar cells based on a new triple-cation quasi-2D/3D hybrid perovskites family. *Ceramics International*, **45** (2019).
- [50] B. Hailegnaw, G. Adam, et al. Acetylacetone Improves the Performance of Mixed Halide Perovskite Solar Cells. *The Journal of Physical Chemistry C*, **123** (2019).
- [51] H. Yi, D. Wang, et al. Solution-processed WO₃ and water-free PEDOT:PSS composite for hole transport layer in conventional perovskite solar cell. *Electrochimica Acta*, **319**, 349–358 (2019).
- [52] S. Zhao, B. Zhao, et al. Enhanced Performance and Stability of Planar Perovskite Solar Cells by Interfacial Engineering using Fluorinated Aliphatic Amines. *ACS Applied Energy Materials*, **2** (2019).

- [53] Y. Kumar, O. A. Jaramillo-Quintero, et al. Short duration high temperature thermal processing to reduce interfacial trapping states in perovskite solar cells obtained by a green route. *Solar Energy*, **189**, 285–290 (2019).
- [54] Z. Ye, J. Zhou, et al. Low Temperature-Processed Stable and Efficient Carbon-Based CsPbI₂Br Planar Perovskite Solar Cells by In Situ Passivating Grain Boundary and Trap Density. *Solar RRL*, **3** (2019).
- [55] Q. Wang, E. Mosconi, et al. Rationalizing the Molecular Design of Hole-Selective Contacts to Improve Charge Extraction in Perovskite Solar Cells. *Advanced Energy Materials*, **9** (2019).
- [56] T. Sekimoto, T. Matsui, et al. Influence of a Hole-Transport Layer on Light-Induced Degradation of Mixed Organic–Inorganic Halide Perovskite Solar Cells. *ACS Applied Energy Materials*, **2** (2019).
- [57] R. Dileep, G. Kesavan, et al. Room-temperature curable carbon cathode for hole-conductor free perovskite solar cells. *Solar Energy*, **187**, 261–268 (2019).
- [58] W. Hu, C. Y. Xu, et al. High Open-Circuit Voltage of 1.134 V for Inverted Planar Perovskite Solar Cells with Sodium Citrate-Doped PEDOT:PSS as a Hole Transport Layer. *ACS Applied Materials & Interfaces*, **11** (2019).
- [59] X. Ma, B. Ma, et al. In-depth Studies on Working Mechanism of Plasmon-Enhanced Inverted Perovskite Solar Cells Incorporated with Ag@SiO₂ Core–Shell Nanocubes. *ACS Applied Energy Materials*, **2** (2019).
- [60] T. Bu, X. Liu, et al. Sub-sized monovalent alkaline cations enhanced electrical stability for over 17% hysteresis-free planar perovskite solar mini-module. *Electrochimica Acta*, **306**, 635–642 (2019).
- [61] S. Sidhik, J. Velusamy, et al. Role of carbon nanodots in defect passivation and photo-sensitization of mesoscopic-TiO₂ for perovskite solar cells. *Carbon*, **146**, 388–398 (2019).
- [62] B. S. Kim, G. H. Moon, et al. Effects of crystal size and surface coverage of perovskites on electron recombination in solar cells. *Materials Letters*, **242**, 191–194 (2019).
- [63] Z.-C. Chen, Y. Cheng, et al. In-situ atmospheric-pressure dielectric barrier discharge plasma treated CH₃NH₃PbI₃ for perovskite solar cells in regular architecture. *Applied Surface Science*, **473**, 468–475 (2019).
- [64] A. Bashir, J. H. Lew, et al. Cu-doped nickel oxide interface layer with nanoscale thickness for efficient and highly stable printable carbon-based perovskite solar cell. *Solar Energy*, **182**, 225–236 (2019).
- [65] B. Roose and R. H. Friend. Extrinsic Electron Concentration in SnO₂ Electron Extracting Contact in Lead Halide Perovskite Solar Cells. *Advanced Materials Interfaces*, **6** (2019).
- [66] X. Chen, Y. Shirai, et al. Effect of Light and Voltage on Electrochemical Impedance Spectroscopy of Perovskite Solar Cells: An Empirical Approach Based on Modified Randles Circuit. *The Journal of Physical Chemistry C*, **123** (2019).

- [67] N. Santhosh, S. Sitaaraman, et al. Fabrication of hole-transport-free perovskite solar cells using 5-ammonium valeric acid iodide as additive and carbon as counter electrode. *Materials Letters*, **236**, 706–709 (2019).
- [68] M. Que, W. Chen, et al. Effects of Zn²⁺ ion doping on hybrid perovskite crystallization and photovoltaic performance of solar cells. *Chemical Physics*, **517**, 80–84 (2019).
- [69] H. Chen, W. Zhu, et al. Er and Mg co-doped TiO₂ nanorod arrays and improvement of photovoltaic property in perovskite solar cell. *Journal of Alloys and Compounds*, **771**, 649–657 (2019).
- [70] C. Qin, T. Matsushima, et al. The Relation of Phase-Transition Effects and Thermal Stability of Planar Perovskite Solar Cells. *Advanced Science*, **6** (2019).
- [71] D. Klotz, G. Tumen-Ulzii, et al. Detecting and identifying reversible changes in perovskite solar cells by electrochemical impedance spectroscopy. *RSC Advances*, **9** (2019).
- [72] A. Cerdán-Pasarán, S. Sidhik, et al. Improved performance of inverted planar MAPbI₃ based perovskite solar cells using bromide post-synthesis treatment. *Solar Energy*, **177**, 538–544 (2019).
- [73] M. Thambidurai, S. Foo, et al. Improved photovoltaic performance of triple-cation mixed-halide perovskite solar cells with binary trivalent metals incorporated into the titanium dioxide electron transport layer. *Journal of Materials Chemistry C*, **7** (2019).
- [74] L. Yang, Y. Dall’Agnese, et al. SnO₂–Ti₃C₂ MXene electron transport layers for perovskite solar cells. *Journal of Materials Chemistry A*, **7** (2019).
- [75] Y. Feng, J. Bian, et al. Soft interfaces within hybrid perovskite solar cells: real-time dynamic tracking of interfacial electrical property evolution by EIS. *Journal of Materials Chemistry C*, **7** (2019).
- [76] W. Cao, K. Lin, et al. Iodine-doped graphite carbon nitride for enhancing photovoltaic device performance *via* passivation trap states of triple cation perovskite films. *Journal of Materials Chemistry C*, **7** (2019).
- [77] E. C. Smith, C. L. C. Ellis, et al. The use of ion-selective membranes to study cation transport in hybrid organic–inorganic perovskites. *Physical Chemistry Chemical Physics*, **21** (2019).
- [78] C.-H. Tsai, C.-M. Lin, et al. Improving the performance of perovskite solar cells by adding 1,8-diiodooctane in the CH₃NH₃PbI₃ perovskite layer. *Solar Energy*, **176**, 178–185 (2018).
- [79] H. Yi, D. Wang, et al. Bilayer SnO₂ as Electron Transport Layer for Highly Efficient Perovskite Solar Cells. *ACS Applied Energy Materials*, **1** (2018).
- [80] Y. Feng, J. Bian, et al. Interfacial negative capacitance in planar perovskite solar cells: An interpretation based on band theory. *Materials Research Bulletin*, **107**, 74–79 (2018).
- [81] H. Zhang, W. Liu, et al. Lead-less mesoscopic perovskite solar cells with enhanced photovoltaic performance by strontium chloride substitution. *Ceramics International*, **44** (2018).

- [82] J. Zhang, X. Meng, et al. Applying BaTiO₃-coated TiO₂ core-shell nanoparticles films as scaffold layers to optimize interfaces for better-performing perovskite solar cells. *Journal of Materials Science: Materials in Electronics*, **30** (2019).
- [83] Y. Lv, Y. Guo, et al. Enhanced efficiency and stability of fully air-processed TiO₂ nanorods array based perovskite solar cell using commercial available CuSCN and carbon. *Solar Energy*, **173**, 7–16 (2018).
- [84] A. Ramli, M. N. A. Bakar, et al. Characterization of novel nitrogen-less derived 2D hybrid perovskite of C₆H₈N₂PbBr₃ as a light-harvesting material for perovskite solar cell application. *Materials Letters*, **227**, 62–65 (2018).
- [85] G.-W. Kim, G. Kang, et al. Solution Processable Inorganic–Organic Double-Layered Hole Transport Layer for Highly Stable Planar Perovskite Solar Cells. *Advanced Energy Materials*, **8** (2018).
- [86] H. Li, C. Li, et al. Suppressing TiO₂ /Perovskite Interfacial Electron Trapping in Perovskite Solar Cell for Efficient Charge Extraction and Improved Device Performance. *ACS Sustainable Chemistry & Engineering*, **6** (2018).
- [87] N. Zhou, Q. Cheng, et al. Doping effects in SnO₂ transport material for high performance planar perovskite solar cells. *Journal of Physics D: Applied Physics*, **51** (2018).
- [88] H.-C. Hsieh, J. Yu, et al. Ultra-compact titanium oxide prepared by ultrasonic spray pyrolysis method for planar heterojunction perovskite hybrid solar cells. *Thin Solid Films*, **659**, 41–47 (2018).
- [89] X. Liu, Z. Liu, et al. 17.46% efficient and highly stable carbon-based planar perovskite solar cells employing Ni-doped rutile TiO₂ as electron transport layer. *Nano Energy*, **50**, 201–211 (2018).
- [90] C. Wang, Y. Li, et al. Enhancing the performance of planar heterojunction perovskite solar cells using stable semiquinone and amine radical modified hole transport layer. *Journal of Power Sources*, **390**, 134–141 (2018).
- [91] Q. Wang, C. Jiang, et al. Overcoming Bulk Recombination Limits of Layered Perovskite Solar Cells with Mesoporous Substrates. *The Journal of Physical Chemistry C*, **122** (2018).
- [92] C. Raminafshar, V. Dracopoulos, et al. Carbon based perovskite solar cells constructed by screen-printed components. *Electrochimica Acta*, **276**, 261–267 (2018).
- [93] G. Kapil, T. S. Ripolles, et al. Highly Efficient 17.6% Tin–Lead Mixed Perovskite Solar Cells Realized through Spike Structure. *Nano Letters*, **18** (2018).
- [94] B. Zong, W. Fu, et al. Highly stable hole-conductor-free CH₃NH₃Pb(I1-Br)₃ perovskite solar cells with carbon counter electrode. *Journal of Alloys and Compounds*, **748**, 1006–1012 (2018).
- [95] C. Ma, D. Shen, et al. 2D Perovskites with Short Interlayer Distance for High-Performance Solar Cell Application. *Advanced Materials*, **30** (2018).

- [96] F. Khorramshahi, O. E. Okeke, et al. Electrochemical photocurrent enhancement in a ZnO-perovskite heterojunction using piezoelectric effect. *Electrochimica Acta*, **266**, 110–117 (2018).
- [97] Q. Wang. Fast Voltage Decay in Perovskite Solar Cells Caused by Depolarization of Perovskite Layer. *The Journal of Physical Chemistry C*, **122** (2018).
- [98] H. Zhang, Y. Lv, et al. Fully-air processed Al-doped TiO₂ nanorods perovskite solar cell using commercial available carbon instead of hole transport materials and noble metal electrode. *Journal of Materials Science: Materials in Electronics*, **29** (2018).
- [99] A. A. Umar, A. Y. A. Al-She'irey, et al. Perovskite-sensitized solar cells-based Ga–TiO₂ nanodiatom-like photoanode: the improvement of performance by perovskite crystallinity refinement. *Applied Physics A*, **124** (2018).
- [100] P. Yadav, M. H. Alotaibi, et al. Influence of the Nature of A Cation on Dynamics of Charge Transfer Processes in Perovskite Solar Cells. *Advanced Functional Materials*, **28** (2018).
- [101] K. C. Icli and M. Ozenbas. Fully metal oxide charge selective layers for n-i-p perovskite solar cells employing nickel oxide nanoparticles. *Electrochimica Acta*, **263**, 338–345 (2018).
- [102] S. Sidhik, A. Cerdan Pasarán, et al. Improving the Optoelectronic Properties of Mesoporous TiO₂ by Cobalt Doping for High-Performance Hysteresis-free Perovskite Solar Cells. *ACS Applied Materials & Interfaces*, **10** (2018).
- [103] Y. Cai, Z. Zhang, et al. Enhancing the efficiency of low-temperature planar perovskite solar cells by modifying the interface between perovskite and hole transport layer with polymers. *Electrochimica Acta*, **261**, 445–453 (2018).
- [104] C. Wang, C. Zhang, et al. Energy level and thickness control on PEDOT:PSS layer for efficient planar heterojunction perovskite cells. *Journal of Physics D: Applied Physics*, **51** (2018).
- [105] M. Xiao, L. Zhao, et al. Application of mixed-organic-cation for high performance hole-conductor-free perovskite solar cells. *Journal of Colloid and Interface Science*, **510**, 118–126 (2018).
- [106] S. Sidhik, A. C. Pasarán, et al. Modulating the grain size, phase and optoelectronic quality of perovskite films with cesium iodide for high-performance solar cells. *Journal of Materials Chemistry C*, **6** (2018).
- [107] D. Shen, A. Pang, et al. Metal–organic frameworks at interfaces of hybrid perovskite solar cells for enhanced photovoltaic properties. *Chemical Communications*, **54** (2018).
- [108] A. Shit. Copolymers of poly(3-thiopheneacetic acid) with poly(3-hexylthiophene) as hole-transporting material for interfacially engineered perovskite solar cell by modulating band positions for higher efficiency. page 11 (2018).
- [109] Z.-L. Zhang, J.-F. Li, et al. Enhancement of Perovskite Solar Cells Efficiency using N-Doped TiO₂ Nanorod Arrays as Electron Transfer Layer. *Nanoscale Research Letters*, **12** (2017).
- [110] K. Lee, J. Ryu, et al. Enhanced efficiency and air-stability of NiOX-based perovskite solar cells via PCBM electron transport layer modification with Triton X-100. *Nanoscale*, **9** (2017).

- [111] T. Kang, C.-M. Tsai, et al. Interfacial Engineering with Cross-Linkable Fullerene Derivatives for High-Performance Perovskite Solar Cells. *ACS Applied Materials & Interfaces*, **9** (2017).
- [112] A. Todinova, L. Contreras-Bernal, et al. Towards a Universal Approach for the Analysis of Impedance Spectra of Perovskite Solar Cells: Equivalent Circuits and Empirical Analysis. *ChemElectroChem*, **4** (2017).
- [113] M. B. Upama, N. K. Elumalai, et al. Role of fullerene electron transport layer on the morphology and optoelectronic properties of perovskite solar cells. *Organic Electronics*, **50**, 279–289 (2017).
- [114] Y. Xu, B. Feng, et al. Performance improvement of dual processed perovskite solar cell—acid-modified ZnO nanorods with Cl-doped light harvesting layer. *International Journal of Energy Research*, **41** (2017).
- [115] C. Liu, W. Li, et al. C60 additive-assisted crystallization in CH₃NH₃Pb_{0.75}Sn_{0.25}I₃ perovskite solar cells with high stability and efficiency. *Nanoscale*, **9** (2017).
- [116] M. A. Mahmud, N. K. Elumalai, et al. Solution-Processed Lithium-Doped ZnO Electron Transport Layer for Efficient Triple Cation (Rb, MA, FA) Perovskite Solar Cells. *ACS Applied Materials & Interfaces*, **9** (2017).
- [117] S. S. Mali, C. S. Shim, et al. Secondary Hydrothermally Processed Engineered Titanium Dioxide Nanostructures for Efficient Perovskite Solar Cells. *Energy Technology*, **5** (2017).
- [118] W. Dong, T. Zhang, et al. Charge transport study of perovskite solar cells through constructing electron transport channels. *physica status solidi (a)*, **214** (2017).
- [119] S. Zhang, Y. Lu, et al. PVDF-HFP additive for visible-light-semi-transparent perovskite films yielding enhanced photovoltaic performance. *Solar Energy Materials and Solar Cells*, **170**, 178–186 (2017).
- [120] K. Pydzińska, P. Florczak, et al. Effects of different small molecule hole transporters on the performance and charge transfer dynamics of perovskite solar cells. *Synthetic Metals*, **232**, 181–187 (2017).
- [121] S. Li, Y. Zhao, et al. Improved performance of perovskite solar cells by optimizing deposition parameters of TiO₂ compact layers. *Journal of Materials Science: Materials in Electronics*, **28** (2017).
- [122] B. M. D. Puscher, M. F. Aygüler, et al. Unveiling the Dynamic Processes in Hybrid Lead Bromide Perovskite Nanoparticle Thin Film Devices. *Advanced Energy Materials*, **7** (2017).
- [123] M. A. Mahmud, N. K. Elumalai, et al. Controlled nucleation assisted restricted volume solvent annealing for stable perovskite solar cells. *Solar Energy Materials and Solar Cells*, **167**, 70–86 (2017).
- [124] F. Rahimi, J. Bebeau, et al. Photo-electrochemical characterization of CH₃NH₃PbI₃ Perovskite deposited on ZnO and TiO₂ mesoporous structures during its dynamic restoration. *Journal of Applied Electrochemistry*, **47** (2017).

- [125] Y.-C. Shih, Y.-B. Lan, et al. Amino-Acid-Induced Preferential Orientation of Perovskite Crystals for Enhancing Interfacial Charge Transfer and Photovoltaic Performance. *Small*, **13** (2017).
- [126] Z. Hu, J. Miao, et al. Enhanced performance of inverted perovskite solar cells using solution-processed carboxylic potassium salt as cathode buffer layer. *Organic Electronics*, **45**, 97–103 (2017).
- [127] J. Shao, S. Yang, et al. Efficient Bulk Heterojunction CH₃ NH₃ PbI₃–TiO₂ Solar Cells with TiO₂ Nanoparticles at Grain Boundaries of Perovskite by Multi-Cycle-Coating Strategy. *ACS Applied Materials & Interfaces*, **9** (2017).
- [128] C. Ma, D. Shen, et al. Effects of Small Polar Molecules (MA⁺ and H₂O) on Degradation Processes of Perovskite Solar Cells. *ACS Applied Materials & Interfaces*, **9** (2017).
- [129] C. Wang, C. Zhang, et al. Degradation behavior of planar heterojunction CH₃ NH₃ PbI₃ perovskite solar cells. *Synthetic Metals*, **227**, 43–51 (2017).
- [130] P. Chen, Z. Jin, et al. Interspace modification of titania-nanorod arrays for efficient mesoscopic perovskite solar cells. *Applied Surface Science*, **402**, 86–91 (2017).
- [131] X. Yin, Z. Yao, et al. High Efficiency Inverted Planar Perovskite Solar Cells with Solution-Processed NiO_x Hole Contact. *ACS Applied Materials & Interfaces*, **9** (2017).
- [132] M. Guo, F. Li, et al. Electrochemical and atomic force microscopy investigations of the effect of CdS on the local electrical properties of CH₃ NH₃ PbI₃:CdS perovskite solar cells. *Journal of Materials Chemistry C*, **5** (2017).
- [133] G. Choe, J. Kang, et al. Influence of the concentration of TiCl₄ solution used for post-treatment on mesoporous TiO₂ layers in hybrid lead halide perovskite solar cells. *Solar Energy*, **155**, 1148–1156 (2017).
- [134] M. Shirazi, R. Sabet Dariani, et al. Efficiency enhancement of hole-conductor-free perovskite solar cell based on ZnO nanostructure by Al doping in ZnO. *Journal of Alloys and Compounds*, **692**, 492–502 (2017).
- [135] W. Zhang, Y. Ding, et al. Simultaneously enhanced J_{sc} and FF by employing two solution-processed interfacial layers for inverted planar perovskite solar cells. *RSC Advances*, **7** (2017).
- [136] Z. Zhou, Y. Zhao, et al. A facile one-pot synthesis of hyper-branched carbazole-based polymer as a hole-transporting material for perovskite solar cells. *Journal of Materials Chemistry A*, **5** (2017).
- [137] Y. Zhang, Y. Wang, et al. Large grain growth for hole-conductor-free fully printable perovskite solar cells via polyoxometalate molecular doping. *Chemical Communications*, **53** (2017).
- [138] C. V. Gopi, M. Venkata-Haritha, et al. Low-temperature easy-processed carbon nanotube contact for high-performance metal- and hole-transporting layer-free perovskite solar cells. *Journal of Photochemistry and Photobiology A: Chemistry*, **332**, 265–272 (2017).

- [139] T. A. N. Peiris, A. K. Baranwal, et al. Enhancement of the hole conducting effect of NiO by a N2 blow drying method in printable perovskite solar cells with low-temperature carbon as the counter electrode. *Nanoscale*, **9** (2017).
- [140] W. Wang, H. Zheng, et al. Enhanced perovskite solar cells with cesium-doped TiO₂ compact layer. *Journal of Nanoscience and Nanotechnology*, **16** (2016).
- [141] C. Yang, M. Yu, et al. An annealing-free aqueous-processed anatase TiO₂ compact layer for efficient planar heterojunction perovskite solar cells. *Chemical Communications*, **53** (2017).
- [142] M. Cha, P. Da, et al. Enhancing Perovskite Solar Cell Performance by Interface Engineering Using CH₃ NH₃ PbBr_{0.9} I_{2.1} Quantum Dots. *Journal of the American Chemical Society*, **138** (2016).
- [143] H. K. Adli, T. Harada, et al. Effects of TiCl₄ treatment on the structural and electrochemical properties of a porous TiO₂ layer in CH₃ NH₃ PbI₃ perovskite solar cells. *Phys. Chem. Chem. Phys.*, **19** (2017).
- [144] A. Mahmud. A high performance and low-cost hole transporting layer for efficient and stable perovskite solar cells. page 13 (2017).
- [145] M. A. Mahmud, N. K. Elumalai, et al. Single Vs Mixed Organic Cation for Low Temperature Processed Perovskite Solar Cells. *Electrochimica Acta*, **222**, 1510–1521 (2016).
- [146] X. Fang. Graphene quantum dot incorporated perovskite films: passivating grain boundaries and facilitating electron extraction. page 7 (2017).
- [147] H. Nourollahi, A. Behjat, et al. Silver nanoparticle plasmonic effects on hole-transport material-free mesoporous heterojunction perovskite solar cells. *Solar Energy*, **139**, 475–483 (2016).
- [148] J. Zhang, C. Shi, et al. Preparation of ultra-thin and high-quality WO₃ compact layers and comparison of WO₃ and TiO₂ compact layer thickness in planar perovskite solar cells. *Journal of Solid State Chemistry*, **238**, 223–228 (2016).
- [149] M. Bag, L. A. Renna, et al. Evidence for reduced charge recombination in carbon nanotube/perovskite-based active layers. *Chemical Physics Letters*, **662**, 35–41 (2016).
- [150] Y. Li, Y. Guo, et al. Fabrication of Cd-Doped TiO₂ Nanorod Arrays and Photovoltaic Property in Perovskite Solar Cell. *Electrochimica Acta*, **200**, 29–36 (2016).
- [151] H.-W. Chen, T.-Y. Huang, et al. Efficiency Enhancement of Hybrid Perovskite Solar Cells with MEH-PPV Hole-Transporting Layers. *Scientific Reports*, **6** (2016).
- [152] W. Wang, Z. Zhang, et al. Enhanced performance of CH₃NH₃PbI₃x Cl_{1-x} perovskite solar cells by CH₃NH₃I modification of TiO₂-perovskite layer interface. *Nanoscale Research Letters*, **11** (2016).
- [153] J. Liu, C. Gao, et al. Improved Crystallization of Perovskite Films by Optimized Solvent Annealing for High Efficiency Solar Cell. *ACS Applied Materials & Interfaces*, **7** (2015).

- [154] J. Song, E. Zheng, et al. Low-temperature-processed ZnO–SnO₂ nanocomposite for efficient planar perovskite solar cells. *Solar Energy Materials and Solar Cells*, **144**, 623–630 (2016).
- [155] F. Zhang, X. Yang, et al. Boosting the efficiency and the stability of low cost perovskite solar cells by using CuPc nanorods as hole transport material and carbon as counter electrode. *Nano Energy*, **20**, 108–116 (2016).
- [156] Y. Huang, J. Wu, et al. High-efficiency perovskite solar cells based on anatase TiO₂ nanotube arrays. *Thin Solid Films*, **598**, 1–5 (2016).
- [157] L. Zhu, Z. Shao, et al. Mesoporous BaSnO₃ layer based perovskite solar cells. *Chemical Communications*, **52** (2016).
- [158] K. Lee, C.-M. Yoon, et al. Morphology-controlled mesoporous SiO₂ nanorods for efficient scaffolds in organo-metal halide perovskite solar cells. *Chemical Communications*, **52** (2016).
- [159] F. Behrouznejad, S. Shahbazi, et al. A study on utilizing different metals as the back contact of CH₃ NH₃ PbI₃ perovskite solar cells. *Journal of Materials Chemistry A*, **4** (2016).
- [160] J. Yin, H. Qu, et al. Light absorption enhancement by embedding submicron scattering TiO₂ nanoparticles in perovskite solar cells. *RSC Advances*, **6** (2016).
- [161] I. Hwang and K. Yong. Novel CdS Hole-Blocking Layer for Photostable Perovskite Solar Cells. *ACS Applied Materials & Interfaces*, **8** (2016).
- [162] M. Cai, V. T. Tjong, et al. An efficient hole transport material composite based on poly(3-hexylthiophene) and bamboo-structured carbon nanotubes for high performance perovskite solar cells. *J. Mater. Chem. A*, **3** (2015).
- [163] J. Li, W. Li, et al. Enhanced performance in hybrid perovskite solar cell by modification with spinel lithium titanate. *Journal of Materials Chemistry A*, **3** (2015).
- [164] J. Dong, Y. Zhao, et al. Impressive enhancement in the cell performance of ZnO nanorod-based perovskite solar cells with Al-doped ZnO interfacial modification. *Chem. Commun.*, **50** (2014).
- [165] Y. Xiao, G. Han, et al. Investigation of perovskite-sensitized nanoporous titanium dioxide photoanodes with different thicknesses in perovskite solar cells. *Journal of Power Sources*, **286**, 118–123 (2015).
- [166] M. Yang, R. Guo, et al. Improved charge transport of Nb-doped TiO₂ nanorods in methylammonium lead iodide bromide perovskite solar cells. *J. Mater. Chem. A*, **2** (2014).
- [167] J. Zhang, E. J. Juárez-Pérez, et al. Fast and low temperature growth of electron transport layers for efficient perovskite solar cells. *Journal of Materials Chemistry A*, **3** (2015).
- [168] J. Zhang, Z. Hu, et al. Bifunctional alkyl chain barriers for efficient perovskite solar cells. *Chemical Communications*, **51** (2015).
- [169] M. Bag, L. A. Renna, et al. Kinetics of Ion Transport in Perovskite Active Layers and Its Implications for Active Layer Stability. *Journal of the American Chemical Society*, **137** (2015).

- [170] D. Liu, J. Yang, et al. Compact Layer Free Perovskite Solar Cells with 13.5% Efficiency. *Journal of the American Chemical Society*, **136** (2014).
- [171] M. Lv, J. Zhu, et al. Colloidal CuInS₂ Quantum Dots as Inorganic Hole-Transporting Material in Perovskite Solar Cells. *ACS Applied Materials & Interfaces*, **7** (2015).
- [172] V.-D. Dao, L. L. Larina, et al. Minimizing energy losses in perovskite solar cells using plasma-treated transparent conducting layers. *Thin Solid Films*, **593**, 10–16 (2015).
- [173] R. Wu, J. Yang, et al. Efficient electron-blocking layer-free planar heterojunction perovskite solar cells with a high open-circuit voltage. *Organic Electronics*, **26**, 265–272 (2015).
- [174] G. A. Sepalage, S. Meyer, et al. Copper(I) Iodide as Hole-Conductor in Planar Perovskite Solar Cells: Probing the Origin of J–V Hysteresis. *Advanced Functional Materials*, **25** (2015).
- [175] X. Guo, H. Dong, et al. Multifunctional MgO Layer in Perovskite Solar Cells. *ChemPhysChem*, **16** (2015).
- [176] K. Cao, H. Li, et al. MAPbI₃xBr_x mixed halide perovskites for fully printable mesoscopic solar cells with enhanced efficiency and less hysteresis. *Nanoscale*, **8** (2016).
- [177] S. Wang, W. Dong, et al. Credible evidence for the passivation effect of remnant PbI₂ in CH₃NH₃PbI₃ films in improving the performance of perovskite solar cells. *Nanoscale*, **8** (2016).
- [178] Y. Liu, M. Bag, et al. Understanding Interface Engineering for High-Performance Fullerene/Perovskite Planar Heterojunction Solar Cells. *Advanced Energy Materials*, **6** (2016).
- [179] Y. Xu, J. Shi, et al. Simple Way to Engineer Metal–Semiconductor Interface for Enhanced Performance of Perovskite Organic Lead Iodide Solar Cells. *ACS Applied Materials & Interfaces*, **6** (2014).
- [180] H.-S. Kim, I. Mora-Sero, et al. Mechanism of carrier accumulation in perovskite thin-absorber solar cells. *Nature Communications*, **4** (2013).
- [181] X. Zhang, Z. Bao, et al. Sn-doped TiO₂ nanorod arrays and application in perovskite solar cells. *RSC Adv.*, **4** (2014).
- [182] Y. Song, S. Lv, et al. Energy level tuning of TPB-based hole-transporting materials for highly efficient perovskite solar cells. *Chem. Commun.*, **50** (2014).
- [183] E. Guillén, F. J. Ramos, et al. Elucidating Transport-Recombination Mechanisms in Perovskite Solar Cells by Small-Perturbation Techniques. *The Journal of Physical Chemistry C*, **118** (2014).
- [184] F. Zhang, X. Yang, et al. Structure Engineering of HoleConductor Free Perovskite-Based Solar Cells with Low-Temperature-Processed Commercial Carbon Paste As Cathode. *ACS Appl. Mater. Interfaces*, page 7 (2014).
- [185] J. A. Christians, R. C. M. Fung, et al. An Inorganic Hole Conductor for Organo-Lead Halide Perovskite Solar Cells. Improved Hole Conductivity with Copper Iodide. *Journal of the American Chemical Society*, **136** (2014).