

OpenAPI definition

Overview

Paths

GET /users

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /users

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /response

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /questions

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /questions

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

POST /login

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /users/{userId}

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

DELETE /users/{userId}

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

PATCH /users/{userId}

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /response/{responseId}

Parameters

Type	Name	Description	Schema
path	responseId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

PATCH /response/{responseId}

Parameters

Type	Name	Description	Schema
path	responseId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /questions/{questionId}

Parameters

Type	Name	Description	Schema
path	questionId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

DELETE /questions/{questionId}

Parameters

Type	Name	Description	Schema
path	questionId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

PATCH /questions/{questionId}

Parameters

Type	Name	Description	Schema
path	questionId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /response/users/{userId}

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /response/users/active/{userId}

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /report/{userId}/{responseId}

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string (uuid)
path	responseId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /principles

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /principles/{principleId}

Parameters

Type	Name	Description	Schema
path	principleId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /activities

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

GET /activities/{activityId}

Parameters

Type	Name	Description	Schema
path	activityId <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	OK <i>Content</i> /	No Links

Components

Schemas

TermsAndConditionsDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
acceptanceDate <i>required</i>		string
link <i>required</i>		string

UserDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
email <i>required</i>		string

Name	Description	Schema
password <i>optional</i>		string
name <i>required</i>	Maximum Length: 32 Minimum Length: 2	string
position <i>required</i>		string
sector <i>required</i>		string
macrosector <i>required</i>		string
organization <i>required</i>		string
registrationDate <i>required</i>		string
termsAndConditionsHistory <i>required</i>		< TermsAndConditionsDTO > array

ResponseDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
responseDate <i>optional</i>		string (date-time)
userId <i>optional</i>		string (uuid)
complete <i>required</i>		boolean
selectedOptions <i>required</i>		< ResponseOptionDTO > array

ResponseOptionDTO

Properties

Name	Description	Schema
id <i>required</i>		string (uuid)
questionIdReference <i>required</i>		string (uuid)

Name	Description	Schema
optionIdReference <i>required</i>		string (uuid)

QuestionDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
questionOrder <i>required</i>	Minimum: 1	integer (int32)
questionText <i>required</i>		string
mandatory <i>required</i>		boolean
justify <i>required</i>		boolean
type <i>required</i>		enum (MULTIPLE_CHOICE, INCREMENTAL_SINGLE_CHOICE, SINGLE_CHOICE, SINGLE_CHOICE_DEPENDENT)
hint <i>optional</i>		string
activityId <i>required</i>		string (uuid)
questionOptions <i>required</i>		< QuestionOptionDTO > array

QuestionOptionDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
optionOrder <i>required</i>	Minimum: 0	integer (int32)
optionValue <i>required</i>		string
hint <i>optional</i>		string

Name	Description	Schema
exclusive <i>required</i>		boolean
notApply <i>required</i>		boolean
dependentQue stionId <i>optional</i>		string (uuid)

LoginDTO

Properties

Name	Description	Schema
email <i>optional</i>		string
password <i>optional</i>		string

TokenDTO

Properties

Name	Description	Schema
token <i>optional</i>		string

UserNoPassDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
email <i>optional</i>		string
name <i>optional</i>		string
position <i>optional</i>		string
sector <i>optional</i>		string
macrosector <i>optional</i>		string
organization <i>optional</i>		string
registrationDat e <i>optional</i>		string

Name	Description	Schema
termsAndConditionsHistory <i>optional</i>		< TermsAndConditionsDTO > array

ReportDTO

Properties

Name	Description	Schema
date <i>optional</i>		string (date-time)
reportByActivities <i>optional</i>		< ScoreDTO > array
reportByPrinciples <i>optional</i>		< ScoreDTO > array

ScoreDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
shortname <i>optional</i>		string
title <i>optional</i>		string
possibleScore <i>optional</i>		number (double)
obtainedScore <i>optional</i>		number (double)
obtainedPercentage <i>optional</i>		number (double)

Activity

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
description <i>optional</i>		string
title <i>optional</i>		string

Name	Description	Schema
name <i>optional</i>		string
score <i>optional</i>		number (double)
containsDependentScoreQuestions <i>optional</i>		boolean

PrincipleDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
description <i>optional</i>		string
title <i>optional</i>		string
name <i>optional</i>		string
score <i>optional</i>		number (double)
activitySet <i>optional</i>	<i>unique items</i>	< Activity > array

ActivityDTO

Properties

Name	Description	Schema
id <i>optional</i>		string (uuid)
description <i>optional</i>		string
title <i>optional</i>		string
name <i>optional</i>		string
score <i>optional</i>		number (double)
containsDependentScoreQuestions <i>optional</i>		boolean