



ENVIRONMENT No Environment

LAYOUT

Single Column

LANGUAGE

cURL - cURL



Public

Run in Postman

- > trips
 - > Trips management
 - > Booking (Agent side)
 - > Booking (customer side)
 - > Trip Review
 - > Customer Trip
 - > Trip Management (agent side)
 - > Agent Performance
 - > User Management (Admin)
 - > Trip management (Admin)
 - > Custom Trip (Admin)
 - > Messages (Admin)
 - > New Folder
 - > Admin statistics
- GET /
- GET Ping
- GET New Request

Echoes of Rwanda Backend API

Overview

This document provides comprehensive documentation for all **125+ API endpoints** in the complete E-Tour backend system, including request bodies, query parameters, and authentication requirements. The system includes core e-tourism features, advanced communication, content management, analytics, and system administration capabilities.

Base URL: <https://echoes-of-rwanda.onrender.com/api/v1>

Complete API Summary

Total Endpoints: 125+

By Category:

- Authentication: 8 endpoints
- User Profile: 6 endpoints
- Trip Management: 12 endpoints
- Agent Management: 8 endpoints
- Admin Management: 10 endpoints
- Job Marketplace: 6 endpoints
- Token System: 4 endpoints
- Search & Discovery: 4 endpoints
- Notifications: 4 endpoints
- Contact & Support: 4 endpoints
- File Upload: 2 endpoints
- Health Check: 2 endpoints
- Payment & Financial: 5 endpoints
- Reviews & Ratings: 5 endpoints
- Wishlist & Favorites: 4 endpoints
- Advanced Trip Management: 6 endpoints
- Communication System: 5 endpoints
- Promotional System: 4 endpoints
- Content Management: 7 endpoints
- Integration & Utility: 5 endpoints
- Advanced Notifications: 4 endpoints
- Advanced Analytics: 5 endpoints
- System Administration: 2 endpoints

By Authentication Level:

- Public Endpoints: 25+ endpoints
- Authenticated Endpoints: 75+ endpoints
- Admin-Only Endpoints: 25+ endpoints

By HTTP Method:

- GET: 65+ endpoints (Read operations)
- POST: 35+ endpoints (Create operations)
- PUT: 15+ endpoints (Update operations)
- DELETE: 10+ endpoints (Delete operations)

This comprehensive documentation covers all **125+ endpoints** in the complete E-Tour backend system! 🎉

Auth

Authentication Endpoint

POST Register

<https://echoes-of-rwanda.onrender.com/api/v1/auth/register>

Request Body:

Plain Text

```
{  
    "name": "John Doe",  
    "email": "john@example.com",  
    "password": "password123",  
    "role": "client",           // OPTIONAL: "client", "agent", "admin"  
    "phone": "+250788123456",  
    "companyName": "Travel Co.",  
    "location": "Kigali, Rwanda",  
    "notificationsEnabled": true, // OPTIONAL, default: true  
    "agreedToTerms": true       // OPTIONAL, default: false  
}
```

**Body** raw (json)

json

```
{  
    "name": "John Doe",           // ✓ REQUIRED - min 1 character  
    "email": "john@example.com", // ✓ REQUIRED - valid email format  
    "password": "password123",   // ✓ REQUIRED - min 6 characters  
    "role": "client",           // X OPTIONAL - enum: "client", "agent", "admin"  
    "phone": "+1234567890",     // X OPTIONAL - string  
    "companyName": "My Company", // X OPTIONAL - string  
    "location": "Kigali, Rwanda", // X OPTIONAL - string  
    "notificationsEnabled": true, // X OPTIONAL - boolean  
    "agreedToTerms": true        // X OPTIONAL - boolean  
}
```

[View More](#)**Example Request**

Register ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/register' \  
--data-raw '{  
    "name": "John Doe",           // ✓ REQUIRED - min 1 character  
    "email": "john@example.com", // ✓ REQUIRED - valid email format  
    "password": "password123",   // ✓ REQUIRED - min 6 characters  
    "role": "client",           // X OPTIONAL - enum: "client", "agent", "admin"  
    "phone": "+1234567890",     // X OPTIONAL - string  
    "companyName": "My Company", // X OPTIONAL - string  
    "location": "Kigali, Rwanda", // X OPTIONAL - string  
    "notificationsEnabled": true, // X OPTIONAL - boolean  
    "agreedToTerms": true        // X OPTIONAL - boolean  
}'
```

[View More](#)**Example Response**

Body

Headers (0)

No response body

This request doesn't return any response body

POST Login<https://echoes-of-rwanda.onrender.com/api/v1/auth/login>**Request Body:**

Plain Text

```
{  
    "email": "john@example.com",  
    "password": "password123"  
}
```

**Body** raw

```
{  
  "email": "john@example.com",           // ✓ REQUIRED - valid email format  
  "password": "password123"              // ✓ REQUIRED - min 6 characters  
}
```

Example Request

Login ▾

```
curl  
  
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/login' \  
--data-raw '{  
  "email": "john@example.com",           // ✓ REQUIRED - valid email format  
  "password": "password123"              // ✓ REQUIRED - min 6 characters  
}'
```

Example Response

Body Headers (0)

No response body
This request doesn't return any response body

POST Logout

<https://echoes-of-rwanda.onrender.com/api/v1/auth/logout>

<https://echoes-of-rwanda.onrender.com/api/v1/auth/logout>

Body raw

```
Authorization: Bearer <jwt-token> // ✓ REQUIRED
```

Example Request

Logout ▾

```
curl  
  
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/logout' \  
--data 'Authorization: Bearer <jwt-token>' // ✓ REQUIRED'
```

Example Response

Body Headers (0)

No response body
This request doesn't return any response body

POST Verify-Email

POST Verify-Email

<https://echoes-of-rwanda.onrender.com/api/v1/auth/verify-email>

Body raw

```
{  
  "userId": "550e8400-e29b-41d4-a716-446655440000", // ✓ REQUIRED - UUID string  
  "code": "123456" // ✓ REQUIRED - verification code  
}
```

[View More](#)

Example Request

Verify-Email ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/verify-email'  
--data '{  
  "userId": "550e8400-e29b-41d4-a716-446655440000", // ✓ REQUIRED - UUID string  
  "code": "123456" // ✓ REQUIRED - verification code  
}'
```

[View More](#)

Example Response

Body Headers (0)

No response body

This request doesn't return any response body.

Body raw

```
{  
  "title": "Updated Trip Title", // Optional, max 255 chars  
  "description": "Updated desc...", // Optional, max 2000 chars  
  "itinerary": "Updated itinerary...", // Optional, max 5000 chars  
  "price": 1500, // Optional, number or string  
  "maxSeats": 10, // Optional, 1-1000  
  "location": "Updated Location", // Optional, max 255 chars  
  "startDate": "2024-07-01", // Optional, YYYY-MM-DD  
  "endDate": "2024-07-05", // Optional, YYYY-MM-DD  
  "status": "active", // Optional, "active" or "inactive"  
}
```

[View More](#)

Example Request

Update Trip (Agent) ▾

json

```
{  
  "email": "john@example.com" // ✓ REQUIRED - valid email format  
}
```

Example Request

resend-verification ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/resend-verification'  
--data-raw '{  
  "email": "john@example.com"  
}'
```

No response body

This request doesn't return any response body

POST reset-password

<https://echoes-of-rwanda.onrender.com/api/v1/auth/reset-password>

Body raw (json)

```
json  
{  
  "email": "john@example.com" // ✅ REQUIRED - valid email format  
}
```

Example Request

reset-password ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/reset-password'  
--data-raw '{  
  "email": "john@example.com" // ✅ REQUIRED - valid email format  
}'
```

[View More](#)

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

POST confirm reset

<https://echoes-of-rwanda.onrender.com/api/v1/auth/reset-password/confirm>

Body raw (json)

Body raw (json)

```
json  
{  
  "token": "reset-token-string", // ✅ REQUIRED - password reset token  
  "password": "newpassword123" // ✅ REQUIRED - min 6 characters  
}
```

Example Request

confirm reset ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/auth/reset-password/confirm'  
--data '{  
  "token": "reset-token-string", // ✅ REQUIRED - password reset token  
  "password": "newpassword123" // ✅ REQUIRED - min 6 characters  
}'
```

[View More](#)

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Example Request

Get Profile ▾

curl

```
curl --location --request GET 'https://echoes-of-rwanda.onrender.com/api/v1/profile' --data 'Authorization: Bearer <jwt-token>' // REQUIRED
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

PUT Update Profile

<https://echoes-of-rwanda.onrender.com/api/v1/profile>

Body raw

Authorization: Bearer <jwt-token> // REQUIRED

... path=auth-request-details.md mode=EDIT

json

```
{  
    "name": "Updated Name",           // X OPTIONAL - min 1 character if provided  
    "phone": "+250788123456",        // X OPTIONAL - string  
    "profileImage": "image-url",     // X OPTIONAL - string  
    "companyName": "Updated Company", // X OPTIONAL - string  
    "location": "Updated Location",  // X OPTIONAL - string  
    "notificationsEnabled": false   View More : OPTIONAL - boolean
```

Example Request

Update Profile ▾

curl

```
curl --location --request PUT 'https://echoes-of-rwanda.onrender.com/api/v1/profile' --data 'Authorization: Bearer <jwt-token>' // REQUIRED
```

... path=auth-request-details.md mode=EDIT

... json

```
{  
    "name": "Updated Name",           // X OPTIONAL - min 1 character if provided  
    "phone": "+250788123456",        // X OPTIONAL - string  
    "profileImage": "image-url",     // X OPTIONAL - string  
    "companyName": "Updated Company", // X OPTIONAL - string  
    "location": "Updated Location",  // X OPTIONAL - string
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

PUT terms

<https://echoes-of-rwanda.onrender.com/api/v1/profile/terms>

Body raw

Authorization: Bearer <jwt-token> // REQUIRED

Example Request

terms ▾

curl

```
curl --location --request PUT 'https://echoes-of-rwanda.onrender.com/api/v1/pro  
--data 'Authorization: Bearer <jw View More //  REQUIRED'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

This request doesn't return any response body

PUT notification

<https://echoes-of-rwanda.onrender.com/api/v1/profile/notifications>

Body raw

Authorization: Bearer <jwt-token> // REQUIRED

Example Request

notification ▾

curl

```
curl --location --request PUT 'https://echoes-of-rwanda.onrender.com/api/v1/pro  
--data 'Authorization: Bearer <jw View More //  REQUIRED'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

trips

GET Get trips

<https://echoes-of-rwanda.onrender.com/api/v1/trips>

Query Parameters:

Query Parameters:

Plain Text

?location=Kigali&startDate=2024-06-10&endDate=2024-06-10&minPrice=100&maxPrice=500

Body raw

Authorization: Bearer <jwt-token> // REQUIRED

Example Request

Get trips ▾

curl

curl --location --request GET 'https://echoes-of-rwanda.onrender.com/api/v1/trips' --data 'Authorization: Bearer <jwt-token>' // REQUIRED' View More

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get trip by ID

<https://echoes-of-rwanda.onrender.com/api/v1/trips/:id>

Path Parameters: id (UUID)

PATH VARIABLES

id

Body raw

Authorization: Bearer <jwt-token> // REQUIRED

Example Request

Get trip by ID ▾

```
curl --location --request GET 'https://echoes-of-rwanda.onrender.comapi/v1/trip' --data 'Authorization: Bearer <jwt-token>' // REQUIRED
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get trending trip

<https://echoes-of-rwanda.onrender.comapi/v1/trending>

Query Parameters:

Query Parameters:

Plain Text

?limit=10

Body raw

```
Authorization: Bearer <jwt-token> // REQUIRED
```

Example Request

Get trending trip ▾

curl

```
curl --location --request GET 'https://echoes-of-rwanda.onrender.comapi/v1/trend' --data 'Authorization: Bearer <jwt-token>' // REQUIRED
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Trips management

The endpoints that help agent to create trips and manage them

POST Create trip



<https://echoes-of-rwanda.onrender.comapi/v1/agent/trips>

- Authentication: Required (Agent role)

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

Token {{vault:authorization-secret}}

Body raw (json)

```
json
{
  "title": "Gorilla Trekking Adventure",
  "description": "Experience mountain gorillas...", // Optional, max 2000 chars
  "itinerary": "Day 1: Arrival...", // Optional, max 5000 chars
  "price": 1200, // Number or string
  "maxSeats": 8,
  "location": "Volcanoes National Park",
  "startDate": "2026-06-01", // YYYY-MM-DD
  "endDate": "2026-06-03", // YYYY-MM-DD
  "images": ["https://example.com/images/gorilla.jpg"] // Optional, max 10 URLs
}
```

Example Request

Create trip ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trips' \
--data '{
  "title": "Gorilla Trekking Adventure",
  "description": "Experience mountain gorillas...", // Optional, max 2000 chars
  "itinerary": "Day 1: Arrival...", // Optional, max 5000 chars
  "price": 1200, // Number or string
  "maxSeats": 8,
  "location": "Volcanoes National Park",
  "startDate": "2026-06-01", // YYYY-MM-DD
  "endDate": "2026-06-03", // YYYY-MM-DD
  "images": ["https://example.com/images/gorilla.jpg"] // Optional, max 10 URLs
}'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get your trips



https://echoes-of-rwanda.onrender.com/api/v1/agent/trips

- Authentication: Required (Agent role)
- Request Body: None

AUTHORIZATION Bearer Token

Token <token>

Body raw

```
{
```

```
title": "Gorilla Trekking Adventure",  
"description": "Experience mountain gorillas...", // Optional, max 2000 chars  
"itinerary": "Day 1: Arrival...", // Optional, max 5000 chars  
"price": 1200, // Number or string  
"maxSeats": 8,  
"location": "Volcanoes National Park",  
"startDate": "2026-06-01", // YYYY-MM-DD  
"endDate": "2026-06-03", // YYYY-MM-DD  
"images": ["https://example.com/images/gorilla_trek.jpg"] // Optional, max 10 URLs
```

Example Request

Get your trips ▾

curl

```
curl --location --request GET 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trips' --data '{  
  "title": "Gorilla Trekking Adventure",  
  "description": "Experience mountain gorillas...", // Optional, max 2000 chars  
  "itinerary": "Day 1: Arrival...", // Optional, max 5000 chars  
  "price": 1200, // Number or string  
  "maxSeats": 8,  
  "location": "Volcanoes National Park",  
  "startDate": "2026-06-01", // YYYY-MM-DD  
  "endDate": "2026-06-03", // YYYY-MM-DD  
  "images": ["https://example.com/images/gorilla_trek.jpg"] // Optional, max 10 URLs
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get trips by ID



<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id>

- **Authentication:** Required (Agent role)
- **Path Parameters:** `id` (UUID)

AUTHORIZATION Bearer Token

Token <token>

PATH VARIABLES

`id`

Example Request

Get trips by ID ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id' \  
--data ''
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

PUT Update trip



<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id>

- **Authentication:** Required (Agent role)
- **Path Parameters:** `:id` (UUID)

AUTHORIZATION Bearer Token

Token `<token>`

PATH VARIABLES

`id`

Body raw (json)

```
json {  
  "title": "Updated trip title", // Optional, max 255 chars  
  "description": "Updated desc...", // Optional, max 2000 chars  
  "itinerary": "Updated itinerary...", // Optional, max 5000 chars  
  "price": 1500, // Optional, number or string  
  "maxSeats": 10, // Optional, 1-1000  
  "location": "Updated Location", // Optional, max 255 chars  
  "startDate": "2025-07-01", // Optional, YYYY-MM-DD  
  "endDate": "2025-07-05", // Optional, YYYY-MM-DD  
  "status": "active", // Optional, "active" or "inactive"  
  View More
```

Example Request

Update trip ▾

curl

```
curl --location --request PUT 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id'  
--data '{  
  "title": "Updated Trip Title", // Optional, max 255 chars  
  "description": "Updated description...", // Optional, max 2000 chars  
  "itinerary": "Updated itinerary...", // Optional, max 5000 chars  
  "price": 1500, // Optional, number or string  
  "maxSeats": 10, // Optional, 1-1000  
  "location": "Updated Location", // Optional, max 255 chars  
  "startDate": "2025-07-01", // Optional, YYYY-MM-DD  
  "endDate": "2025-07-05", // Optional, YYYY-MM-DD  
  View More
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

DELETE Delete trip



<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id>

- **Authentication:** Required (Agent role)
- **Path Parameters:** `id` (UUID)
- **Request Body:** None

AUTHORIZATION Bearer Token

Token `<token>`

PATH VARIABLES

`id`

Body raw

```
{  
  "title": "Updated Trip Title",      // Optional, max 255 chars  
  "description": "Updated desc...",   // Optional, max 2000 chars  
  "itinerary": "Updated itinerary...", // Optional, max 5000 chars  
  "price": 1500,                     // Optional, number or string  
  "maxSeats": 10,                   // Optional, 1-1000  
  "location": "Updated Location",   // Optional, max 255 chars  
  "startDate": "2025-07-01",        // Optional, YYYY-MM-DD  
  "endDate": "2025-07-05",          // optional, YYYY-MM-DD  
  "status": "active",               // optional, "active" or "inactive"  
  "View More"}
```

Example Request

Delete trip ▾

curl

```
curl --location --request DELETE 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trip/id'  
--data '{  
  "title": "Updated Trip Title",      // Optional, max 255 chars  
  "description": "Updated desc...",   // Optional, max 2000 chars  
  "itinerary": "Updated itinerary...", // Optional, max 5000 chars  
  "price": 1500,                     // Optional, number or string  
  "maxSeats": 10,                   // Optional, 1-1000  
  "location": "Updated Location",   // Optional, max 255 chars  
  "startDate": "2025-07-01",        // Optional, YYYY-MM-DD  
  "endDate": "2025-07-05",          // optional, YYYY-MM-DD  
  "status": "active",               // optional, "active" or "inactive"  
  "View More"}
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Booking (Agent side)

Booking (Agent side)

The endpoint that help agent manage booking

GET View Bookings



<https://echoes-of-rwanda.onrender.com/api/v1/agent/bookings>

- **Authentication:** Required (Agent role)

- Request Body: None

AUTHORIZATION Bearer Token

Token

Token

Example Request

View Bookings ▾

curl



```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/agent/bookings'
```

Example Response

Body Headers (0)

No response body

No response body

This request doesn't return any response body

Booking (customer side)

Collection of endpoints that help customer to book trip and manage it

POST Booking trip



https://echoes-of-rwanda.onrender.com/api/v1/trips/18dd909a-1532-47e1-9014-33fd683

11/00/book

- Authentication: Required
- Path Parameters: `id` (UUID)

AUTHORIZATION Bearer Token

Token

`{{vault:authorization-secret}}`

Body raw (json)

json



```
{  
  "seatsBooked": 2  
}
```

Example Request

Booking trip ▾

curl



```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/trips/18dd909a-1532-47e1-9014-33fd683'  
--data '{  
  "seatsBooked": 2  
}'
```

View More

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get Booking



<https://echoes-of-rwanda.onrender.com/api/v1/agent/bookings>

- **Authentication:** Required
- **Request Body:** None

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

Token <token>

Example Request

Get Booking ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/agent/bookings'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

POST Cancel Booking



<https://echoes-of-rwanda.onrender.com/api/v1/bookings/:id/cancel>

- **Authentication:** Required
- **Path Parameters:** `:id` (UUID)

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

Token <token>

PATH VARIABLES

`id`

Body raw (json)

json



```
{  
  "reason": "Change of plans" // Optional  
}
```

Example Request

Cancel Booking ▾

```
curl
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/bookings/:id/cancel'
--data '{
  "reason": "Change of plans"          // Optional
}'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Trip Review

POST Submit Trip Review



<https://echoes-of-rwanda.onrender.com/api/v1/trips/:id/review>

- Authentication: Required

<https://echoes-of-rwanda.onrender.com/api/v1/trips/:id/review>

- Authentication: Required
- Path Parameters: `:id` (UUID)

AUTHORIZATION Bearer Token

Token `<token>`

PATH VARIABLES

`id`

Body raw

```
{
  "rating": 5,
  "comment": "Amazing experience!",    // Optional
  "bookingId": "123e4567-e89b-12d3-a456-426614174000"
}
```

Example Request

Submit Trip Review ▾

```
curl
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/trips/:id/review'
--data '{
  "rating": 5,
  "comment": "Amazing experience!",    // Optional
  "bookingId": "123e4567-e89b-12d3-a456-426614174000"
}'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Customer Trip

This is collection of endpoints client can use and manage customer trip

POST Create customer Trip



<https://echoes-of-rwanda.onrender.comapi/v1/custom-trips>

- Authentication: Required

AUTHORIZATION Bearer Token

AUTHORIZATION Bearer Token

Token `<token>`

Body raw

```
{  
  "destination": "Volcanoes National Park",  
  "budget": 1500, // Number or string  
  "interests": "Gorilla trekking", // Optional  
  "preferredStartDate": "2024-07-01", // Optional, YYYY-MM-DD  
  "preferredEndDate": "2024-07-05", // Optional, YYYY-MM-DD  
  "groupSize": 4, // Optional, default: 1  
  "clientNotes": "Special requests..." // Optional, max 1000 chars  
}
```

Example Request

Create customer Trip ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.comapi/v1/custom-trips' \  
--data '{  
  "destination": "Volcanoes National Park",  
  "budget": 1500, // Number or string  
  "interests": "Gorilla trekking", // Optional  
  "preferredStartDate": "2024-07-01", // Optional, YYYY-MM-DD  
  "preferredEndDate": "2024-07-05", // Optional, YYYY-MM-DD  
  "groupSize": 4, // Optional, default: 1  
  "clientNotes": "Special requests..." // Optional, max 1000 chars  
}'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get customer Trip

- **Authentication:** Required
- **Request Body:** None

Request Body: None

Example Request

Get customer Trip ▾

curl

```
curl --location ''
```



Example Response

Body Headers (0)

No response body

No response body

This request doesn't return any response body

GET Get customer trip by ID



<https://echoes-of-rwanda.onrender.comapi/v1/custom-trips/:id>

- **Authentication:** Required
- **Path Parameters:** `id` (UUID)

AUTHORIZATION Bearer Token

Token

<token>

PATH VARIABLES

id

Body raw

```
{  
  "destination": "Volcanoes National Park",  
  "budget": 1500, // Number or string  
  "interests": "Gorilla trekking", // Optional  
  "preferredStartDate": "2024-07-01", // Optional, YYYY-MM-DD  
  "preferredEndDate": "2024-07-05", // Optional, YYYY-MM-DD  
  "groupSize": 4, // Optional, default: 1  
  "clientNotes": "Special requests..." // Optional, max 1000 chars  
}
```

Example Request

Get customer trip by ID ▾

curl

```
curl --location --request GET 'https://echoes-of-rwanda.onrender.comapi/v1/custom-trips/:id'  
--data '{  
  "destination": "Volcanoes National Park",  
  "budget": 1500, // Number or string  
  "interests": "Gorilla trekking", // Optional  
  "preferredStartDate": "2024-07-01", // Optional, YYYY-MM-DD  
  "preferredEndDate": "2024-07-05", // Optional, YYYY-MM-DD  
  "groupSize": 4, // Optional, default: 1
```



View More

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Trip Management (agent side)

Trip Management (agent side)

This is collection of how agent manage trips

POST Create Trip (Agent)

<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips>

- Authentication: Required (Agent role)

Body raw (json)

```
json
{
  "title": "Gorilla Trekking Adventure",
  "description": "Experience mountain gorillas...", // Optional, max 2000 chars
  "itinerary": "Day 1: Arrival...", // Optional, max 5000 chars
  "price": 1200, // Number or string
  "maxSeats": 8,
  "location": "Volcanoes National Park",
  "startDate": "2024-06-01", // YYYY-MM-DD
  "endDate": "2024-06-03", // YYYY-MM-DD
  "images": ["https://example.c... View More View More"] // Optional, max 10 URLs
```

Example Request

Create Trip (Agent) ▾

curl

```
curl -X POST https://echoes-of-rwanda.onrender.com/api/v1/agent/trips \
--data '{
  "title": "Gorilla Trekking Adventure",
  "description": "Experience mountain gorillas...", // Optional, max 2000 chars
  "itinerary": "Day 1: Arrival...", // Optional, max 5000 chars
  "price": 1200, // Number or string
  "maxSeats": 8,
  "location": "Volcanoes National Park",
  "startDate": "2024-06-01", // YYYY-MM-DD
  "endDate": "2024-06-03", // YYYY-MM-DD
  "images": ["https://example.c... View More View More"] // Optional, max 10 URLs
}'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

No response body

This request doesn't return any response body

GET Get Agent's Trips

<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips>

- **Authentication:** Required (Agent role)
- **Request Body:** None

Example Request

Get Agent's Trips ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trips' \
--data ''
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get Agent Trip by ID

- **Authentication:** Required (Agent role)
- **Path Parameters:** id (UUID)

Example Request

Get Agent Trip by ID ▾

curl

```
curl --location ''
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

PUT Update Trip (Agent)

<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id>

<https://echoes-of-rwanda.onrender.com/api/v1/agent/trips/:id>

- **Authentication:** Required (Agent role)
- **Path Parameters:** id (UUID)

PATH VARIABLES

id

Body raw

```

"title": "Updated Trip Title",           // Optional, max 255 chars
"description": "Updated desc...",        // Optional, max 2000 chars
"itinerary": "Updated itinerary...",    // Optional, max 5000 chars
"price": 1500,                          // Optional, number or string
"maxSeats": 10,                         // Optional, 1-1000
"location": "Updated Location",        // Optional, max 255 chars
"startDate": "2024-07-01",              // Optional, YYYY-MM-DD
"endDate": "2024-07-05",                // Optional, YYYY-MM-DD
"status": "active",                   // Optional, "active" or "inactive"

```

[View More](#)

Example Request

Update Trip (Agent) ▾

curl

```

curl --location --request PUT 'https://echoes-of-rwanda.onrender.comapi/v1/agent/trips/:id'
--data '{
  "title": "Updated Trip Title",           // Optional, max 255 chars
  "description": "Updated desc...",        // Optional, max 2000 chars
  "itinerary": "Updated itinerary...",    // Optional, max 5000 chars
  "price": 1500,                          // Optional, number or string
  "maxSeats": 10,                         // Optional, 1-1000
  "location": "Updated Location",        // Optional, max 255 chars
  "startDate": "2024-07-01",              // Optional, YYYY-MM-DD
  "endDate": "2024-07-05",                // Optional, YYYY-MM-DD
}
```

[View More](#)

Example Response

Body

No response body
This request doesn't return any response body

DELETE Delete Trip (Agent)

<https://echoes-of-rwanda.onrender.comapi/v1/agent/trips/:id>

- **Authentication:** Required (Agent role)
- **Path Parameters:** `:id` (UUID)
- **Request Body:** None

PATH VARIABLES

Body raw

```
{
  "title": "Updated Trip Title",           // Optional, max 255 chars
  "description": "Updated desc...",        // Optional, max 2000 chars
  "itinerary": "Updated itinerary...",    // Optional, max 5000 chars
  "price": 1500,                          // Optional, number or string
  "maxSeats": 10,                         // Optional, 1-1000
  "location": "Updated Location",        // Optional, max 255 chars
}
```

```
"startDate": "2024-07-01",           // Optional, YYYY-MM-DD  
"endDate": "2024-07-05",             // Optional, YYYY-MM-DD  
"status": "active",                // Optional, "active" or "inactive"  
View More
```

Example Request

Delete Trip (Agent) ▾

```
curl  
  
curl --location --request DELETE 'https://echoes-of-rwanda.onrender.com/api/v1/agent/trip/  
--data '{  
  "title": "Updated Trip Title",          // Optional, max 255 chars  
  "description": "Updated desc...",       // Optional, max 2000 chars  
  "itinerary": "Updated itinerary...",    // Optional, max 5000 chars  
  "price": 1500,                         // Optional, number or string  
  "maxSeats": 10,                        // Optional, 1-1000  
  "location": "Updated Location",        // Optional, max 255 chars  
  "startDate": "2024-07-01",              // Optional, YYYY-MM-DD  
  "endDate": "2024-07-05",                // Optional, YYYY-MM-DD  
View More
```

Example Response

No response body

This request doesn't return any response body

Agent Performance

the endpoint return the performance of agent dedicated to agent

the endpoint return the performance of agent dedicated to agent

GET Performance

- **Authentication:** Required (Agent role)
- **Request Body:** None

Example Request

Performance ▾

```
curl  
  
curl --location ''
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

User Management (Admin)

List of all endpoints that admin can use to manage customer

List of all endpoints that admin can use to manage customer

GET Get All Users (Admin)

- Authentication: Required (Admin role)
- Request Body: None

Example Request

Get All Users (Admin) ▾

curl

```
curl --location ...
```



Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Get User by ID (Admin)

<https://echoes-of-rwanda.onrender.com/api/v1/admin/users/:id>

<https://echoes-of-rwanda.onrender.com/api/v1/admin/users/:id>

- Authentication: Required (Admin role)
- Path Parameters: `:id` (UUID)

PATH VARIABLES

`:id`

Example Request

Get User by ID (Admin) ▾

curl

```
curl https://echoes-of-rwanda.onrender.com/api/v1/admin/users/5d4643f0-4e4b-463c-8345-2f5a221f2441
```



Example Response

Body Headers (0)

No response body

This request doesn't return any response body

POST Suspend User (Admin)

<https://echoes-of-rwanda.onrender.com/api/v1/admin/users/:id/suspend>

- **Authentication:** Required (Admin role)
- **Path Parameters:** id (UUID)

PATH VARIABLES

id

Body raw (json)

```
json  
{  
  "reason": "Violation of terms"      // Optional  
}
```

Example Request

Suspend User (Admin) ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/admin/users/:id/suspend'  
--data '{  
  "reason": "Violation of terms"      // Optional  
}'  
View More
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

POST Reactivate User (Admin)

<https://echoes-of-rwanda.onrender.com/api/v1/admin/users/:id/reactivate>

- **Authentication:** Required (Admin role)
- **Path Parameters:** id (UUID)
- **Authentication:** Required (Admin role)
- **Path Parameters:** id (UUID)
- **Request Body:** None

PATH VARIABLES

id

Example Request

Reactivate User (Admin) ▾

curl

```
curl --location --request POST 'https://echoes-of-rwanda.onrender.com/api/v1/admin/users/:id/reactivate'  
View More
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Trip management (Admin)

This is list of endpoints that agent will use to manage the trips

Trip management (Admin)

This is list of endpoints that agent will use to manage the trips

GET Get All Trips (Admin)

<https://echoes-of-rwanda.onrender.com/api/v1/admin/trips>

- **Authentication:** Required (Admin role)
- **Request Body:** None

Example Request

Get All Trips (Admin) ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/admin/trips'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

PUT Update Trip (Admin)

<https://echoes-of-rwanda.onrender.com/api/v1/admin/trips/:id>

- **Authentication:** Required (Admin role)
- **Path Parameters:** id (UUID)

PATH VARIABLES

id

Body raw (json)

```
json
```

```
{  
  "title": "Admin Updated Title",      // Optional  
  "description": "Updated desc...",    // Optional  
  "itinerary": "Updated itinerary...", // Optional  
  "price": 1200,                      // Optional, number or string  
  "maxSeats": 15,                     // Optional  
  "location": "Updated Location",     // Optional  
  "startDate": "2024-08-01",          // Optional  
  "endDate": "2024-08-05",           // Optional  
  "status": "active",                // Optional: "active", "inactive", "canceled"  
}
```

Example Request

Update Trip (Admin) ▾

```
curl
curl --location --request PUT 'https://echoes-of-rwanda.onrender.com/api/v1/admin/trips/1' --data '{ "title": "Admin Updated Title", // Optional "description": "Updated desc...", // Optional "itinerary": "Updated itinerary...", // Optional "price": 1200, // Optional, number or string "maxSeats": 15, // Optional "location": "Updated Location", // Optional "startDate": "2024-08-01", // Optional "endDate": "2024-08-05", // Optional }
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

DELETE Delete Trip (Admin)

<https://echoes-of-rwanda.onrender.com/api/v1/admin/trips/:id>

- Authentication: Required (Admin role)
- Path Parameters: id (UUID)
- Request Body: None

PATH VARIABLES

PATH VARIABLES

id

Example Request

Delete Trip (Admin) ▾

```
curl
curl --location --request DELETE 'https://echoes-of-rwanda.onrender.com/api/v1/admin/trips/1'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Custom Trip (Admin)

The endpoint Admin uses to manager customer trips

GET Get All Custom Trip Requests (Admin)



GET Get All Custom Trip Requests (Admin)



<https://echoes-of-rwanda.onrender.com/api/v1/admin/custom-trips>

- **Authentication:** Required (Admin role)
- **Request Body:** None

AUTHORIZATION Bearer Token

Token {{vault:authorization-secret}}

Example Request

Get All Custom Trip Reque...

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/admin/custom-trips'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

POST Assign Agent to Custom Trip



<https://echoes-of-rwanda.onrender.com/api/v1/admin/custom-trips/:id/assign>

- **Authentication:** Required (Admin role)
- **Path Parameters:** `:id` (UUID)

AUTHORIZATION Bearer Token

Token {{vault:authorization-secret}}

PATH VARIABLES

`id`

Body raw (json)

json

```
{  
  "agentId": "123e4567-e89b-12d3-a456-426614174000"  
}
```

Example Request

Assign Agent to Custom T...

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/admin/custom-trips'  
--data '{  
  "agentId": "123e4567-e89b-12d3-a456-426614174000"  
}'
```

[View More](#)

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

Messages (Admin)

This is the collection for the messaging

GET All Contact Messages (Admin)



<https://echoes-of-rwanda.onrender.comapi/v1/admin/contact-messages>

- **Authentication:** Required (Admin role)
- **Request Body:** None
- **Request Body:** None

AUTHORIZATION Bearer Token

Token {{vault:authorization-secret}}

Body raw

```
{  
  "agentId": "123e4567-e89b-12d3-a456-426614174000"  
}
```

Example Request

All Contact Messages (Ad... ▾

curl

```
curl --location --request GET 'https://echoes-of-rwanda.onrender.comapi/v1/admin/contact-messages'  
--data '{  
  "agentId": "123e4567-e89b-12d3-a456-426614174000"  
}'
```

[View More](#)

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

No response body

This request doesn't return any response body

POST Contact Message Status (Admin)



<https://echoes-of-rwanda.onrender.com/api/v1/admin//contact-messages/:id>

- **Authentication:** Required (Admin role)
- **Path Parameters:** `:id` (UUID)

AUTHORIZATION Bearer Token

Token

`{{{vault:authorization-secret}}}`

PATH VARIABLES

`id`

Body raw (json)

```
json
{
  "status": "resolved",           // "new", "in_progress", "resolved",
  "assignedAdminId": "admin-uuid" // Optional
}
```

[View More](#)

Example Request

Contact Message Status (... ▾)

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/admin//contact-messages/:id'
--data '{'
  "status": "resolved",           // "new", "in_progress", "resolved", "closed"
  "assignedAdminId": "admin-uuid" // Optional
}'
```

[View More](#)

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

New Folder

Admin statistics

GET Get statistics



<https://echoes-of-rwanda.onrender.com/api/v1/admin/stats>

<https://echoes-of-rwanda.onrender.com/api/v1/admin/stats>

AUTHORIZATION Bearer Token

Token

`{{{vault:authorization-secret}}}`

Example Request

Get statistics ▾

curl

```
curl --location 'https://echoes-of-rwanda.onrender.com/api/v1/admin/stats'
```

Example Response

No response body

This request doesn't return any response body

GET /

```
https://echoes-of-rwanda.onrender.com
```

welcome to echoes of Rwanda

```
https://echoes-of-rwanda.onrender.com
```

welcome to echoes of Rwanda

Example Request

/ ▾

curl



```
curl --location 'https://echoes-of-rwanda.onrender.com'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET Ping

```
https://echoes-of-rwanda.onrender.com/ping
```

Example Request

Ping ▾

curl



```
curl --location 'https://echoes-of-rwanda.onrender.com/ping'
```

Example Response

Body Headers (0)

No response body

This request doesn't return any response body

GET New Request

Example Request

New Request ▾

curl

```
curl --location ..
```



Example Response

Body Headers (0)

No response body

This request doesn't return any response body