



Faculdade de Tecnologia de Sorocaba
Tecnologia em Análise e Desenvolvimento de Sistemas

**KARINA DE MORAES GARCIA
MIKE WILLY FRANGUELLI
NICOLLY LEMOS DA SILVA
PEDRO HENRIQUE CARDOZO DIAS
RAFAELA MANSANO FERNANDES**

**GIT CLONE TEMPLATE
Documentação do Projeto**

**SOROCABA/SP
2026**

**KARINA DE MORAES GARCIA
MIKE WILLY FRANGUELLI
NICOLLY LEMOS DA SILVA
PEDRO HENRIQUE CARDOZO DIAS
RAFAELA MANSANO FERNANDES**

**Git Clone Template
Documentação do Projeto**

Documentação técnica elaborada como registro do desenvolvimento, versionamento e publicação do projeto, incluindo design system, arquitetura de telas e fluxo de trabalho com Git, GitHub e Vercel.

SUMÁRIO

GIT CLONE TEMPLATE.....	1
Documentação do Projeto.....	1
Git Clone Template.....	2
Documentação do Projeto.....	2
1 VISÃO GERAL DO PROJETO.....	4
2 ARQUITETURA.....	5
3 ESTRUTURA DE ARQUIVOS.....	8

1 VISÃO GERAL DO PROJETO

O projeto em Node.js selecionado baseia-se no template open-source Landy (criado por Adrinlol), uma aplicação de *landing page* desenvolvida em React e TypeScript. Conforme o que foi solicitado na atividade, realizamos a clonagem do repositório original para a execução da tarefa.

- **Tecnologias Base:** React.js, TypeScript e Node.js.
- **Principais Recursos:** Suporte nativo a múltiplos idiomas, animações fluidas, componentes e seções modularizadas, além de gerenciamento de conteúdo simplificado via arquivos JSON (sem necessidade de alterar o código React diretamente para edições de texto).
- **Site em produção:** projeto-git-template-7s74jspc2-fatec1.vercel.app
- **Repositório:** <https://github.com/nicollylemos/ProjetoGitTemplate>
- **Repositório de referência:** <https://github.com/Adrinlol/landy-react-template>

2 ARQUITETURA

O processo de configuração do ambiente, execução e deploy da aplicação seguiu as seguintes etapas:

1. Obtenção do código-fonte e estruturação:

Iniciamos o desenvolvimento a partir de um template base pré-configurado, utilizando o comando ``git clone`` para clonar o repositório remoto e estabelecer a estrutura inicial dos diretórios e arquivos do projeto.

```

C:\Users\0031432512015>cd Desktop

C:\Users\0031432512015\Desktop>git clone https://github.com/Adrinlol/landy-react-template.git
Cloning into 'landy-react-template'...
remote: Enumerating objects: 1211, done.
remote: Counting objects: 100% (24/24), done.
remote: Compressing objects: 100% (14/14), done.
Receiving objects: 100% (1211/1211), 896.10 KiB | 14.22 MiB/s, done.7 (from 3)Receiving objects: 100% (1211/1211)
Resolving deltas: 100% (506/506), done.

C:\Users\0031432512015\Desktop>code .

C:\Users\0031432512015\Desktop>_
```

2. Gerenciamento e instalação de dependências:

Após acessar o diretório do projeto via terminal, executamos o comando ``npm install``. Esse processo garantiu o download e a sincronização de todas as bibliotecas e pacotes declarados no ``package.json``, preparando o ecossistema com todas as dependências necessárias para a aplicação.

```

C:\Users\0031432512015\Desktop\ProjetoGitTemplate>npm install
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a good and tested way to coa
npm warn deprecated @babel/plugin-proposal-private-methods@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer m
npm warn deprecated @babel/plugin-transform-private-methods@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer m
npm warn deprecated @babel/plugin-proposal-class-properties@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer
npm warn deprecated @babel/plugin-transform-class-properties@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer
npm warn deprecated @babel/plugin-proposal-numeric-separator@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer
npm warn deprecated @babel/plugin-transform-numeric-separator@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer
npm warn deprecated @babel/plugin-proposal-nullish-coalescing-operator@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is
npm warn deprecated @babel/plugin-transform-nullish-coalescing-operator@7.18.6: This proposal has been merged to the ECMAScript standard and thus this plugin is
npm warn deprecated @humanwhocodes/config-array@0.13.0: Use @eslint/config-array instead
npm warn deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See the compatibility table on MDN
: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/sort#browser_compatibility
npm warn deprecated @babel/plugin-proposal-private-property-in-object@7.21.11: This proposal has been merged to the ECMAScript standard and thus this plugin is
npm warn deprecated @babel/plugin-transform-private-property-in-object@7.21.11: This proposal has been merged to the ECMAScript standard and thus this plugin is
npm warn deprecated rimraf@3.0.2: Rimraf versions prior to v4 are no longer supported
npm warn deprecated @babel/plugin-proposal-optional-chaining@7.21.0: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer
npm warn deprecated @babel/plugin-transform-optional-chaining@7.21.0: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer
npm warn deprecated glob@7.2.3: Glob versions prior to v9 are no longer supported
npm warn deprecated rollup-plugin-terser@7.0.2: This package has been deprecated and is no longer maintained. Please use @rollup/plugin-terser
npm warn deprecated q@1.5.1: You or someone you depend on is using Q, the JavaScript Promise library that gave JavaScript developers strong feelings about prom
ises. They can almost certainly migrate to the native JavaScript promise now. Thank you literally everyone for joining me in this bet against the odds. Be exce
llent to each other.
npm warn deprecated
npm warn deprecated (For a CapTP with native promises, see @endo/eventual-send and @endo/captp)
npm warn deprecated abab@2.0.6: Use your platform's native atob() and btoa() methods instead
npm warn deprecated @humanwhocodes/object-schema@2.0.3: Use @eslint/object-schema instead
npm warn deprecated domexception@2.0.1: Use your platform's native DOMException instead
npm warn deprecated source-map-codec@1.4.8: Please use @jridgewell/source-map-codec instead
npm warn deprecated v3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
npm warn deprecated i18next-xhr-backend@3.2.2: replaced by i18next-http-backend
npm warn deprecated workbox-cacheable-response@6.6.0: workbox-background-sync@6.6.0
npm warn deprecated workbox-google-analytics@6.6.0: It is not compatible with newer versions of GA starting with v4, as long as you are using GA v3 it should be
ok, but the package is not longer being maintained
npm warn deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.
npm warn deprecated eslint@8.57.1: This version is no longer supported. Please see https://eslint.org/version-support for other options.
```

3. Execução e validação local:

Para validar a integridade do código e dos módulos, rodamos o comando ``npm start``. O servidor local de desenvolvimento foi inicializado com sucesso, permitindo testar as rotas, os componentes e a resposta da aplicação em ambiente controlado.

```
Run 'npm audit' for details
59 vulnerabilities (13 low, 15 moderate, 28 high, 3 critical)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run 'npm audit' for details.
npm warn allow-scripts 2 packages have install scripts not yet covered by allowScripts:
npm warn allow-scripts   core-js@3.41.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts   core-js-pure@3.41.0 (postinstall: node -e "try{require('./postinstall')}catch(e){}")
npm warn allow-scripts Run 'npm approve-scripts --allow-scripts-pending' to review, or 'npm approve-scripts <pkg>' to allow.

C:\Users\0031432512015\Desktop\ProjetoGitTemplate>npm start

> my-app@0.1.0 start
> react-scripts start

(node:16920) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use 'node --trace-deprecation ...' to show where the warning was created)
Browserslist: browsers data (caniuse-lite) is 18 months old. Please run:
  npx update-browserslist-db@latest
  Why you should do it regularly: https://github.com/browserslist/update-db#readme
(node:16920) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupMiddleware' option is deprecated. Please use the 'setupMiddlew
ares' option.
(node:16920) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetupMiddleware' option is deprecated. Please use the 'setupMiddl
ewares' option.
Starting the development server...
Compiled successfully!

You can now view my-app in the browser.

Local:      http://localhost:3000
On Your Network:  http://192.168.105.20:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
No issues found.
```

4. Versionamento:

Foi realizada a vinculação ao novo repositório remoto:<https://github.com/nicollylemos/ProjetoGitTemplate.git> e feito commit e push na branch principal (main) com o seguintes comandos:

```
git init
```

```
git remote add origin
```

```
[https://github.com/nicollylemos/ProjetoGitTemplate.git] (https://github.com/nicollylemos/ProjetoGitTemplate.git)
```

```
git branch -M main
```



```
git add .
```

```
git commit -m "Primeiro commit: projeto Landing Page Template"
```

```
git push -u origin main
```

5. Deploy e hospedagem na Vercel:

Com a aplicação validada localmente, integramos o repositório à plataforma Vercel para realizar o deploy contínuo (CI/CD). Configuramos as etapas de build e as variáveis de ambiente necessárias, disponibilizando a aplicação em produção com uma URL pública acessível, escalável e com carregamento otimizado.



3 ESTRUTURA DE ARQUIVOS

public/	→ Arquivos estáticos (index.html, fontes Motiva Sans, imagens e favicon)
src/	→ Código-fonte principal da aplicação
common/	→ Componentes e utilitários reutilizáveis de uso geral
components/	→ Seções e componentes da interface (Header, Footer, Container, etc.)
content/	→ Arquivos JSON com os textos e dados da landing page
locales/	→ Arquivos de tradução para suporte a múltiplos idiomas (i18n)
pages/	→ Páginas e exibições principais da aplicação
router/	→ Configuração das rotas e navegação da aplicação
styles/	→ Estilos globais e arquivos de estilização (CSS/Styled Components)
index.tsx	→ Ponto de entrada da aplicação React
translation.ts	→ Lógica e configuração de internacionalização
package.json	→ Gerenciamento de dependências e scripts do projeto
tsconfig.json	→ Configurações do compilador TypeScript
README.md	→ Documentação do repositório

