



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

[Expand view](#)

First Contentful Paint

0.6 s

Largest Contentful Paint

0.6 s

Total Blocking Time

0 ms

Cumulative Layout Shift

0

Speed Index

0.6 s

[View Treemap](#)

--	--	--	--	--	--	--	--



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

[Try insights](#)

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#)

DIAGNOSTICS

▲ Minify JavaScript — Potential savings of 152 KiB



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) [FCP](#) [LCP](#)

☒ Show 3rd-party resources (2)

URL	Transfer size	Potential savings
Unattributable	165.3 KiB	112.9 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	92.2 KiB	75.0 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	26.1 KiB	14.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	9.9 KiB	5.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
jQuery CDN Cdn	90.2 KiB	32.5 KiB
...1.12.1/jquery-ui.js (code.jquery.com)	90.2 KiB	32.5 KiB
Three.js DevTools Chrome Extension	12.1 KiB	4.9 KiB
chrome-extension://jechbjkglifdaldbdbigibihfaclnkbo/bridge.js	12.1 KiB	4.9 KiB
127.0.0.1 First Party	5.7 KiB	2.1 KiB
/app.js (127.0.0.1)	5.7 KiB	2.1 KiB

▲ Eliminate render-blocking resources — Potential savings of 320 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

☒ Show 3rd-party resources (5)

URL	Transfer size	Potential savings
jQuery CDN Cdn	130.0 KiB	430 ms
...1.12.1/jquery-ui.js (code.jquery.com)	121.7 KiB	160 ms
...base/jquery-ui.css (code.jquery.com)	8.3 KiB	270 ms
Cloudflare CDN Cdn	4.2 KiB	510 ms

URL	Transfer size	Potential savings
...0.9.1/jquery.modal.min.js (cdnjs.cloudflare.com)	2.0 KiB	250 ms
...0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com)	2.1 KiB	250 ms
Google CDN Cdn	30.4 KiB	300 ms
...3.5.1/jquery.min.js (ajax.googleapis.com)	30.4 KiB	300 ms
127.0.0.1 First Party	84.8 KiB	700 ms
/jquery.datetimepicker.full.min.js (127.0.0.1)	59.7 KiB	330 ms
/app.js (127.0.0.1)	6.1 KiB	120 ms
/jquery.datetimepicker.css (127.0.0.1)	18.3 KiB	160 ms
/app.css (127.0.0.1)	0.6 KiB	80 ms

▲ Reduce unused JavaScript — Potential savings of 667 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP

☒ Show 3rd-party resources (5)

URL	Transfer size	Poter savi
axe DevTools - Web Accessibility Testing Chrome Extension	802.4 KiB	484.4
chrome-extension://lhdoppojpmngadmnindnejefpokejbdd/axe-versions/latest/axe.js	565.3 KiB	296.5
chrome-extension://lhdoppojpmngadmnindnejefpokejbdd/vendor.bundle.js	130.4 KiB	116.3
chrome-extension://lhdoppojpmngadmnindnejefpokejbdd/content.bundle.js	106.7 KiB	71.5
jQuery CDN Cdn	90.2 KiB	73.2
...1.12.1/jquery-ui.js (code.jquery.com)	90.2 KiB	73.2
Unattributable	181.6 KiB	68.0
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	45.7 KiB	41.2
../react-devtools-shared/src/backend/fiber/renderer.js	16.2 KiB	16.2
../..../build/oss-experimental/react-debug-tools/cjs/react-debug-tools.production.js	4.1 KiB	3.7
../react-devtools-shared/src/backend/legacy/renderer.js	3.6 KiB	3.6
../react-devtools-shared/src/backend/profilingHooks.js	2.9 KiB	2.7

URL	Transfer size	Poter savi
../../react-devtools-shared/src/utils.js	2.4 KiB	2.3
chrome-extension://pejdijmoenmkgeppbflobdenhhabjlaj/content_script.js	135.9 KiB	26.8
127.0.0.1 First Party	56.1 KiB	20.9
/jquery.datetimepicker.full.min.js (127.0.0.1)	56.1 KiB	20.9
Adobe Acrobat : outils de modif., de conversion et de signature de PDF Chrome Extension	27.9 KiB	20.6
chrome-extension://efaidnbmninnibpcajpcgclclefindmkaj/libs/jquery-3.1.1.min.js	27.9 KiB	20.6

▲ Page prevented back-forward cache restoration — 1 failure reason ^

Many navigations are performed by going back to a previous page, or forwards again. The back-forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Reason for failure	Failure type
Pages with WebSocket cannot enter back-forward cache. /index.html (127.0.0.1)	Pending browser support

▲ Does not have a <meta name="viewport"> tag with width or initial-scale
No `<meta name="viewport">` tag found ^

A <meta name="viewport"> not only optimises your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Enable text compression — Potential savings of 61 KiB ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimise total network bytes. [Learn more about text compression](#). FCP LCP

URL	Transfer size	Potential savings
127.0.0.1 First Party	87.2 KiB	61.2 KiB
/jquery.datetimepicker.full.min.js (127.0.0.1)	59.4 KiB	40.6 KiB
/jquery.datetimepicker.css (127.0.0.1)	18.0 KiB	13.3 KiB
/app.js (127.0.0.1)	5.7 KiB	4.6 KiB
/index.html (127.0.0.1)	4.0 KiB	2.6 KiB

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance.

[Learn more about adopting passive event listeners.](#)

☒ Show 3rd-party resources (1)

Source
Google CDN Cdn
jquery.min.js:2
127.0.0.1 First Party
jquery.datetimepicker.full.min.js:1

Remove duplicate modules in JavaScript bundles — Potential savings of 21 KiB

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

Source	Transfer size	Potential savings
node_modules/webextension-polyfill		20 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10 KiB	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	10 KiB	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	10 KiB	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10 KiB	

Avoid serving legacy JavaScript to modern browsers — Potential savings of 88 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

☐ Show 3rd-party resources (2)

URL	Potential savings
axe DevTools - Web Accessibility Testing Chrome Extension	61.1 KiB
chrome-extension://lhdoppojpmngadmndnejejpokejbdd/axe-versions/latest/axe.js	50.5 KiB
axe.js:2	@babel/plugin-transform-classes

URL	Potential savings
axe.js:2	@babel/plugin-transform-spread
axe.js:2	Array.from
axe.js:2	Array.prototype.find
axe.js:2	Array.prototype.findIndex
axe.js:2	Array.prototype.flat
axe.js:2	Array.prototype.includes
axe.js:2	Array.prototype.some
axe.js:2	Object.assign
axe.js:2	Object.hasOwnProperty
axe.js:2	Object.values
axe.js:2	String.prototype.includes
chrome-extension://lhdoppojpmngadmndnejefpokejbdd/vendor.bundle.js	10.6 KiB
vendor.bundle.js:2	@babel/plugin-transform-classes
vendor.bundle.js:2	@babel/plugin-transform-spread
vendor.bundle.js:2	Object.assign
vendor.bundle.js:2	Object.entries
vendor.bundle.js:2	Object.is
vendor.bundle.js:2	Object.keys
127.0.0.1 First Party	26.5 KiB
/jquery.datetimepicker.full.min.js (127.0.0.1)	26.5 KiB
jquery.datetimepicker.full.min.js:1	Array.prototype.indexOf

Reduce unused CSS — Potential savings of 17 KiB



Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) [FCP](#) [LCP](#)

URL	Transfer size	Potential savings
127.0.0.1 First Party	18.0 KiB	17.4 KiB
/jquery.datetimepicker.css (127.0.0.1)	18.0 KiB	17.4 KiB

○ User Timing marks and measures — 2 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	
clearMarks	Mark	31.57 ms	

○ Avoid chaining critical requests — 9 chains found

The critical request chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **102.463 ms**

Initial Navigation

```

/index.html (127.0.0.1)
  ...3.5.1/jquery.min.js (ajax.googleapis.com) - 35.94 ms, 30.37 KiB
  /jquery.datetimepicker.full.min.js (127.0.0.1) - 16.179 ms, 59.75 KiB
  /jquery.datetimepicker.css (127.0.0.1) - 15.986 ms, 18.33 KiB
  ...0.9.1/jquery.modal.min.js (cdnjs.cloudflare.com) - 35.764 ms, 2.03 KiB
  ...0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com) - 81.312 ms, 2.12 KiB
  ...1.12.1/jquery-ui.js (code.jquery.com) - 37.855 ms, 121.73 KiB
  ...base/jquery-ui.css (code.jquery.com) - 33.626 ms, 8.26 KiB
  /app.js (127.0.0.1) - 15.902 ms, 6.10 KiB
  /app.css (127.0.0.1) - 30.468 ms, 0.65 KiB

```

○ Minimise third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimise third-party impact.](#) TBT

Third-party	Transfer size	Main-thread blocking time
axe DevTools - Web Accessibility Testing Chrome Extension	587 KiB	0 ms
chrome-extension://lhdoppojpmngadmnnindnejefpokejbdd/axe-versions/latest/axe.js	565 KiB	0 ms
chrome-extension://lhdoppojpmngadmnnindnejefpokejbdd/highlighter.js	21 KiB	0 ms
jQuery CDN Cdn	137 KiB	0 ms
...1.12.1/jquery-ui.js (code.jquery.com)	122 KiB	0 ms
...base/jquery-ui.css (code.jquery.com)	8 KiB	0 ms
...images/ui-icons_777777_256x240.png (code.jquery.com)	7 KiB	0 ms
Google CDN Cdn	30 KiB	0 ms
...3.5.1/jquery.min.js (ajax.googleapis.com)	30 KiB	0 ms
Adobe Acrobat : outils de modif., de conversion et de signature de PDF Chrome Extension	14 KiB	0 ms
chrome-extension://efaidnbmnmnibpcajpcgclclefindmkaj/content_scripts/express/express-fte.js	7 KiB	0 ms
chrome-extension://efaidnbmnmnibpcajpcgclclefindmkaj/content_scripts/gsuite/fte-utils.js	4 KiB	0 ms
chrome-extension://efaidnbmnmnibpcajpcgclclefindmkaj/common/local-storage.js	2 KiB	0 ms
chrome-extension://efaidnbmnmnibpcajpcgclclefindmkaj/content_scripts/express/express-fte-utils.js	2 KiB	0 ms
Three.js DevTools Chrome Extension	12 KiB	0 ms
chrome-extension://jechbjkglifdaldbdbigibihfaclnkbo/bridge.js	12 KiB	0 ms
Cloudflare CDN Cdn	4 KiB	0 ms
...0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com)	2 KiB	0 ms
...0.9.1/jquery.modal.min.js (cdnjs.cloudflare.com)	2 KiB	0 ms
Vue.js devtools Chrome Extension	1 KiB	0 ms
chrome-extension://nhdogjmejiglipccpnnanhbledajbpd/dist/detector.js	1 KiB	0 ms

○ Largest contentful paint element — 620 ms



This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#) LCP

Element

h2

Phase	% of LCP	Timing
TTFB	20%	120 ms
Load delay	0%	0 ms
Load time	0%	0 ms
Render delay	80%	490 ms

○ Avoid long main-thread tasks — 1 long task found ^

Lists the longest tasks on the main thread – useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT

URL	Start Time	Duration
127.0.0.1 First Party		91 ms
/index.html (127.0.0.1)	164 ms	91 ms

More information about the performance of your application. These numbers don't [directly affect](#) the performance score.

PASSED AUDITS (23)

Hide

Properly size images ^

Serve images that are appropriately-sized to save mobile data and improve load time. [Learn how to size images.](#)

FCP LCP

Defer off-screen images ^

Consider lazy loading offscreen and hidden images after all critical resources have finished loading to lower Time to Interactive. [Learn how to defer offscreen images.](#) FCP LCP

Minify CSS ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP

Efficiently encode images ^

Optimised images load faster and consume less mobile data. [Learn how to efficiently encode images.](#) FCP LCP

Serve images in next-gen formats ^

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more about modern image formats.](#) FCP LCP

Pre-connect to required origins



Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

Initial server response time was short — Root document took 0 ms



Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
127.0.0.1 First Party	0 ms
/index.html (127.0.0.1)	0 ms

Avoid multiple page redirects



Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

Use HTTP/2



HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

Use video formats for animated content



Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) FCP LCP

☐ Preload largest contentful paint image



If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements.](#) LCP

Avoids enormous network payloads — Total size was 261 KiB



Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

☒ Show 3rd-party resources (6)

URL	Transfer size
jQuery CDN Cdn	136.9 KiB
...1.12.1/jquery-ui.js (code.jquery.com)	121.7 KiB

URL	Transfer size
...base/jquery-ui.css (code.jquery.com)	8.3 KiB
...images/ui-icons_777777_256x240.png (code.jquery.com)	6.9 KiB
127.0.0.1 First Party	88.6 KiB
/jquery.datetimepicker.full.min.js (127.0.0.1)	59.7 KiB
/jquery.datetimepicker.css (127.0.0.1)	18.3 KiB
/app.js (127.0.0.1)	6.1 KiB
/index.html (127.0.0.1)	4.4 KiB
Google CDN Cdn	30.4 KiB
...3.5.1/jquery.min.js (ajax.googleapis.com)	30.4 KiB
Cloudflare CDN Cdn	4.2 KiB
...0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com)	2.1 KiB
...0.9.1/jquery.modal.min.js (cdnjs.cloudflare.com)	2.0 KiB

Uses efficient cache policy on static assets — 0 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies.](#)

Avoids an excessive DOM size — 607 elements

A large DOM will increase memory usage, cause longer [style calculations](#) and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size.](#) TBT

Statistic	Element	Value
Total DOM Elements		607
Maximum DOM Depth	div	9
Maximum Child Elements	div	101

JavaScript execution time — 0.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT

URL	Total CPU Time	Script Evaluation	Script Parse
127.0.0.1 First Party	130 ms	46 ms	50 ms
/index.html (127.0.0.1)	130 ms	46 ms	50 ms

Minimises main-thread work — 0.3 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimise main-thread work](#) TBT

Category	Time Spent
Script Evaluation	105 ms
Script Parsing & Compilation	78 ms
Other	51 ms
Parse HTML & CSS	14 ms
Style & Layout	9 ms
Rendering	1 ms

All text remains visible during webfont loads



Leverage the `font-display` CSS feature to ensure that text is user-visible while webfonts are loading. [Learn more about font-display](#).

☐ Lazy load third-party resources with facades



Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). TBT

☐ Largest contentful paint image was not lazily loaded



Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the Largest Contentful Paint. [Learn more about optimal lazy loading](#). LCP

☐ Avoid large layout shifts



These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) CLS

Avoids `document.write()`



For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

☐ Avoid non-composited animations



Animations that are not composited can be poor, slow and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Image elements have explicit `width` and `height`



Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS

Captured at 20 Jun 2025,
10:35 CEST
Initial page load

Emulated desktop with
Lighthouse 12.6.0
Custom throttling

Single-page session
Using Chromium 137.0.0.0
with devtools

Generated by **Lighthouse** 12.6.0 | [File an issue](#)