
1.

Name	e: Wisc id:
\mathbf{Ba}	${f sics}$
High	aly intelligent aliens land on Earth and tell us the following two things and then leave immediately.
1.	The 3-Coloring problem (which is NP-complete) is solvable in worst-case $O(n^9)$ time, where n denotes the number of vertices in the graph.
2.	There is no algorithm for 3-Coloring that runs faster than $\Omega(n^7)$ time in the worst case.
the i	iming these two facts, for each of the following assertions, indicate whether it can be inferred from information the aliens have given us. (In all cases, time complexities are understood to be <i>worst-case</i> using time.) Provide a short justification in each case.
(a)	All NP-complete problems are solvable in polynomial time.
	Solution:
(b)	All problems in NP, even those that are <i>not</i> NP-complete, are solvable in polynomial time.
	Solution:
(c)	All NP-hard problems are solvable in polynomial time.
	Solution:
(d)	All NP-complete problems are solvable in $O(n^9)$ time.
	Solution:
(e)	No NP-complete problem can be solved faster than $\Omega(n^7)$ time.
	Solution:

Proving NPC



To prove B is NP-Complete:

- Prove $B \in NP$
- Prove $B \in NP$ -hard
 - Select a known NPC problem A
 - Construct a reduction f transforming every instance of A to an instance of B
 - Prove that B outputs 1 if and only if A outputs 1 That is, for all α , $Sol\text{-}A(\alpha)=1 \iff Sol\text{-}B(\beta)=1$
 - Prove that f is a polynomial time transformation

A clique in G = (V, E) is a subset of V

- ullet Each pair of vertices in a clique is connected by an edge in E
- Size of a clique = Number of vertices it contains

CLIQUE: Is there a clique of size k in G?

A vertex cover of G=(V,E) is a subset $V'\subseteq V$ such that if $(w,v)\in E$, then $w\in V'$ or $v\in V'$ or both.

VERTEX-COVER: Is there a vertex-cover of size k in G?

2. Prove that VERTEX-COVER is NP-Complete.

Solution:		

A Hamiltonian cycle of G = (V, E) is a cycle that visits every vertex exactly once.

HAM-CYCLE: Given a graph G, is there a Hamiltonian cycle in G?

Travelling Salesperson (TSP): Given a set of cities and their pairwise distances, find a tour of cost (travelled distance) at most k that visits each city exactly once.

 $3.\ \,$ Prove that TSP is NP-Complete.

Solution:	

4. You are given a directed graph G=(V,E) with weights w(e) on its edges $e\in E$. The weights can be

Solution:			