



## NIKON INSTRUMENTS INC.

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

### QUOTATION

Date: Jun, 30, 2025

Quote #: 00214764

#### ACCOUNT:

**San Francisco Veterans Affairs Medical Center**  
4150 Clement Street, Mail Code 113B  
San Francisco, CA 94121, US

**Phone:** 415-750-2267

**Fax:**

#### QUOTE TO:

**David Alvarez**  
4150 Clement Street, Mail Code 113B  
San Francisco, CA 94121, US

**Phone:**

**Email:**

#### YOUR SALES ACCOUNT MANAGER IS:

**Kyle Wycoff** - kyle.wycoff@nikon.com

#### FOR ORDER PLACEMENT, CONTACT:

**Nikon Instruments Inc.**  
**Email:** NiiOrdersNWR.US@nikon.com  
**Fax:**

**Terms:** Net 30  
**Delivery:** 90-120 Days ARO  
**FOB:** Destination Prepaid and Allowed  
**Ship Via:** Best

QTY	PRODUCT #	PRODUCT DESCRIPTION	COO*
Six ergonomic microscopes for face-to-face teaching head			
6	MBA93000	ECLIPSE CI-E MAIN BODY-NC Eclipse Ci-E Main Body with LED Illumination and Motorized Sextuple Nosepiece with Slot and Controller, Dual Coarse/Fine Focusing with Re-Focusing Mechanism and Torque Adjustment, Fixed Diffuser, Field Diaphragm, Capture Button, Adjusting Tool (1 Piece)	CN
12	* MBB93800	C-TE2 ERGONOMIC BINOCULAR TUBE C-TE2 Ergonomic Tilting/Telescopic Binocular Body Tube, SiedentopfType, Interpupillary Distance 51-80mm, Inclination 10-30 Degree, Telescope Extension up to 40mm, 2 Way Light Split: 100% Eye/ 0% Photo, 50% Eye/50% Photo, F.O.V. 22mm	JP
24	MAK30105	CFI UW EYEPIECE 10X F.N. 25MM-NC CFI 10x UW Ultra-Wide Eyepiece, F.O.V. 25mm, Built-In Reticle Holder to Accept 27mm Eyepiece Reticles	CN
6	MBC91136	C-CSR2S CERAMIC R HANDLE STAGE W/2S HDR C-CSR2S Right Hand Mechanical Stage, Ceramic Top, Long Finger Slide Holder for Two Slides	CN
6	MBL71305	CC SWING-OUT ACHROMAT CONDENSER 1-100XNC CC Swing-out Achromat Condenser. 0.90/.11 NA (1-100X), Object Distance 1.4mm, White Condenser Top -NC	CN
6	MCN77100	E2-F-BF BLUE LIGHT BLOCKING/CUT FILTER 45mm diameter blue light cut filter.	JP
6	MBP91705	CI-NS SPACER FOR NOSEPIECE-NC CI-NS Spacer for Nosepiece. Allows stage to be lowered 20mm closer to table.	CN



## NIKON INSTRUMENTS INC.

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

### QUOTATION

Date: Jun, 30, 2025

Quote #: 00214764

QTY	PRODUCT #	PRODUCT DESCRIPTION	COO*
6	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
6	77012831	6FT USB 2.0 A TO MINI-B 5-PIN CABLE A USB2.0 to 5-pin USB-mini (male-to-male) cable; for use with connecting the Eclipse Ci-L Plus with a computer for registration with Ni Tools and/or use with NIS-Elements.	CN
6	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
6	MXA22129	C-FK EXTND FINE FOCUS KNOB FOR CI/NI-NC C-FK Extended Fine Focus Knob for Ci and Ni	CN
6	* MBB75100	Y-THFF TH ATTACHMNT FF Y-THF Teaching Unit for Face to Face Observation	JP
6	MBB75145	Y-THPL LED POINTER UNIT CH Y-THPL LED Pointer Unit with Red-Green Filter Slider, Requires an AC Adapter and power cord (sold separately).	CN
6	MQF52057	AC ADAPTER AC Adapter: AC Input 100~240V 1.5A 50Hz/60Hz, DC Output 12.0V 3.33A, Center Negative Plug, CE, UL and RoHS Compliant, Requires 79035 Power Cord	CN
6	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
1	MRL00042	CFI PLAN ACHRO 4X NA 0.1 WD 30MM-NC CFI60 Plan Achromat 4x Objective Lens, N.A. 0.1, W.D. 30mm, F.O.V 22mm	CN
1	MRL00102	CFI PLAN ACHRO 10X NA 0.25 WD 10.5MM-NC CFI60 Plan Achromat 10x Objective Lens, N.A. 0.25, W.D. 10.5mm, F.O.V 22mm	CN
1	MRL00202	CFI PLAN ACHRO 20X NA 0.4 WD 1.3MM-NC CFI60 Plan Achromat 20x Objective Lens, N.A. 0.4, W.D. 1.2mm, F.O.V 22mm, Spring Loaded	CN
1	MRL00402	CFI PLAN ACHRO 40X NA 0.65 WD 0.56MM-NC CFI60 Plan Achromat 40x Objective Lens, N.A. 0.65, W.D. 0.56mm, F.O.V 22mm, Spring Loaded	CN
1	MRL01502	CFI PLAN ACHRO 50X OIL NA 0.9 WD 0.35MM- CFI60 Plan Achromat 50x Oil Immersion Objective Lens, N.A. 0.9, W.D. 0.35mm, F.O.V 22mm, Spring Loaded	CN
1	MRL01903	CFI PLAN ACHR 100X OIL NA 1.25 WD 0.2MM-NC CFI60 Plan Achromat 100x Oil Immersion Objective Lens, N.A. 1.25, W.D. 0.2mm, F.O.V 22mm, Spring Loaded	CN
One ergonomic microscope not face-to-face			
1	MBA93000	ECLIPSE CI-E MAIN BODY-NC Eclipse Ci-E Main Body with LED Illumination and Motorized Sextuple Nosepiece with Slot and Controller, Dual Coarse/Fine Focusing with Re-Focusing Mechanism and Torque Adjustment, Fixed Diffuser, Field Diaphragm, Capture Button, Adjusting Tool (1 Piece)	CN
1	* MBB93800	C-TE2 ERGONOMIC BINOCULAR TUBE C-TE2 Ergonomic Tilting/Telescopic Binocular Body Tube, Siedentopf Type, Interpupillary Distance 51-80mm, Inclination 10-30 Degree, Telescope Extension up to 40mm, 2 Way Light Split: 100% Eye/ 0% Photo, 50% Eye/50% Photo, F.O.V. 22mm	JP
2	MAK30105	CFI UW EYEPIECE 10X F.N. 25MM-NC CFI 10x UW Ultra-Wide Eyepiece, F.O.V. 25mm, Built-In Reticle Holder to Accept 27mm Eyepiece Reticles	CN



## NIKON INSTRUMENTS INC.

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

### QUOTATION

Date: Jun, 30, 2025

Quote #: 00214764

QTY	PRODUCT #	PRODUCT DESCRIPTION	COO*
1	MBC91136	C-CSR2S CERAMIC R HANDLE STAGE W/2S HDR C-CSR2S Right Hand Mechanical Stage, Ceramic Top, Long Finger Slide Holder for Two Slides	CN
1	MBL71305	CC SWING-OUT ACHROMAT CONDENSER 1-100XNC CC Swing-out Achromat Condenser. 0.90/.11 NA (1-100X), Object Distance 1.4mm, White Condenser Top -NC	CN
1	MCN77100	E2-F-BF BLUE LIGHT BLOCKING/CUT FILTER 45mm diameter blue light cut filter.	JP
1	MBP91705	CI-NS SPACER FOR NOSEPIECE-NC CI-NS Spacer for Nosepiece. Allows stage to be lowered 20mm closer totable.	CN
1	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
1	77012831	6FT USB 2.0 A TO MINI-B 5-PIN CABLE A USB2.0 to 5-pin USB-mini (male-to-male) cable; for use with connectingthe Eclipse Ci-L Plus with a computer for registration with Ni Toolsand/or use with NIS-Elements.	CN
1	MXA22129	C-FK EXTND FINE FOCUS KNOB FOR CI/NI-NC C-FK Extended Fine Focus Knob for Ci and Ni	CN
1	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
1	MRL00042	CFI PLAN ACHRO 4X NA 0.1 WD 30MM-NC CFI60 Plan Achromat 4x Objective Lens, N.A. 0.1, W.D. 30mm, F.O.V 22mm	CN
1	MRL00102	CFI PLAN ACHRO 10X NA 0.25 WD 10.5MM-NC CFI60 Plan Achromat 10x Objective Lens, N.A. 0.25, W.D. 10.5mm, F.O.V 22mm	CN
1	MRL00202	CFI PLAN ACHRO 20X NA 0.4 WD 1.3MM-NC CFI60 Plan Achromat 20x Objective Lens, N.A. 0.4, W.D. 1.2mm, F.O.V 22mm, Spring Loaded	CN
1	MRL00402	CFI PLAN ACHRO 40X NA 0.65 WD 0.56MM-NC CFI60 Plan Achromat 40x Objective Lens, N.A. 0.65, W.D. 0.56mm, F.O.V 22mm, Spring Loaded	CN
1	MRL01502	CFI PLAN ACHRO 50X OIL NA 0.9 WD 0.35MM- CFI60 Plan Achromat 50x Oil Immersion Objective Lens, N.A. 0.9, W.D. 0.35mm, F.O.V 22mm, Spring Loaded	CN
1	MRL01903	CFI PLAN ACHR 100XOIL NA1.25 WD 0.2MM-NC CFI60 Plan Achromat 100x Oil Immersion Objective Lens, N.A. 1.25, W.D. 0.2mm, F.O.V 22mm, Spring Loaded	CN
<b>One ergonomic microscope with face-to-face teaching head, four channel fluorescence, and camera</b>			
1	MBA93000	ECLIPSE CI-E MAIN BODY-NC Eclipse Ci-E Main Body with LED Illumination and Motorized Sextuple Nosepiece with Slot and Controller, Dual Coarse/Fine Focusing with Re-Focusing Mechanism and Torque Adjustment, Fixed Diffuser, Field Diaphragm, Capture Button, Adjusting Tool (1 Piece)	CN
1	* MBB93800	C-TE2 ERGONOMIC BINOCULAR TUBE C-TE2 Ergonomic Tilting/Telescopic Binocular Body Tube, SiedentopfType, Interpuiliary Distance 51-80mm, Inclination 10-30 Degree,Telescope Extension up to 40mm, 2 Way Light Split: 100% Eye/ 0% Photo,50% Eye/50% Photo, F.O.V. 22mm	JP
2	MAK30105	CFI UW EYEPIECE 10X F.N. 25MM-NC CFI 10x UW Ultra-Wide Eyepiece, F.O.V. 25mm, Built-In Reticle Holder to Accept 27mm Eyepiece Reticles	CN

**NIKON INSTRUMENTS INC.**

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

**QUOTATION****Date:** Jun, 30, 2025**Quote #:** 00214764

QTY	PRODUCT #	PRODUCT DESCRIPTION	COO*
1	MBC91136	C-CSR2S CERAMIC R HANDLE STAGE W/2S HDR C-CSR2S Right Hand Mechanical Stage, Ceramic Top, Long Finger Slide Holder for Two Slides	CN
1	MBL71305	CC SWING-OUT ACHROMAT CONDENSER 1-100XNC CC Swing-out Achromat Condenser. 0.90/11 NA (1-100X), Object Distance 1.4mm, White Condenser Top -NC	CN
1	MCN77100	E2-F-BF BLUE LIGHT BLOCKING/CUT FILTER 45mm diameter blue light cut filter.	JP
1	MBP91705	CI-NS SPACER FOR NOSEPIECE-NC CI-NS Spacer for Nosepiece. Allows stage to be lowered 20mm closer totable.	CN
1	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
1	MXA22129	C-FK EXTND FINE FOCUS KNOB FOR CI/NI-NC C-FK Extended Fine Focus Knob for Ci and Ni	CN
1	77012831	6FT USB 2.0 A TO MINI-B 5-PIN CABLE A USB2.0 to 5-pin USB-mini (male-to-male) cable; for use with connectingthe Eclipse Ci-L Plus with a computer for registration with Ni Toolsand/or use with NIS-Elements.	CN
1	* MBE94350	CI-FL-2 EPI-FLUORESCENCE ATTACHMENT CI-FL-2 Epi-Fluorescence Attachment with Direct Connection to D-LEDI Epi-Fluorescence LED Illumination System.	JP
1	MBF83000	D-LEDI FLUORESCENCE LED ILLUMINATION SYS D-LEDI Fluorescence LED Illumination System. Four Channel Epi- Fluorescence LED illumination System Providing Ultra Violet/385nm, Blue/488nm, Yellow-Green/500-600nm and Red/621nm Excitation Wavelengths. Direct Couple to Microscope. Remote Control Pad Included. Requires MQF52057 AC Power Supply and 79035 Power Cord - Not Included.	JP
1	MQF52057	AC ADAPTER AC Adapter: AC Input 100~240V 1.5A 50Hz/60Hz, DC Output12.0V 3.33A, Center Negative Plug, CE, UL and RoHS Compliant, Requires 79035 Power Cord	CN
1	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
1	97050	USB 2.0 A-B DEVICE CABLE 15' USB 2.0 A-B 15ft Cable	CN
1	96398	C-FL QUAD D/F/T/CY5 LED FILTER SET C-FL Quad DAPI/FITC/TRITC/CY5 LED Filter Set for Nikon D-LEDI LED Fluorescence Illumination System	
1	* MQS33000	NIS-ELEMENTS D NIS-Elements Documentation (D) Package with single document interface. Includes camera and Nikon motorized microscope drivers. Optional modules include: EDF, HDR, AutoMeasure, Grain Sizing, Cast Iron Analysis, Industrial Filter Analysis, Advanced Interpreter, and Live Compare.	CZ
1	* MBB75100	Y-THFF TH ATTACHMNT FF Y-THF Teaching Unit for Face to Face Observation	JP
1	MBB75145	Y-THPL LED POINTER UNIT CH Y-THPL LED Pointer Unit with Red-Green Filter Slider, Requires an ACAdapter and power cord (sold separately).	CN
1	MQF52057	AC ADAPTER AC Adapter: AC Input 100~240V 1.5A 50Hz/60Hz, DC Output12.0V 3.33A, Center Negative Plug, CE, UL and RoHS Compliant, Requires 79035 Power Cord	CN



## NIKON INSTRUMENTS INC.

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

### QUOTATION

Date: Jun, 30, 2025

Quote #: 00214764

QTY	PRODUCT #	PRODUCT DESCRIPTION	COO*
1	79035	POWER CORD (LEAD FREE UL LISTED) Power Cord 120V, Lead Free, UL Listed, Length 7.5 Feet	CN
1	899-456	Nikon Fi3 Color Camera Clinical Promotion Nikon Fi3 Promotional Package-Includes 5.9 megapixel CMOS image sensor, 0.55x MBB96855 adapter, ac adapter, power cord and USB	
1	MRL00042	CFI PLAN ACHRO 4X NA 0.1 WD 30MM-NC CFI60 Plan Achromat 4x Objective Lens, N.A. 0.1, W.D. 30mm, F.O.V 22mm	CN
1	MRL00102	CFI PLAN ACHRO 10X NA 0.25 WD 10.5MM-NC CFI60 Plan Achromat 10x Objective Lens, N.A. 0.25, W.D. 10.5mm, F.O.V 22mm	CN
1	MRL00202	CFI PLAN ACHRO 20X NA 0.4 WD 1.3MM-NC CFI60 Plan Achromat 20x Objective Lens, N.A. 0.4, W.D. 1.2mm, F.O.V 22mm, Spring Loaded	CN
1	MRL00402	CFI PLAN ACHRO 40X NA 0.65 WD 0.56MM-NC CFI60 Plan Achromat 40x Objective Lens, N.A. 0.65, W.D. 0.56mm, F.O.V 22mm, Spring Loaded	CN
1	MRL01502	CFI PLAN ACHRO 50X OIL NA 0.9 WD 0.35MM- CFI60 Plan Achromat 50x Oil Immersion Objective Lens, N.A. 0.9, W.D. 0.35mm, F.O.V 22mm, Spring Loaded	CN
1	MRL01903	CFI PLAN ACHR 100XOIL NA1.25 WD 0.2MM-NC CFI60 Plan Achromat 100x Oil Immersion Objective Lens, N.A. 1.25, W.D. 0.2mm, F.O.V 22mm, Spring Loaded	CN

<b>TOTAL:</b>	<b>\$174,581.24</b>
---------------	---------------------

\*COO = Country of Origin

#### Nikon Federal Tax ID #11-3554845 - DUNS 038740051 UEI#SP3XF3BGBSB3

This quote is being submitted under the Terms and Conditions of GSA Supply Schedule GS-07F-078CA-MAS 334516 in effect until 2-5-2030. Any item with an asterisk reflects Products that are on the GSA contract. Items without an asterisk are open market products. The Products are competitively discounted at a negotiated rate per Nikon's agreement with GSA. Nikon Instruments Inc. integrates both contracted Products and open market products as a proprietary integration via NIS Elements Software, an exclusive Nikon interface. Items to be integrated and supported by Nikon Instruments, Inc. must be purchased through Nikon to ensure proper integration, safety standards, and performance to factory specifications. Obtaining these products from an outside source with the intent to integrate with the Nikon system would result in a voided factory warranty and could be in violation of being non-compliant to CDRH certification safety standards.

Nikon's Limited Warranty- Five years for mechanical and optical components and One year for electronic components. Exclusions Apply

\*\*\* PLEASE FAX ORDER TO NIKON INSTRUMENTS INC @ OR EMAIL TO NiiOrdersNWR.US@nikon.com \*\*\*

Protect and extend the life of your system with a Nikon Extended Warranty or a Nikon Service Agreement! Email: [microscopyservice.us@nikon.com](mailto:microscopyservice.us@nikon.com)



## NIKON INSTRUMENTS INC.

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

### QUOTATION

Date: Jun, 30, 2025

Quote #: 00214764

or contact your local Nikon Rep for more details or to request a quote. This Service Agreement is a separate agreement and subject to additional terms and conditions.

Quote is Valid for 30 Days - **Nikon Federal Tax ID #11-3554845 - DUNS 038740051 - This quotation is subject to the Terms and Conditions of Federal Supply Schedule-Contract# GS07F078CA MAS334516**- Please note the following: NIKON WILL ENDEAVOR TO SHIP TO YOU FOR YOUR ACCEPTANCE, YOUR SUBSTANTIALLY COMPLETE WORKING SYSTEM AS SOON AS POSSIBLE. WE WILL SHIP THE ENTIRE ORDER WITHIN THE STATED DELIVERY TIME ON THIS QUOTATION. OTHER THAN THE WARRANTIES EXPRESSLY SET FORTH IN THE WARRANTY STATEMENT THAT ACCOMPANIES THE PRODUCT, THE "CLICK WRAP" OR "SHRINK WRAP" END USER LICENSE AGREEMENT THAT GOVERNS THE USE OF SOFTWARE PRODUCT, OR THIS QUOTATION, IF ANY, AS THE CASE MAY BE, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, NOR ANY OBLIGATION OR LIABILITY FOR CONSEQUENTIAL, SPECIAL, INDIRECT, PUNITIVE OR INCIDENTAL DAMAGES ON THE PART OF NIKON INSTRUMENTS. MINIMUM 15% RESTOCKING FEE WITH ORIGINAL PACKAGING. Buyer shall not, directly or indirectly, transmit, deliver, send or export any product to any foreign country (i) in violation of any of the United States export control laws or regulations, and (ii) without first obtaining the express written consent of Nikon Instruments.

**CONFIDENTIAL-THIS QUOTE IS FOR THE INTENDED RECIPIENT'S USE ONLY AND MAY NOT BE DISCLOSED OR DISTRIBUTED TO THIRD PARTIES.**

### NII SALES INFORMATION FORM

**Company/Organization Name:**

---

**Address:**

---

**Order Description:**

---

**Purchase Order No:** \_\_\_\_\_

**End User:** \_\_\_\_\_

**Where will the article/ reproduction/ software/ technology be installed/ used?**

---



**NIKON INSTRUMENTS INC.**

1300 Walt Whitman Road - Melville, NY 11747 -  
Phone: (631) 547-8594 - Email: NiiOrdersNWR.US@nikon.com

**QUOTATION**

**Date:** Jun, 30, 2025

**Quote #:** 00214764

**Purpose of use:**

1. What do you intend to observe/ measure/ inspect/ etc?

\_\_\_\_\_

1. General outline of your study/ development/ operation/ manufacturing/ etc.

\_\_\_\_\_

1. What practical use do you aim to apply your expected achievement to?

\_\_\_\_\_

**Name:** \_\_\_\_\_

**Title:** \_\_\_\_\_

**Phone #:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**\*RETURN VIA EMAIL TO THE ORDER PLACEMENT CONTACT EMAIL REFLECTED ON THIS QUOTATION**