



COMMONWEALTH OF AUSTRALIA

Copyright Regulations 1969

WARNING

This material has been reproduced and communicated to you by or on behalf of Monash University pursuant to Part VB of the *Copyright Act 1968* (the Act).

The material in this communication may be subject to copyright under the Act. Any further reproduction or communication of this material by you may be the subject of copyright protection under the Act.

Do not remove this notice.



FIT5047- Intelligent Systems

Exam and Study Topics

Agenda

- **Topics**
- **Practice questions and Mock exam**
- **About the exam**
- **Staff consultation**





FIT5047- Intelligent Systems

Topics

Topics

- **LN1: Introduction to AI**
- **LN2: Intelligent Agents**
- **LN3: Problem solving as search, Game playing**
- **LN4: Knowledge representation: propositional and predicate calculus**
- **LN5: Probability**
- **LN6: Bayesian networks**
- **LN7: Machine learning: supervised and unsupervised**



LN1 and LN2

- **LN1: Introduction to Artificial Intelligence**
 - Definition
 - Problems attacked in AI
 - Turing test
 - History and state of the art
- **LN2: Agents**
 - Rationality
 - PEAS (Performance measure, Environment, Actuators, Sensors)
 - Environment types
 - Agent types

LN3 – Problem solving as search

- **Problem formulation: state description (with initial state), goal test, operators, cost function**
- **Search: Control strategies**
 - Tentative
 - > Backtrack
 - > Graphsearch (BFS, UCS, DFS, DLS, ID-DFS, Greedy BestFS, A and A*)
 - Irrevocable
 - > Hill climbing, simulated annealing
 - > Genetic algorithms – fitness function, crossover and mutation
- **Game playing**
 - Minimax, $\alpha\beta$ algorithm



LN4 – Knowledge representation (I)

- **Propositional logic**

- Syntax and semantics

- > Example: $(\text{HUNGRY} \vee \neg \text{PASS_EXAM}) \Rightarrow \text{SAD}$

- Logical equivalence

- Validity and Satisfiability

- Inference:

- > Forward and backward reasoning

- > Resolution-refutation



LN4 – Knowledge representation (II)

- **First-order logic**

- Syntax and semantics

- > Example:

- » *Not every Bayesian Network (BN) can represent (CR) every joint distribution (JD) of the same variables (SV).*

- $\neg\{\forall x \forall y JD(y) \wedge BN(x) \wedge SV(x,y) \Rightarrow CR(x,y)\}$ OR
 - $\exists x \exists y JD(y) \wedge BN(x) \wedge SV(x,y) \wedge \neg CR(x,y)$

- » *Jim's spouse is female:*

- $\forall x SPOUSE(Jim,x) \Rightarrow FEMALE(x)$

- Well formed formulas

- Logical equivalence



LN4 – Knowledge representation (III)

- **Inference: resolution refutation systems**

- Unification and substitution

- > Unify takes two atomic sentences p and q and returns a substitution that makes them look the same

- » $\text{unify}(p,q) = \theta$ where $\text{subst}(\theta,p) = \text{subst}(\theta,q)$

- Converting wffs to clauses

- Resolution refutation

- > Provides a complete, algorithmic FOL proof procedure

- » Unify the complementary literals and apply the mgu to the rest of the resolvent

- $$\begin{array}{l} p_1 \vee \dots \vee \underline{p_j} \vee \dots \vee p_n \qquad q_1 \vee \dots \vee \underline{q_k} \vee \dots \vee q_m \\ \text{subst}(\theta, p_1 \vee \dots \vee p_{j-1} \vee p_{j+1} \vee \dots \vee p_n \vee q_1 \vee \dots \vee q_{k-1} \vee q_{k+1} \vee \dots \vee q_m) \end{array}$$

LN5 – Probability


- **Probability Theory**

- Random variables
- Joint and marginal probabilities
- Conditional probability
- Normalization
- Product rule, Chain rule, Bayes rule
- Independence, Conditional independence

LN6 – Bayesian Networks (I)

- **Capabilities**

- Encode dependency structure between random variables
- Allow us to easily update our beliefs given new evidence



- **Representation and inference**

- Definitions
- Joint probability distributions
- Conditional Probability Tables (CPTs)




LN6 – Bayesian Networks (II)

- Conditional independence and D-separation


Chain



Common cause



Common effect



LN6 – Bayesian Networks (III)

- **Decision Networks**

- Select the action that maximizes expected utility

$$EU(A | E) = \sum_i \Pr(O_i | E, A)U(O_i | A)$$

- **Exact inference**

- Inference by enumeration



LN7 – Machine learning

- **Principles and concepts**
- **Supervised Learning**
 - Determining classifier performance
 - Decision Trees
 - > Entropy and Information Gain
 - Naïve Bayes classifier
 - > MLE, ELE
 - K Nearest Neighbour
 - Regression
 - Classification with thresholds
 - > Linear regression, Logistic regression
 - Artificial Neural Networks
- **Unsupervised Learning**
 - K means algorithm





FIT5047- Intelligent Systems

Practice Questions and Mock Exam

Types of Questions

- **Tutorials**

- Solutions to tutorials are on moodle
- *Warning:* Avoid being dependent on the sample solutions

- **Labs**

- **Practice questions and mock exam (posted on moodle in Scheduled Final Assessments)**
- **Mainly reasoning questions**



About the Exam

- **10 minutes reading time**
- **2 hours duration**
- **You will need a calculator**
- **eExam: closed-book and invigilated**
- **Handwritten answers only**
- **100 total marks**
- **Marks are roughly proportional to time in lectures**
 - But we can't represent everything in a 2-hour exam

Exam Technique

- **Use your reading time to plan your attack!**
- **Maximize your expected utility by**
 - doing easy, high mark questions first
 - followed by easy, low mark questions
 - then hard, high mark questions
 - finally hard, low mark questions
 - If you finish early, review



Staff Consultation Week 14

<https://monash.zoom.us/j/86085534520?pwd=aVNBNVVFM3RYbWxMRIhaWGdmNVp6Zz09>

Day	Date: Time	Name
Monday	Jun 6: 5 - 7 pm	Bruce
Tuesday	Jun 7: 3 - 5 pm	Julian
Tuesday	Jun 7: 5 - 7 pm	Mohaimen
Wednesday	Jun 8: 3 - 5 pm	Ingrid
Thursday	Jun 9: 10 am - 12 pm	Trang



All the best for the Exam

