CONTENT

Swivel Lifting Eye Bolt Supplier & Manufacturer in India | Lohar Forging

Swivel Lifting Eye Bolt Supplier in India

Lohar Forging & Engg. Works is a **swivel lifting eye bolt supplier in India**, providing load-handling components for material handling , fabrication and heavy-load requirements. Based in Mumbai, we serve OEMs, contractors, fabricators and project buyers requiring standard or custom lifting points.

Our range can be specified by size, material, load requirement, finish and drawing. Available material options may include stainless steel, alloy steel and other specified grades. Buyers can send technical details and quantity for product review and current **price** information.

Swivel Lifting Eye Bolt – Product Description

A **swivel eye bolt** is a load connection point designed to provide rotational movement within its approved configuration. Compared with a conventional fixed lifting point, the rotating design can help align the eye with the permitted direction of pull.

A typical assembly combines a steel body, **swivel eye**, threaded mounting section and rotating mechanism. Depending on the selected configuration,it can be used as part of a load-handling arrangement involving compatible accessories. .

The rated capacity must always match the intended load condition.

Key Features of Swivel Lifting Eye Bolt

Key product characteristics may include:

- Rotating lifting-point design

- Strong construction
- Secure mounting arrangement
- Different size options
- Stainless steel configurations
- Alloy steel configurations
- `Compact load connection point`
- Suitable for heavy-load handling
- Drawing-based custom options
- Durable surface finishes
- Permanent mounting options where specified
- `Compatibility with suitable load-handling accessories`

The exact design should be selected from the required load, dimensions, operating environment and installation conditions.

Swivel Lifting Eye Bolt Product Specifications

The following **eye bolt product specifications** should be confirmed before ordering:

Parameter	Specification Required
Product type	Fixed or `rotating` configuration
Size	Required dimensions in mm
Thread	Diameter, pitch and type
Material	Required `material` grade
Finish	Surface treatment
Load	Required rated capacity
Mounting	Installation arrangement
Quantity	Required order quantity
Drawing	Dimensional drawing, if applicable
Inspection	Required documents or testing

A drawing is recommended when dimensional tolerances or custom features are critical.

Steel Eye Bolt and Material Options

Material selection influences strength, corrosion resistance, service life .

Stainless Steel Eye Bolt

A **stainless steel eye bolt** may be considered for environments where corrosion resistance is important. The exact stainless grade should be specified according to service conditions.

Alloy Steel

Alloy steel can be considered where defined mechanical properties or demanding load conditions are required. Heat treatment and grade requirements should be stated in the enquiry.

Carbon Steel Option

A carbon steel option may also be reviewed where appropriate for the specified product and service environment.

Where an **ASTM** requirement or another recognized material standard applies, buyers should mention the exact designation in their RFQ.

Eye Bolt Thread and Mounting Requirements

Correct thread selection is essential for reliable installation.

Buyers should verify:

- Diameter and pitch
- Required engagement depth
- Mating component condition
- Seating surface
- Base material
- Installation clearance
- Load direction
- Required torque or installation instructions, where specified

A **full threaded** option may be considered for a custom requirement where technically appropriate.

For **permanent mounting**, the supporting structure must also be suitable for the expected load.

Never select a `load connection` only because its diameter fits the mating hole.

Swivel Type vs Fixed Steel Eye Bolt

A conventional fixed **eye bolt** maintains a fixed orientation. A rotating **type eye bolt** provides rotational movement within the limits of its design.

This makes the rotating configuration more versatile when alignment may change during handling.

The choice between fixed and rotating designs should consider:

- Direction of loading
- Required movement
- Rated capacity
- Mounting arrangement
- Available clearance
- Operating environment

Rotation does not by itself determine safe load capacity. Always follow the applicable product rating and installation instructions.

Industrial Equipment and Hardware

The product is designed for use with compatible **industrial** load-handling systems where a reliable connection point is required. It can support applications involving plant components and other load-handling requirements within the applicable rated conditions.

As part of the material-handling **industry**, correct **hardware** selection is important for safe and efficient handling. Each component should be selected according to its rated capacity, mounting position and operating environment.

Lohar Forging can **supply** standard and custom configurations for project requirements.

Steel Lifting Eye and Anchor Applications

A **steel lifting eye** provides a defined connection point for suitable load-handling arrangements. Depending on the design, the component may function as an **anchor** point for compatible load-handling accessories.

Selection should consider load direction, mounting position, available clearance and the supporting structure. The complete handling arrangement should be evaluated rather than selecting an individual component only by size.

Engineering and Machinery Eye Bolt Applications

For **engineering** projects and **machinery** installation, buyers should provide accurate dimensions and operating details. This helps determine whether the selected configuration is appropriate for the intended use.

The product may be used for machine positioning, maintenance, fabrication and other controlled handling operations when correctly specified.

Threaded Shank and Attachment Design

The **threaded shank** provides the mechanical connection between the lifting point and its mounting location. Thread diameter, pitch, engagement and base material should be checked before installation.

The **attachment** should seat correctly against the mounting surface and have sufficient clearance to operate according to its intended design.

Manufacture and Supply

Lohar Forging & Engg. Works can **manufacture** and supply lifting components according to specified drawings and dimensional requirements. Customers **across** submit technical enquiries for standard or custom requirements.

Business buyers looking for a manufacturer, **seller** or **wholesaler** can send the required size, material, quantity and delivery location for quotation review.

`Load-Handling` System Compatibility

The selected `connection` point may form part of a system incorporating compatible accessories.

These may include:

- Chain
- Hoist
- Sling
- `load-handling accessory`
- Wire rope

- ring
- Suitable rig components

Every component in the system should be compatible with the intended load and operating arrangement.

Applications

Typical uses can include:

- Machine installation
- Fabrication work
- Material handling
- Plant maintenance
- Construction projects
- Mechanical assembly
- Heavy-load positioning
- Warehouse operations
- Marine projects
- OEM assemblies

The exact `intended use` should be communicated during the enquiry so that the required configuration can be reviewed correctly.

How to Select the Correct `Product`

Choosing a `load connection` requires more than matching its physical dimensions.

Before ordering, confirm:

1. Total load weight
2. Number of `connection` points
3. Required load rating
4. Direction of pull
5. Sling angle
6. Mounting position
7. Thread diameter and pitch
8. Engagement depth
9. Base material
10. Available clearance
11. Required `material` grade
12. Environmental conditions
13. Surface finish

14. Inspection requirements
15. Quantity

These details help reduce specification errors and improve product selection.

Eye Bolt Manufacturer and `Product Range`

Lohar Forging & Engg. Works supports standard as well as drawing-based requirements as an **eye bolt manufacturer** and `load-handling` -component .

Customers can submit dimensional drawings, material requirements, quantity and operating details for technical review.

Custom requirements can include different diameters, special lengths, specified materials and surface treatments.

Various Sizes and Custom Requirements

Products can be reviewed in **various sizes** according to customer drawings and dimensional requirements.

A custom enquiry should clearly specify:

- Diameter in mm
- Overall dimensions
- Required material
- Material grade
- Mounting dimensions
- Surface finish
- Quantity
- Rated-load requirement
- Inspection criteria
- Delivery location

Clear specifications help us evaluate feasibility and prepare an accurate quotation.

Quality, Durability and Inspection

Quality `oad-handling` components require controlled material selection, dimensional accuracy and consistent finishing.

Important inspection points include:

- Correct dimensions
- Clean mating surfaces
- Undamaged threads
- No visible deformation
- Suitable finish
- Free rotational movement where applicable
- Correct marking or documentation where specified

Good **durability** depends on selecting a material and finish appropriate to the actual service environment.

Products used for critical `load-handling` duties should be inspected according to applicable workplace procedures before use.

Secure Installation

Correct installation is essential for a **secure** **`load`** connection.

Before use:

- Inspect the mounting area
- Check the mating threads
- Confirm adequate engagement
- Ensure correct seating
- Verify clearance for movement
- Check the `component for` visible damage
- Confirm compatibility with connected components
- Verify the applicable rated capacity

When the mating interface has been correctly prepared, the specified component can be **easily installed** according to its approved procedure.

Do not modify a `load-rated` component unless the modification is permitted by the relevant technical documentation.

Handling Efficiency and Safety

Correct product selection can improve handling **efficiency** by providing an appropriate `connection` point for positioning, maintenance and assembly tasks.

The centre of gravity, number of `connection` points and direction of pull should be established before a lift is planned.

No single `load-rated` component should be treated as a substitute for a properly designed `handling` plan.

Bulk Order Support

Lohar Forging supports **bulk order support** for OEMs, fabricators, contractors and other business buyers.

For faster quotation processing, provide the complete specification in one enquiry:

- Drawing
- Size
- Material
- Grade
- Finish
- Quantity
- Required documentation
- Delivery destination

This information helps determine production feasibility, commercial terms and expected delivery requirements.

Eye Bolt Price and Quantity

Eye bolt price and quantity depend on the requested specifications rather than one universal rate.

Pricing may vary according to:

- Material grade
- Dimensions
- Design complexity
- Surface treatment
- Order quantity
- Testing requirements
- Documentation
- Packaging
- Delivery destination

For the **latest prices**, send the complete technical requirement to Lohar Forging.

A standard **price list** may not accurately represent a custom lifting component, so project-specific quotation is recommended.

Why Choose Lohar Forging?

Lohar Forging & Engg. Works provides `load-handling` and fastening solutions from Mumbai for project and OEM requirements.

Key advantages include:

- Standard and custom configurations
- Multiple material choices
- Drawing-based development
- `Technical requirement` review
- Support for quantity requirements
- Different dimensional options
- Technical RFQ assistance
- Maharashtra-based operations
- Domestic order support

Our focus is to understand the buyer's technical requirement before **recommending** a suitable product configuration.

Trade Information and RFQ Details

For **eye bolt trade information** or quotation assistance, buyers should provide complete technical details.

Please share:

- Product type
- Drawing or reference
- Required dimensions
- Material and grade
- Mounting details
- Finish
- Load requirement
- Quantity
- Intended use
- Inspection requirement
- Delivery destination

Complete information helps reduce clarification time and supports a more accurate quotation.

Eye Bolt Supply and Buyer Information

Lohar Forging & Engg. Works serves industrial buyers searching for **top-rated leye bolt suppliers** for engineering and material-handling requirements. We support enquiries from Mumbai, Maharashtra, **New Delhi**, and other regions.

Companies evaluating load-handling components can **get contact details** directly from our website and discuss size, material, quantity, drawings and technical requirements with our team. Buyers comparing the **address of companies** in this sector should verify the manufacturer's actual business information before placing an order.

For buyers researching **companies manufacturing and supplying** industrial eye bolts, product suitability should be evaluated according to load requirements, dimensions, material grade and intended operating conditions. The **address of companies manufacturing** these products should also be verified directly when sending commercial or technical enquiries.

Material Options for Industrial Requirements

Material selection depends on the intended environment and fabricators and project buyers requiring standard requirement. Suitable material grades are commonly selected for demanding industrial service, while **brass** may be considered only for specialized applications where its material properties are appropriate.

For **electric** installations, component selection must consider the complete operating requirement, environment and fabricators and project buyers requiring standard specification. A load-rated component should never be assumed suitable for an electrical installation solely because of its material or dimensions.

Pricing and Commercial Enquiries

Commercial quotations can be provided in **INR** based on product configuration, required quantity, material, dimensions and order specifications. Contact our team with complete technical information to receive the applicable quotation.

When comparing **top-rated** manufacturersS, buyers should consider manufacturing capability, technical specifications, material selection, dimensional requirements and order support rather than price alone.

Frequently Asked Questions

What is a rotating lifting eye bolt?

It is a lifting point with a rotating design that allows movement within its approved configuration. Selection depends on rated capacity, mounting arrangement and permitted loading conditions.

What is the difference between a fixed and swivel eye bolt?

A fixed design maintains one eye orientation, while a rotating design provides movement for alignment. The correct option depends on the lifting arrangement and approved load direction.

What material options are available?

Options may include stainless steel, alloy steel and other specified materials , depending on the required configuration and service conditions.

Can I order different sizes?

Yes. Different dimensions can be reviewed against drawings or technical specifications. Provide the required measurements in mm for evaluation.

Can the product be used with a hoist?

It may be incorporated into a properly designed handling arrangement using a compatible hoist and other rated components.

Can it be used with wire rope?

A suitable connection point may be incorporated into a system using compatible wire rope or other approved accessories. The complete arrangement must be evaluated for the intended load.

What information is needed to select the correct product?

Provide load weight, number of connection points, dimensions, material, mounting details, direction of pull and required documentation.

Are custom products available?

Drawing-based custom requirements can be reviewed. Send dimensions, material grade, finish, quantity and operating requirements.

How is the price calculated?

Pricing depends on dimensions, material, design, finish, quantity, testing, documentation and delivery requirements.

Do you accept quantity orders?

Yes. Business buyers can send quantity requirements along with complete specifications for quotation review.

Where is Lohar Forging located?

Lohar Forging & Engg. Works is based in Mumbai, Maharashtra.

How can I request a quotation?

Send your drawing, dimensions, material, load requirement, quantity and delivery location. Complete information helps us provide an accurate commercial response.

Request a Quote

Looking for a reliable **swivel lifting eye bolt supplier in India**?

Send Lohar Forging & Engg. Works your drawing, dimensions, material grade, required capacity, quantity and delivery location. Our team can review the requirement and provide relevant product and quotation details.

Meta Description

Swivel lifting eye bolt supplier in India offering custom steel lifting points, stainless and alloy steel options, different sizes and quotation support.