Eye Bolt Manufacturer in India

Complete SEO, AEO & GEO Content Package — Lohar Forging & Engg. Works

---

On-Page Meta Data

Suggested URL: https://www.loharforging.com/eye-bolts.php (expand existing page) — or new blog page https://www.loharforging.com/blog/eye-bolt-manufacturer-in-india.php

Title Tag (58 characters): Eye Bolt Manufacturer in India | Forged SS & MS – Lohar Forging

Meta Description (155 characters): Leading eye bolt manufacturer in India. Forged SS304/SS316 & MS eye bolts, M6–M100, DIN 580/IS 4190 standard. 17+ yrs, Mumbai. Get a quote in 24 hrs.

Page H1: Eye Bolt Manufacturer in India — Forged SS & MS Eye Bolts

---

Quick Answer (For Featured Snippets / AI Answer Engines)

Lohar Forging & Engg. Works is a Mumbai-based eye bolt manufacturer in India, forging lifting and industrial eye bolts in stainless steel (SS304/SS316) and mild steel from M6 to M100, to DIN 580, IS 4190, ASTM and custom drawing specifications. The company has manufactured forged fasteners and lifting hardware since 2007, supplies both shoulder (collared) and non-shoulder (plain) eye bolts, and exports under IEC registration to domestic and overseas buyers, traders, OEMs and EPC contractors, with a standard 24-hour quote turnaround.

What Is an Eye Bolt?

An eye bolt is a forged or machined fastener with a circular (or oval) loop — the "eye" — at one end and a threaded shank at the other. The eye accepts a hook, shackle, sling, or chain, turning the bolt into a fixed anchor or lifting point. Eye bolts are used to lift machinery, secure cables and wire ropes, anchor structural members, tension guy wires, and create load-rated attachment points on equipment, vessels, and fabricated structures.

Two features define how an eye bolt behaves under load:

- Shoulder (collared) eye bolts — have a raised collar under the eye that seats flush against the mounting surface. This collar lets the eye bolt take angular loads up to 45° without losing rated capacity, provided the shoulder is fully seated.
- Non-shoulder (plain pattern) eye bolts — have no collar. They are rated for straight vertical (axial) pulls only. Side-loading a plain eye bolt bends the shank and voids its working load limit.

Types of Eye Bolts We Manufacture

Type	Description	Typical Use
Standard forged eye bolt	General-purpose lifting/anchoring eye bolt, self-colour or plated finish	Rigging, general industrial fastening

Type	Description	Typical Use
Shoulder / collared eye bolt	Collar seats against the surface for angular lifts to 45°	Machinery lifting points, angled slings
Non-shoulder eye bolt	Plain shank, vertical pull only	Straight vertical hoisting
Swivel eye bolt	Eye rotates 360° on a bearing/collar to follow load direction	Multi-directional lifting, frequent load rotation
Gland eye bolt	Solid-eye threaded fastener for tensioning and anchoring	Cable glands, tensioning assemblies
Lifting eye bolt & eye nut	Eye bolt paired with a matching eye nut for through-bolted lifting points	Structural and equipment lifting lugs
M.S. galvanized eye bolt	Mild steel, hot-dip or electro-galvanized for corrosion resistance	Outdoor, construction, general industrial
PTP-coated eye bolt	Protective coating for enhanced corrosion/wear resistance	Harsh or corrosive environments
SS eye bolt (SS304 / SS316)	Corrosion-resistant stainless steel	Marine, chemical, food-grade, offshore

Materials and Grades

An eye bolt manufacturer in India typically forges eye bolts in:

- Mild Steel (MS) — self-coloured or galvanized, cost-effective for general lifting and construction use.
- Carbon Steel — higher tensile strength for structural and heavy-duty applications.
- Alloy Steel — for elevated strength-to-weight requirements and demanding load ratings.
- Stainless Steel SS304 (A2) — good general corrosion resistance for indoor/outdoor industrial use.
- Stainless Steel SS316 (A4) — superior corrosion resistance for marine, offshore, chemical-processing and coastal environments.

Material selection depends on the working environment (marine/coastal vs. indoor industrial), exposure to chemicals, and whether the application is structural, decorative, or safety-critical lifting.

Standards: DIN 580, IS 4190, ASTM and ISO

Buyers sourcing from an eye bolt manufacturer in India should specify a recognised standard so load ratings and dimensions are verifiable:

- DIN 580 — the most widely used international specification for collared metric lifting eye bolts (M6–M64), forged from C15/C15E carbon steel, usable from −20°C to +200°C without capacity de-rating.
- IS 4190:1984 (Reaffirmed) — the Indian Standard, "Specification for Eye Bolts with Collars," published by the Bureau of Indian Standards. It defines two collar types (recessed and non-recessed) and specifies axial and inclined lifting capacities — the reference standard for Indian government, EPC, and PSU tenders.
- ASTM A489 / ASME B18.15 — the US standard for forged carbon-steel machinery eye bolts, sized 1/4" to 2-1/2".

- ISO / custom drawings — many exporters and OEMs also manufacture to ISO equivalents or fully custom drawings for non-standard threads, lengths, or eye diameters.

Always ask your supplier which standard a quoted eye bolt is certified or manufactured to — "eye bolt" sold without a stated standard has no verified working load limit.

Eye Bolt Load Capacity (Working Load Limit) — DIN 580 Reference Table

Values below are indicative for DIN 580 carbon-steel shoulder eye bolts on a straight vertical (0°) pull. Angular pulls significantly reduce capacity (see next section). Always confirm exact WLL with your manufacturer for the specific grade and finish supplied.

Thread Size	Approx. WLL – Vertical Pull
M6	0.07 t
M8	0.14 t
M10	0.23 t
M12	0.34 t
M16	0.6 – 1 t
M20	1.2 t
M24	2 – 3 t
M30	3.2 t
M36	5 t
M42	6.3 t
M48	8 t
M64	16 t

Table is a general industry reference for DIN 580-pattern eye bolts. Working load limits vary by manufacturer, material grade, and finish — request Lohar Forging's specific load chart for the exact size and grade you need.

Why Angle of Pull Matters

- 0° (straight vertical): full rated WLL applies.
- Up to 45° (shoulder eye bolts only): capacity is reduced — de-rate per manufacturer's chart; never assume full WLL.
- Beyond 45°: not recommended for standard shoulder eye bolts — use a swivel hoist ring or a different lifting point.
- Non-shoulder (plain) eye bolts: rated for 0° vertical pull only; any side load bends the shank and is unsafe.

A standard safety factor for lifting eye bolts is a minimum breaking load of roughly 4–6x the Working Load Limit (WLL) — always use WLL for operational lifting decisions, never the breaking strength.

How to Choose the Right Eye Bolt

1. Confirm the load and direction of pull. Straight vertical → non-shoulder or shoulder eye bolt is fine. Any angled or multi-directional pull → shoulder or swivel eye bolt only.
2. Match the thread size and length to your tapped hole or through-hole.
3. Select material for the environment. SS316 for marine/coastal/chemical exposure; SS304 for general corrosion resistance; MS/carbon steel (galvanized or coated) for indoor/general industrial use.
4. Specify the standard — DIN 580, IS 4190, ASTM A489, or a custom drawing — so the WLL is traceable and auditable.
5. Ensure full shoulder seating on collared eye bolts — angular capacity is lost if the collar doesn't sit flush against a flat, solid surface.
6. Inspect before every use — reject any eye bolt with a bent shank, thread damage, deformed eye, or corrosion pitting.
7. Buy from a manufacturer that can supply mill test certificates / load test reports if the application is safety-critical or for export/tender documentation.

Industries That Use Eye Bolts

- Construction — lifting structural members, formwork, precast panels
- Marine & Shipbuilding / Ship Repair — SS316 eye bolts for anchoring, rigging, deck hardware
- Oil & Gas — equipment lifting points, skid anchoring
- Power & Infrastructure — transformer lifting lugs, structural anchoring
- Manufacturing & Machinery (OEM) — permanently mounted lifting points on equipment
- Material Handling & Logistics — crane and hoist rigging, container/cargo securing
- Export & Trading — bulk supply for fabricators, distributors and overseas buyers

How Forged Eye Bolts Are Made

Forging (as opposed to casting or simple machining) aligns the internal grain flow of the steel along the shape of the part, which is what gives a forged eye bolt higher fatigue resistance and shock-load tolerance than a cast or fabricated equivalent — an important distinction for lifting-rated hardware:

1. Raw material selection — bar stock in the specified grade (MS, carbon steel, alloy steel, SS304/SS316).
2. Hot forging — the eye and shank are hot-forged to shape, aligning grain flow for strength.
3. Machining — threading, sizing, and finishing to the required standard (DIN 580 / IS 4190 / custom).
4. Heat treatment (where specified) — to achieve the required mechanical properties.
5. Surface finish — self-colour, galvanizing (silver or gold/yellow passivate), PTP coating, or natural stainless finish.
6. Quality inspection — dimensional checks, visual inspection, and (on request) load testing and material certification before dispatch.

Why Source From an Indian Eye Bolt Manufacturer

- Cost-competitive forging without compromising on DIN/IS/ASTM compliance
- Custom batch production — non-standard sizes, threads, and finishes for project-specific requirements, not just catalogue items

- Faster turnaround for domestic buyers, traders, fabricators and OEMs vs. importing
- Export-ready supply — IEC-registered manufacturers can ship internationally with proper documentation
- Direct factory relationship — clearer communication on grade, size and finish than buying through multiple intermediaries

About Lohar Forging & Engg. Works

Lohar Forging & Engg. Works has forged fasteners and lifting hardware in Mumbai since 2007, manufacturing eye bolts (standard, shoulder, non-shoulder, swivel, gland, galvanized, PTP-coated and SS variants), along with shackles, turnbuckles, hex bolts, stud bolts, wire rope pulleys, shank hooks and eye hooks — 43+ products across SS and MS grades. The company supplies standard catalogue eye bolts (M6–M100) as well as custom-forged batches to DIN, ISO, ASTM, BS or customer drawings, for traders, contractors, fabricators, ship-repair teams, OEM buyers and export markets, with quote turnaround typically within 24 hours.

- IEC: 0315056487 · GST registered since 2017
- Location: R. V. Building, Plot No. 8, 45/A, Dockyard Road, Mazgaon, Mumbai – 400010

Request a Quote · WhatsApp Enquiry

Frequently Asked Questions

Who is a reliable eye bolt manufacturer in India?

Look for a manufacturer that forges (not just trades) eye bolts, states the standard it manufactures to (DIN 580, IS 4190, ASTM A489), offers both shoulder and non-shoulder types in SS and MS grades, and can supply custom sizes with documentation. Lohar Forging & Engg. Works in Mumbai is one such manufacturer, forging eye bolts since 2007 with export capability.

What sizes of eye bolts are available?

Standard forged eye bolts are typically available from M6 to M100, with custom sizes manufactured on request for project-specific requirements.

What is the difference between a shoulder and a non-shoulder eye bolt?

A shoulder (collared) eye bolt has a collar that seats against the mounting surface, allowing angular lifts up to 45° without losing rated capacity. A non-shoulder (plain) eye bolt has no collar and is rated for straight vertical pulls only — it should never be side-loaded.

Which material should I choose — SS304, SS316, or mild steel?

Choose SS316 for marine, coastal, or chemical-exposure environments where maximum corrosion resistance is needed. SS304 suits general indoor/outdoor industrial use. Mild steel (galvanized or coated) is a cost-effective option for general lifting and construction where extreme corrosion resistance isn't required.

What standards do Indian eye bolt manufacturers follow?

The most common are DIN 580 (international metric standard) and IS 4190:1984 (Bureau of Indian Standards specification for eye bolts with collars). Export-focused manufacturers also work to ASTM A489 / ASME B18.15 and customer drawings.

Can eye bolts be manufactured to a custom drawing?

Yes. Most Indian forging manufacturers, including Lohar Forging, produce eye bolts to custom sizes, threads, finishes and working load requirements based on customer drawings or specifications, in addition to standard catalogue items.

How much weight can an eye bolt lift?
It depends entirely on size, material, standard, and angle of pull — for example, a DIN 580 M12 shoulder eye bolt is rated at roughly 0.3–0.4 tonnes on a straight vertical pull, while an M48 can be rated around 8 tonnes. Always use the manufacturer's specific load chart and the Working Load Limit, never the breaking strength, for operational decisions.

Do you supply eye bolts for export?
Yes. IEC-registered Indian manufacturers, including Lohar Forging (IEC: 0315056487), supply eye bolts and lifting hardware to overseas buyers, traders and OEMs with export documentation support.

How fast can I get a quote for bulk eye bolt orders?
Most established manufacturers respond within 24 hours once size, material, quantity and destination are shared. Lohar Forging offers a standard 24-hour quote turnaround for both domestic and export enquiries.

Internal Linking Recommendations

Link this page/post to and from:

- /eye-bolts.php (main product category — if this is a new blog post, link it here and vice versa)
- /swivel-eye-bolts.php
- /product/gland-eye-bolt.php, /product/lifting-eye-bolt-eye-nut.php, /product/s-s-eye-bolts.php, /product/m-s-galvinized-eye-bolt.php, /product/ptp-coating-eye-bolt.php
- /shackles.php and /turnbuckles.php (commonly bought together for rigging)
- /industries.php (marine, construction, oil & gas use cases)
- /quality.php (standards & certification credibility)
- /export.php (IEC/export capability)
- /contact.php (primary CTA — Request a Quote)

Anchor text variety to use naturally across the site: "eye bolt manufacturer in India," "forged eye bolts Mumbai," "SS316 eye bolt supplier," "DIN 580 eye bolt manufacturer," "IS 4190 eye bolt India."

On-Page SEO Checklist

1. Title tag: "Eye Bolt Manufacturer in India | Forged SS & MS – Lohar Forging" (primary keyword within first 3 words, brand at end)
2. Meta description: Include primary keyword, material/size range, standard (DIN 580/IS 4190), and a CTA/trust signal (years in business, quote time).
3. URL: short, keyword-inclusive — /eye-bolts.php (existing) is already good; if adding a blog article use /blog/eye-bolt-manufacturer-in-india.php.
4. H1: one per page, containing the exact target keyword — "Eye Bolt Manufacturer in India."

5. H2/H3 structure: organized around user intents (types, materials, standards, load capacity, industries, FAQs) exactly as above — this is what search engines and AI answer engines parse to build featured snippets/AI Overviews.
6. Keyword placement: primary keyword in H1, first 100 words, one H2, meta title, meta description, image alt text, and URL. Avoid stuffing — use natural variants ("eye bolt manufacturer Mumbai," "forged eye bolt supplier India," "DIN 580 eye bolt manufacturer").
7. Image alt text: descriptive and keyword-relevant, e.g. alt="SS316 shoulder eye bolt manufactured in Mumbai, India" — never generic like image1.jpg.
8. Internal links: minimum 5–8 contextual links per page (see above).
9. Outbound authority link (optional, 1 max): link once to BIS (bis.gov.in) or a DIN 580 reference for E-E-A-T signal — do not link to competitors.
10. Page speed / Core Web Vitals: compress product images to WebP (already used on-site), lazy-load gallery images.
11. Mobile usability: confirm tap targets (WhatsApp CTA, Request Quote buttons) are thumb-friendly — already present on-site.
12. Breadcrumbs: Home › Products › Eye Bolts (already implemented — keep consistent site-wide, mark up with schema, see below).

Structured Data (Schema Markup) — Add to <head> or via GTM

1. FAQPage Schema (for the FAQ section above — critical for AEO)

```
{
  "@context": "https://schema.org",
  "@type": "FAQPage",
  "mainEntity": [
    {
      "@type": "Question",
      "name": "Who is a reliable eye bolt manufacturer in India?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Look for a manufacturer that forges eye bolts, states the standard it manufactures
to (DIN 580, IS 4190, ASTM A489), offers both shoulder and non-shoulder types in SS and MS grades,
and can supply custom sizes with documentation. Lohar Forging & Engg. Works in Mumbai is one such
manufacturer, forging eye bolts since 2007 with export capability."
      }
    },
    {
      "@type": "Question",
      "name": "What sizes of eye bolts are available?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Standard forged eye bolts are typically available from M6 to M100, with custom sizes
manufactured on request."
      }
    },
    {
      "@type": "Question",
      "name": "What is the difference between a shoulder and a non-shoulder eye bolt?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "A shoulder eye bolt has a collar that seats against the mounting surface, allowing
angular lifts up to 45 degrees without losing rated capacity. A non-shoulder eye bolt has no collar
and is rated for straight vertical pulls only."
      }
```

```
    },
    {
      "@type": "Question",
      "name": "Which material should I choose for an eye bolt — SS304, SS316, or mild steel?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Choose SS316 for marine, coastal or chemical-exposure environments. SS304 suits
general indoor/outdoor industrial use. Mild steel, galvanized or coated, is a cost-effective option
for general lifting where extreme corrosion resistance isn't required."
      }
    },
    {
      "@type": "Question",
      "name": "What standards do Indian eye bolt manufacturers follow?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "The most common are DIN 580 and IS 4190:1984, the Bureau of Indian Standards
specification for eye bolts with collars. Export-focused manufacturers also work to ASTM A489, ASME
B18.15 and customer drawings."
      }
    },
    {
      "@type": "Question",
      "name": "Can eye bolts be manufactured to a custom drawing?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Yes. Indian forging manufacturers commonly produce eye bolts to custom sizes,
threads, finishes and working load requirements based on customer drawings."
      }
    },
    {
      "@type": "Question",
      "name": "Do you supply eye bolts for export?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Yes. IEC-registered Indian manufacturers supply eye bolts and lifting hardware to
overseas buyers, traders and OEMs with export documentation support."
      }
    }
  ]
}
```

2. Organization / LocalBusiness Schema

```
{
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "Lohar Forging & Engg. Works",
  "url": "https://www.loharforging.com/",
  "logo": "https://loharforging.com/assets/images/logo/logo.webp",
  "foundingDate": "2007",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "R. V. Building, Plot No. 8, 45/A, Dockyard Road, Mazgaon",
    "addressLocality": "Mumbai",
    "addressRegion": "Maharashtra",
    "postalCode": "400010",
    "addressCountry": "IN"
  },
  "telephone": "+91-98330-72266",
  "sameAs": []
}
```

3. Product Schema (example for the Eye Bolts category page)

```
{
  "@context": "https://schema.org",
  "@type": "Product",
  "name": "Forged Eye Bolts",
  "description": "Forged eye bolts in stainless steel (SS304/SS316) and mild steel, M6 to M100,
manufactured to DIN 580, IS 4190 and custom specifications.",
  "brand": { "@type": "Brand", "name": "Lohar Forging & Engg. Works" },
  "manufacturer": { "@type": "Organization", "name": "Lohar Forging & Engg. Works" },
  "material": ["Stainless Steel", "Mild Steel"],
  "offers": {
    "@type": "AggregateOffer",
    "priceCurrency": "INR",
    "availability": "https://schema.org/InStock",
    "url": "https://www.loharforging.com/eye-bolts.php"
  }
}
```

4. BreadcrumbList Schema

```
{
  "@context": "https://schema.org",
  "@type": "BreadcrumbList",
  "itemListElement": [
    { "@type": "ListItem", "position": 1, "name": "Home", "item":
"https://www.loharforging.com/index.php" },
    { "@type": "ListItem", "position": 2, "name": "Products", "item":
"https://www.loharforging.com/products.php" },
    { "@type": "ListItem", "position": 3, "name": "Eye Bolts", "item":
"https://www.loharforging.com/eye-bolts.php" }
  ]
}
```

AEO & GEO Notes (Why This Content Is Structured This Way)

- Answer-first format: the "Quick Answer" block at the top gives AI answer engines (Google AI Overviews, ChatGPT, Perplexity, Gemini) a self-contained, citable answer to "who is an eye bolt manufacturer in India" — this is the single highest-leverage block for AEO/GEO.
- Definition blocks stated plainly: "An eye bolt is..." style sentences are easy for LLMs to lift and cite verbatim with attribution — this increases odds of being cited in AI-generated answers.
- Tables for comparable data: load capacity and type-comparison tables are structured for both snippet extraction and LLM parsing.
- FAQ schema in question-form headers matching real search queries ("What is the difference between a shoulder and non-shoulder eye bolt?") — mirrors People Also Ask phrasing, which both Google and generative engines draw from.
- Named entity consistency: "Lohar Forging & Engg. Works," Mumbai, 2007, IEC number, and IS 4190/DIN 580 are repeated consistently in the same phrasing throughout — this entity consistency is what lets generative engines confidently associate your brand with the keyword.
- E-E-A-T signals: the manufacturing process section, standards section, and specific certifications (IEC, GST) demonstrate first-hand expertise and trustworthiness, which both classic SEO ranking and AI-citation selection increasingly weight.

Competitor Snapshot (For Reference)

Competitor	Positioning Angle	Content Gap They Leave Open
Ananka Group	Broad fastener catalogue, export/payment terms detail	Weak on load-capacity data, no clear standards breakdown
Rebolt Alloys	Exotic materials (Inconel, Monel, Titanium)	Little educational content on selection/safety
Vidya Fasteners	"India's biggest" claim, volume/export focus	No FAQ/schema depth, thin on technical specs
Auto Forgings	Precision-forged positioning	No pricing/size transparency, generic copy
I F Forging Works	Mumbai-based, similar to Lohar	Good industry-use breadth but no standards/load-chart content
Aimtech India (Pune)	Foundation/anchor bolt cross-sell	No DIN/IS standard detail, no FAQ schema

Your opportunity: none of the ranking competitors currently combine (1) a direct answer-first snippet, (2) a DIN 580 load-capacity table, (3) IS 4190 standard explanation, and (4) FAQ schema in one page. This content package fills that gap and is structured to win both classic featured snippets and AI Overview citations for "eye bolt manufacturer in India."