

Frontend Specification Document

Implementation-ready specification for a Pomodoro productivity application inspired by the functional model of pomodorotimer.online. Revised scope: anonymous, local-first, no login/signup, no user authentication.

1. Experience Goal

A calm, focused, low-friction interface where the timer is visually dominant. The user must reach Start without onboarding or login.

2. Primary Desktop Layout

Header: brand | streak | settings Focus Short Break Long Break 25:00 Focus session [START] music
background PiP Daily challenge / supporting content Task panel: drawer or side panel

3. Mobile Layout

Use a single-column timer-first layout. Secondary controls must not crowd the countdown.
Tasks/settings/challenges can use sheets or drawers. Touch targets should be at least approximately 44px.

4. Core Components

Component	Responsibilities
TimerDisplay	Time, mode label, progress
ModeSelector	Focus/short/long selection
TimerControls	Start, pause, resume, reset, skip
TaskPanel	Task CRUD, ordering, selection, hierarchy
StatsView	Daily focus and session totals
StreakIndicator	Current streak/freeze status
ChallengeCard	Daily target/progress/reward
MusicPlayer	Track and volume controls
BackgroundPicker	Bundled/custom backgrounds
SettingsDialog	Timer/audio/appearance preferences
PiPTimer	Compact supported-browser timer
Stopwatch	Independent elapsed-time utility

5. Typography and Sizing

Use a highly legible sans-serif such as Inter. The countdown should use responsive clamp-based sizing and tabular numerals. Use strong contrast for primary actions and avoid tiny control labels.

6. Visual Tokens

- Rounded controls and cards with a consistent radius scale.

- Spacing based on a small repeatable scale (for example 4/8/12/16/24/32).
- Background overlays must preserve text contrast.
- Do not hard-code a copied brand palette or copyrighted visual assets from the reference product.
- Support light/dark or background-aware contrast if included in design scope.

7. Interaction Rules

- Start changes to Pause while running.
- Reset requires clear behavior and should avoid accidental session completion.
- Mode changes update duration without corrupting completed-cycle counts.
- Selected task is visibly distinct.
- Completion feedback should be noticeable but not disruptive.
- Settings changes should persist immediately or through an explicit Save action consistently.

8. Accessibility

- Keyboard-operable primary controls.
- Visible focus indicators.
- Semantic buttons, dialogs, headings, and labels.
- ARIA live announcement for meaningful timer completion, not every second.
- Respect prefers-reduced-motion.
- Do not rely only on color to communicate state.
- Maintain WCAG-oriented contrast.

9. Responsive Breakpoints

Design from mobile upward rather than relying on a desktop shrink-down. Validate common widths around 320, 375, 768, 1024, 1280, and larger desktop screens.

10. SEO Pages

Create useful, original content around timer preset routes rather than duplicate thin pages. Each route needs unique metadata, canonical handling, accessible headings, and a functional timer preset.

11. Performance

- Lazy-load heavy audio/background assets.
- Avoid layout shifts around the countdown.
- Preload only critical fonts/assets.
- Use optimized image formats.
- Decorative animations must not trigger expensive full-page updates every second.