

Tables (17)

Name	Type	Schema
budget_transactions		CREATE TABLE budget_transactions (id INTEGER PRIMARY KEY AUTOINCREMENT, transaction_date TEXT DEFAULT CURRENT_TIMESTAMP, amount REAL NOT NULL, type TEXT CHECK(type IN ('grant', 'loan', 'installment')) NOT NULL, reference_id INTEGER NOT NULL, description TEXT, is_deduct INTEGER DEFAULT 1)
id	INTEGER	"id" INTEGER
transaction_date	TEXT	"transaction_date" TEXT DEFAULT CURRENT_TIMESTAMP
amount	REAL	"amount" REAL NOT NULL
type	TEXT	"type" TEXT NOT NULL CHECK("type" IN ('grant', 'loan', 'installment'))
reference_id	INTEGER	"reference_id" INTEGER NOT NULL
description	TEXT	"description" TEXT
is_deduct	INTEGER	"is_deduct" INTEGER DEFAULT 1
deductions		CREATE TABLE deductions (id INTEGER PRIMARY KEY AUTOINCREMENT, employee_id INTEGER NOT NULL, source_id INTEGER NOT NULL, monthly_amount REAL NOT NULL, total_months INTEGER NOT NULL, start_date TEXT NOT NULL, end_date TEXT NOT NULL, is_loan INTEGER DEFAULT 0, created_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
employee_id	INTEGER	"employee_id" INTEGER NOT NULL
source_id	INTEGER	"source_id" INTEGER NOT NULL
monthly_amount	REAL	"monthly_amount" REAL NOT NULL
total_months	INTEGER	"total_months" INTEGER NOT NULL
start_date	TEXT	"start_date" TEXT NOT NULL
end_date	TEXT	"end_date" TEXT NOT NULL
is_loan	INTEGER	"is_loan" INTEGER DEFAULT 0
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
employee_grants		CREATE TABLE employee_grants (id INTEGER PRIMARY KEY AUTOINCREMENT, employee_id INTEGER NOT NULL, grant_id INTEGER NOT NULL, grant_date TEXT NOT NULL, notes TEXT, created_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
employee_id	INTEGER	"employee_id" INTEGER NOT NULL
grant_id	INTEGER	"grant_id" INTEGER NOT NULL
grant_date	TEXT	"grant_date" TEXT NOT NULL
notes	TEXT	"notes" TEXT
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
employees		CREATE TABLE employees (id INTEGER PRIMARY KEY AUTOINCREMENT, name TEXT NOT NULL, category TEXT DEFAULT 'Contract', created_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL
category	TEXT	"category" TEXT DEFAULT 'Contract'
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
grants		CREATE TABLE grants (id INTEGER PRIMARY KEY AUTOINCREMENT, name TEXT NOT NULL, amount REAL NOT NULL, created_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
name	TEXT	"name" TEXT NOT NULL
amount	REAL	"amount" REAL NOT NULL
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
internal_regulations		CREATE TABLE internal_regulations (id INTEGER PRIMARY KEY AUTOINCREMENT, title TEXT NOT NULL, version TEXT NOT NULL, description TEXT, file_name TEXT NOT NULL, file_path TEXT NOT NULL, file_size INTEGER, uploaded_by TEXT, upload_date TEXT DEFAULT CURRENT_TIMESTAMP, is_active INTEGER DEFAULT 1)
id	INTEGER	"id" INTEGER

Name	Type	Schema
title	TEXT	"title" TEXT NOT NULL
version	TEXT	"version" TEXT NOT NULL
description	TEXT	"description" TEXT
file_name	TEXT	"file_name" TEXT NOT NULL
file_path	TEXT	"file_path" TEXT NOT NULL
file_size	INTEGER	"file_size" INTEGER
uploaded_by	TEXT	"uploaded_by" TEXT
upload_date	TEXT	"upload_date" TEXT DEFAULT CURRENT_TIMESTAMP
is_active	INTEGER	"is_active" INTEGER DEFAULT 1
meal_records		CREATE TABLE meal_records (id INTEGER PRIMARY KEY AUTOINCREMENT, employee_id INTEGER NOT NULL, year INTEGER NOT NULL, month INTEGER NOT NULL, meal_count INTEGER NOT NULL DEFAULT 0, total_amount REAL NOT NULL DEFAULT 0, created_at TEXT DEFAULT CURRENT_TIMESTAMP, updated_at TEXT DEFAULT CURRENT_TIMESTAMP, FOREIGN KEY (employee_id) REFERENCES employees(id) ON DELETE CASCADE, UNIQUE(employee_id, year, month))
id	INTEGER	"id" INTEGER
employee_id	INTEGER	"employee_id" INTEGER NOT NULL
year	INTEGER	"year" INTEGER NOT NULL
month	INTEGER	"month" INTEGER NOT NULL
meal_count	INTEGER	"meal_count" INTEGER NOT NULL DEFAULT 0
total_amount	REAL	"total_amount" REAL NOT NULL DEFAULT 0
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
updated_at	TEXT	"updated_at" TEXT DEFAULT CURRENT_TIMESTAMP
meal_trimesters		CREATE TABLE meal_trimesters (id INTEGER PRIMARY KEY AUTOINCREMENT, trimester_number INTEGER NOT NULL, year INTEGER NOT NULL, start_date TEXT NOT NULL, end_date TEXT NOT NULL, total_meals INTEGER NOT NULL DEFAULT 0, total_amount REAL NOT NULL DEFAULT 0, half_amount REAL NOT NULL DEFAULT 0, status TEXT DEFAULT 'pending', deduction_id INTEGER DEFAULT NULL, created_at TEXT DEFAULT CURRENT_TIMESTAMP, updated_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
trimester_number	INTEGER	"trimester_number" INTEGER NOT NULL
year	INTEGER	"year" INTEGER NOT NULL
start_date	TEXT	"start_date" TEXT NOT NULL
end_date	TEXT	"end_date" TEXT NOT NULL
total_meals	INTEGER	"total_meals" INTEGER NOT NULL DEFAULT 0
total_amount	REAL	"total_amount" REAL NOT NULL DEFAULT 0
half_amount	REAL	"half_amount" REAL NOT NULL DEFAULT 0
status	TEXT	"status" TEXT DEFAULT 'pending'
deduction_id	INTEGER	"deduction_id" INTEGER DEFAULT NULL
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
updated_at	TEXT	"updated_at" TEXT DEFAULT CURRENT_TIMESTAMP
meeting_minutes		CREATE TABLE meeting_minutes (id INTEGER PRIMARY KEY, month INTEGER, year INTEGER, meeting_date TEXT, content TEXT, HTML) total_grants_amount REAL, total_deductions_amount REAL, notes TEXT, created_by TEXT, created_at TEXT, updated_at TEXT)
id	INTEGER	"id" INTEGER
month	INTEGER	"month" INTEGER
year	INTEGER	"year" INTEGER
meeting_date	TEXT	"meeting_date" TEXT
content	TEXT	"content" TEXT
total_grants_amount	REAL	"total_grants_amount" REAL
total_deductions_amount	REAL	"total_deductions_amount" REAL

Name	Type	Schema
notes	TEXT	"notes" TEXT
created_by	TEXT	"created_by" TEXT
created_at	TEXT	"created_at" TEXT
updated_at	TEXT	"updated_at" TEXT
minute_grants		CREATE TABLE minute_grants (id INTEGER PRIMARY KEY, minute_id INTEGER, employee_grant_id INTEGER, FOREIGN KEY (minute_id) REFERENCES meeting_minutes(id), FOREIGN KEY (employee_grant_id) REFERENCES employee_grants(id))
id	INTEGER	"id" INTEGER
minute_id	INTEGER	"minute_id" INTEGER
employee_grant_id	INTEGER	"employee_grant_id" INTEGER
notifications		CREATE TABLE notifications (id INTEGER PRIMARY KEY AUTOINCREMENT, user_id INTEGER NOT NULL, message TEXT NOT NULL, type TEXT DEFAULT 'info', is_read INTEGER DEFAULT 0, created_at TEXT DEFAULT CURRENT_TIMESTAMP, link TEXT)
id	INTEGER	"id" INTEGER
user_id	INTEGER	"user_id" INTEGER NOT NULL
message	TEXT	"message" TEXT NOT NULL
type	TEXT	"type" TEXT DEFAULT 'info'
is_read	INTEGER	"is_read" INTEGER DEFAULT 0
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
link	TEXT	"link" TEXT
settings		CREATE TABLE settings (id INTEGER PRIMARY KEY AUTOINCREMENT, setting_key TEXT NOT NULL UNIQUE, setting_value TEXT, created_at TEXT DEFAULT CURRENT_TIMESTAMP, updated_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
setting_key	TEXT	"setting_key" TEXT NOT NULL UNIQUE
setting_value	TEXT	"setting_value" TEXT
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
updated_at	TEXT	"updated_at" TEXT DEFAULT CURRENT_TIMESTAMP
social_budget		CREATE TABLE social_budget (id INTEGER PRIMARY KEY AUTOINCREMENT, year INTEGER NOT NULL, initial_budget REAL NOT NULL, remaining_budget REAL NOT NULL, last_updated TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
year	INTEGER	"year" INTEGER NOT NULL
initial_budget	REAL	"initial_budget" REAL NOT NULL
remaining_budget	REAL	"remaining_budget" REAL NOT NULL
last_updated	TEXT	"last_updated" TEXT DEFAULT CURRENT_TIMESTAMP
source_payments		CREATE TABLE "source_payments" ("id" INTEGER, "source_id" INTEGER NOT NULL, "cheque_number" TEXT NOT NULL, "cheque_date" TEXT NOT NULL, "amount" REAL NOT NULL, "notes" TEXT, "created_at" TEXT DEFAULT CURRENT_TIMESTAMP, "quarter" INTEGER DEFAULT null, PRIMARY KEY("id" AUTOINCREMENT))
id	INTEGER	"id" INTEGER
source_id	INTEGER	"source_id" INTEGER NOT NULL
cheque_number	TEXT	"cheque_number" TEXT NOT NULL
cheque_date	TEXT	"cheque_date" TEXT NOT NULL
amount	REAL	"amount" REAL NOT NULL
notes	TEXT	"notes" TEXT
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
quarter	INTEGER	"quarter" INTEGER DEFAULT null
sources		CREATE TABLE sources (id INTEGER PRIMARY KEY AUTOINCREMENT, name TEXT NOT NULL UNIQUE, created_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER

Name	Type	Schema
name	TEXT	"name" TEXT NOT NULL UNIQUE
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
users		CREATE TABLE users (id INTEGER PRIMARY KEY AUTOINCREMENT, username TEXT UNIQUE NOT NULL, password TEXT NOT NULL, role TEXT DEFAULT 'user', created_at TEXT DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
username	TEXT	"username" TEXT NOT NULL UNIQUE
password	TEXT	"password" TEXT NOT NULL
role	TEXT	"role" TEXT DEFAULT 'user'
created_at	TEXT	"created_at" TEXT DEFAULT CURRENT_TIMESTAMP

Indices (0)

Name	Type	Schema
------	------	--------

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------