ggplot

https://mnielsen.shinyapps.io/ggplot-slides

CMS Public Data

The data used in these slides is public data located on the CMS page here. I've arranged the data into a more usable format for this presentation which can be downloaded by clicking the button below.

| age | chronicCondition | state | prevalence | gender | year |
|-----|------------------------------|------------|------------|--------|------|
| All | Alzheimer's Disease/Dementia | National | 8.09 | Male | 2007 |
| All | Alzheimer's Disease/Dementia | Alabama | 7.85 | Male | 2007 |
| All | Alzheimer's Disease/Dementia | Alaska | 5.86 | Male | 2007 |
| All | Alzheimer's Disease/Dementia | Arizona | 5.89 | Male | 2007 |
| All | Alzheimer's Disease/Dementia | Arkansas | 8.32 | Male | 2007 |
| All | Alzheimer's Disease/Dementia | California | 7.67 | Male | 2007 |

To read the data into R run the following code:

```
setwd("C:\\path\\to\\folder")
# setwd("C:/path/to/folder")
ccdat <- read.csv("chronic-conditions.csv")</pre>
```

ggplot2 Basics

```
# If you haven't already install the package and load the library.
install.packages("ggplot2"); library(ggplot2)
```

ggplot()

```
# Add layers to ggplot() with '+'
ggplot([insert data here], aes(x=[x-var], y=[y-var], color=[color-var], [...])) + geom_[graph type]
```


Layers can include combinations of "geoms", "stats", "scales", "faceting", "themes", etc.


qplot()


```
# Build a plot using the qplot() function
qplot(x=[x-var], y=[y-var], color=[color-var], [...], data=[insert data here], geom = "[graph type]")
```


[&]quot;Some introductions to ggplot2 make use of a function called qplot(), which is intended as a convenient interface for making graphs. It does require a little less typing than using ggplot() plus a geom, but I've found it a bit confusing to use because it has a slightly different way of specifying certain graphing parameters. I think it's simpler and easier to just use ggplot()." -Winston Chang (R Graphics Cookbook, 2012)


Geoms (One Variable)















Geoms (Two Variables)


ggplot(alldat,aes(x=year,y=prevalence)) + geom_point()














Geoms (Two Variables) cont.








Faceting

ggplot(alldat,aes(x=year,y=prevalence,color=chronicCondition)) + geom_point() + geom_line()









Citation

- ullet ggplot2 Cheat Sheet
- CMS Medicare Chronic Conditions data from cms.gov
 R Graphics Cookbook by Winston Chang

Questions?