

Complexity Conservation in Language Evolution: Preliminary Quantitative Evidence from Latin to Spanish

Abstract

Objective: This study tests the complexity conservation hypothesis in language evolution through computational analysis of Latin to Spanish grammatical change, examining whether complexity redistributes rather than diminishes during historical language development.

Methods: We analyzed 16 historical texts spanning Classical Latin (7 texts), Medieval Latin (5 texts), and Early Spanish (4 texts) using the Stanza NLP library. Key metrics included article development, analytical construction emergence, and dependency complexity evolution. Statistical analysis employed non-parametric tests appropriate for historical linguistic data, with exact tests where appropriate.

Results: Statistical analysis provides preliminary evidence consistent with complexity conservation: (1) Article development showed a dramatic transition (Kruskal-Wallis $H = 14.619$, $p = 0.0007$), with Spanish developing a robust article system (mean = 107.018 per 1000 words, 95% CI: [85.774, 122.359]) from complete absence in both Classical Latin (mean = 0.000, 95% CI: [0.000, 0.000]) and Medieval Latin (mean = 0.000, 95% CI: [0.000, 0.000]); (2) Analytical construction analysis confirmed a complete structural shift from synthetic Latin forms (6,182 instances) to analytical Spanish constructions (22 instances; Fisher's exact 2×2 Classical vs. Spanish, $p = 0.0001$); (3) Dependency complexity showed no significant differences across periods ($p = 0.1140$).

Conclusions: Two of three complexity measures showed significant changes consistent with conservation, while dependency complexity showed no significant pattern. These preliminary findings contribute exploratory evidence supporting complexity conservation in Latin-to-Spanish evolution, with Spanish article development potentially compensating for lost Latin case distinctions. The results are consistent with theoretical frameworks proposing complexity redistribution rather than reduction during language change.

Keywords: historical linguistics, complexity conservation, computational linguistics, com-

1. Introduction

The nature of complexity change in language evolution remains one of the central theoretical questions in historical linguistics. Traditional approaches have often assumed that languages simplify over time, particularly in morphological complexity, as evidenced by the loss of case systems in Romance languages or the reduction of inflectional paradigms in English (Trudgill, 2011; Kusters, 2003). However, this “simplification hypothesis” has faced increasing theoretical challenges, with scholars proposing that grammatical complexity may redistribute rather than diminish during language change (Dahl, 2004; Miestamo et al., 2008).

The complexity conservation hypothesis suggests that languages maintain a relatively constant “complexity budget” across different grammatical subsystems. When complexity is lost in one area (e.g., morphological case marking), it is compensated by increased complexity elsewhere (e.g., prepositional systems, word order constraints, or analytical constructions). This theoretical framework has profound implications for our understanding of language evolution, cognitive processing, and typological variation, yet empirical testing has been limited by the challenge of quantifying grammatical complexity across historical periods.

Recent advances in computational linguistics and natural language processing provide new opportunities to test complexity conservation hypotheses through large-scale quantitative analysis of historical texts. The Stanza NLP library (Qi et al., 2020) offers robust morphological and syntactic analysis for historical languages, enabling systematic tracking of complexity metrics across time periods. Moreover, the well-documented evolution from Latin to Spanish provides an ideal test case, with substantial corpora available across the critical transitional periods.

This study addresses three key research questions: (1) Does Spanish article development compensate for Latin case marking loss? (2) Do analytical constructions in Spanish replace synthetic Latin forms in a systematic pattern? (3) Do dependency complexity patterns show

compensatory mechanisms during language transition?

2. Theoretical Framework

2.1 Complexity Conservation Theory

The complexity conservation hypothesis, rooted in functionalist and usage-based approaches to language change, proposes that cognitive and communicative pressures maintain relatively stable overall complexity levels across linguistic systems (Dahl, 2004; Hawkins, 2009). This framework predicts that reductions in one grammatical subsystem will correlate with increases in another, maintaining the language’s capacity for precise semantic and pragmatic expression.

Key mechanisms include: (1) **Compensatory development**: New grammatical elements emerge to replace lost functions (e.g., articles replacing case markings); (2) **Redistribution**: Complexity shifts between subsystems (e.g., from morphology to syntax); (3) **Functional preservation**: Core communicative functions are maintained through alternative structural means.

2.2 Latin to Spanish Evolution

The evolution from Latin to Spanish provides exceptional evidence for complexity conservation mechanisms. Classical Latin employed a six-case system (nominative, accusative, genitive, dative, ablative, vocative) with extensive synthetic verbal morphology. Spanish developed a definite article system, prepositional case marking, and analytical constructions (auxiliary + participle) to maintain functional equivalence (Adams, 2007; Penny, 2002).

Previous descriptive studies have identified these transitions qualitatively, but quantitative analysis of complexity redistribution has been lacking. Our computational approach enables systematic measurement of these phenomena across historical periods.

3. Methods

3.1 Corpus Design

We analyzed 16 historical texts representing three critical periods:

Classical Latin (7 texts, ~1st century BCE - 1st century CE): - Caesar: *Commentarii de Bello Gallico* (Books 1-2) - Cicero: *Epistulae ad Familiares* (Books 1-2) - Livy: *Ab Urbe Condita* (Book 1) - Sallust: *Bellum Catilinae* (Book 1), *Bellum Iugurthinum* (Book 1)

Medieval Latin (5 texts, ~6th-8th centuries CE): - Gregory of Tours: *Decem Libri Historiarum* (Book 1) - Bede: *Historia Ecclesiastica Gentis Anglorum* (Book 1) - Isidore of Seville: *Etymologiae* (Books 1-2, selected sections) - *Peregrinatio Egeriae* (complete text) - Anonymous chronicles (selected)

Early Spanish (4 texts, ~12th-13th centuries): - *Auto de los Reyes Magos* (~1150) - *Cantar de mio Cid* (~1200) - Gonzalo de Berceo: *Milagros de Nuestra Señora* (~1260) - *Fuero de Peñafiel* (1264)

Text selection prioritized: (1) chronological representation across transitional periods; (2) textual authenticity and scholarly consensus on dating; (3) sufficient length for statistical analysis; (4) genre diversity within constraints of available medieval sources.

3.2 Computational Analysis

NLP Processing: We employed the Stanza NLP library (version 1.5.x) with pre-trained models for Latin ('la') and Spanish ('es'). Latin texts were processed using the Latin Internet Tree Bank (ITTB) model; Spanish texts used the AnCora treebank model.

Complexity Metrics:

1. **Article Development:** Quantified definite and indefinite article usage, normalized per 1000 words. Language-specific processing distinguished actual Spanish articles ('el', 'la', 'los', 'las', 'un', 'una') from Latin determiners ('hic', 'ille', 'omnis'), which were excluded from article counts as Latin lacks an article system. Categories included definiteness marking and case-marking function.

2. **Analytical Construction Analysis:** Tracked synthetic vs. analytical forms across verb categories:

- Future tense: Latin *amabit* vs. Spanish *va a amar*
- Perfect aspect: Latin *amavit* vs. Spanish *ha amado*
- Passive voice: Latin *amatur* vs. Spanish *es amado*
- Conditional mood: Latin *amaret* vs. Spanish *amaría*

3. **Dependency Complexity:** Measured syntactic complexity through:

- Average dependency depth per sentence
- Maximum dependency depth per text
- Argument structure complexity (core vs. non-core dependencies)

3.3 Statistical Analysis

Given the historical nature of the data and necessarily small sample sizes typical in historical linguistics, we employed non-parametric statistical methods:

- **Kruskal-Wallis H tests** for overall period comparisons
- **Mann-Whitney U tests** for pairwise comparisons
- **Fisher’s exact tests (2×2)** for categorical data (synthetic vs. analytical constructions), specifically Classical vs. Early Spanish. A 3×2 chi-square is not appropriate due to a structural zero for Medieval Latin (model underdetection); Medieval counts are reported descriptively with caveats.
- **Bootstrap confidence intervals** (n=1000) for robust uncertainty estimation
- **Cohen’s d effect sizes** for magnitude assessment

Statistical significance was set at $\alpha = 0.05$. Multiple comparisons were controlled with Bonferroni correction ($\alpha = 0.017$); key findings remain significant after correction. Effect sizes were not calculated for comparisons where one group showed zero variance, as this yields undefined or infinite values. All analyses were conducted in Python using SciPy (version 1.9+).

4. Results

4.1 Article Development Analysis

Article development analysis revealed a dramatic structural transition across periods (Kruskal-Wallis $H = 14.619$, $p = 0.0007$), consistent with Spanish developing an article system to replace Latin case distinctions.

Period Comparisons (rates per 1000 words): - Classical Latin: mean = 0.000, SD = 0.000, 95% CI: [0.000, 0.000], $n = 7$ - Medieval Latin: mean = 0.000, SD = 0.000, 95% CI: [0.000, 0.000], $n = 5$

- Early Spanish: mean = 107.018, SD = 22.970, 95% CI: [85.774, 122.359], $n = 4$

Individual Spanish Text Rates: - Auto de los Reyes Magos: 73.778 per 1000 words - Cantar de mio Cid: 109.578 per 1000 words

- Berceo Milagros: 121.764 per 1000 words - Fuero de Peñafiel: 122.954 per 1000 words

The increasing article rates from earlier to later Spanish texts (73.8 to 123.0 per 1000 words) may reflect the ongoing grammaticalization of the article system.

Pairwise Analyses: - Classical vs. Medieval Latin: Mann-Whitney $U = 17.500$, $p = 1.0000$ (no difference - both lack articles) - Medieval Latin vs. Spanish: Mann-Whitney $U = 0.000$, $p = 0.0108$ (maximal difference between groups) - Classical Latin vs. Spanish: Mann-Whitney $U = 0.000$, $p = 0.0031$ (maximal difference between groups)

The pattern shows complete absence of articles in both Latin periods, followed by systematic article development in Spanish. This represents a categorical structural change rather than gradual evolution, with Spanish developing approximately 107 articles per 1000 words to encode distinctions previously marked by Latin case morphology.

4.2 Analytical Construction Shift

Analysis revealed a complete structural transition from synthetic to analytical constructions demonstrating systematic functional replacement across the Latin-to-Spanish transition. The primary inferential test is Fisher's exact (2×2) comparing Classical vs. Early

Spanish ($p = 0.0001$). A 3×2 chi-square across Classical/Medieval/Spanish is not applicable due to a zero Medieval row; Medieval values are reported descriptively and interpreted with caution given model limitations.

Construction Inventories: - Classical Latin: 6,182 synthetic constructions, 0 analytical constructions - Medieval Latin: 0 constructions detected (transitional period - see limitations below) - Early Spanish: 0 synthetic constructions, 22 analytical constructions

Critical Methodological Limitation: The absence of detected analytical constructions in Medieval Latin represents a significant methodological limitation, as historical evidence documents proto-analytical forms in these texts that the Classical-trained NLP model cannot detect. This creates an artificial discontinuity in the historical progression and should be addressed in future work with specialized Medieval Latin NLP models.

Specific Spanish Analytical Patterns: - Perfect aspect: *he/has/ha + past participle* (14 instances) - Passive voice: *es/son + past participle* (8 instances) - Future constructions: Analytical forms not detected in Early Spanish texts (later development)

The complete absence of analytical constructions in Classical Latin and their systematic presence in Spanish provides compelling evidence for functional replacement rather than simple addition of complexity.

4.3 Dependency Complexity Evolution

Dependency complexity analysis revealed compensatory patterns during transitional periods, though overall differences did not reach statistical significance (Kruskal-Wallis $H = 4.343$, $p = 0.1140$).

Period Statistics: - Classical Latin: mean = 3.973 depth, SD = 0.283, 95% CI: [3.756, 4.174], $n = 7$ - Medieval Latin: mean = 8.734 depth, SD = 5.266, 95% CI: [4.803, 13.619], $n = 5$ - Early Spanish: mean = 4.516 depth, SD = 1.070, 95% CI: [3.339, 5.591], $n = 4$

Pairwise Comparisons: - Classical vs. Medieval: Mann-Whitney $U = 7.000$, $p = 0.1061$, Cohen's $d = -1.276$ - Medieval vs. Spanish: Mann-Whitney $U = 16.000$, $p = 0.1905$, Cohen's $d = 0.932$ - Classical vs. Spanish: Mann-Whitney $U = 7.000$, $p = 0.2303$, Cohen's $d = -0.719$

While not statistically significant ($p = 0.1140$), exploratory examination shows a potential complexity increase during the Medieval period that requires future confirmation with larger samples and specialized NLP models. Any interpretation of these patterns must remain tentative given the non-significant results.

4.4 Individual Text Analysis

Classical Latin Complexity Range: 3.59-4.46 dependency depth - Most complex: Cicero *Epistulae* Book 1 (4.46) - Least complex: Livy *Ab Urbe Condita* Book 1 (3.59)

Medieval Latin Complexity Variation: 3.42-18.38 dependency depth - Extreme outlier: Gregory of Tours *Historiarum* (18.38, max depth 98) - Most stable: Isidore *Etymologiae* (3.42)

Early Spanish Stabilization: 2.89-5.89 dependency depth - Range compression suggests systematic grammaticalization

5. Discussion

5.1 Evidence for Complexity Conservation

Our findings contribute quantitative evidence supporting complexity conservation during Latin-to-Spanish evolution. The data show patterns consistent with this hypothesis:

Article Compensation: The dramatic article development pattern ($p = 0.0007$) correlates with case system loss. Spanish developed a systematic article system (mean 107 per 1000 words) from complete absence in Latin, potentially maintaining semantic distinctions previously encoded by case morphology through syntactic means.

Analytical Substitution: The complete transition from synthetic to analytical constructions ($p = 0.0001$) demonstrates systematic functional replacement. Spanish auxiliary constructions preserve aspectual and voice distinctions previously encoded through Latin morphological complexity.

Dependency Complexity: While not statistically significant ($p = 0.1140$), exploratory

examination revealed large effect sizes that warrant future investigation with larger samples. However, no conclusions can be drawn from these non-significant patterns.

5.2 Theoretical Implications

These results are consistent with complexity conservation frameworks rather than simplification models:

Functional Maintenance: Spanish appears to develop alternative encoding strategies that maintain communicative distinctions previously marked by Latin morphological systems, though through different structural means.

Redistribution Patterns: The data suggest complexity shifts between grammatical subsystems (morphology to syntax, case marking to article systems) rather than overall reduction.

Processing Considerations: The stabilization of complexity levels in Spanish may reflect processing constraints on complexity distribution, though this requires further investigation across additional language families.

5.3 Methodological Contributions

This study demonstrates computational methods for testing complexity conservation hypotheses:

Quantitative Historical Linguistics: NLP tools enable systematic analysis of historical complexity patterns previously limited to impressionistic description.

Appropriate Statistical Methods: Non-parametric approaches accommodate the small sample sizes inherent in historical linguistic research while maintaining analytical rigor.

Cross-Period Comparisons: Standardized metrics allow direct comparison across historically distant language states.

5.4 Limitations and Future Directions

NLP Model Limitations: Stanza’s Latin model, trained primarily on Classical texts, shows systematic underperformance with Medieval Latin varieties, potentially missing tran-

sitional analytical constructions¹. This creates artificial discontinuities in the historical progression and requires specialized models for Medieval Latin texts.

Language-Specific Processing Requirements: Accurate cross-linguistic analysis requires careful distinction between true articles and language-specific determiners. Latin determiners ('hic', 'ille', 'omnis') must be excluded from article counts to avoid false positives, highlighting the need for language-aware computational processing.

Sample Size Constraints: Historical text availability necessarily limits sample sizes (n=4-7 per period), affecting statistical power and generalizability. The small samples may not capture full dialectal or stylistic variation within periods.

Statistical Considerations: Multiple comparisons were controlled with Bonferroni correction ($\alpha = 0.017$); key findings remain significant after correction. Small sample sizes limit power; replication with larger corpora is needed.

Genre and Register Effects: Text types vary across periods (literary, legal, chronicle), potentially confounding complexity measures with stylistic differences. Systematic genre controls would strengthen comparisons.

6. Conclusions

Given the extremely small sample sizes (n=4 for Spanish), these findings should be considered preliminary evidence requiring replication with larger corpora. This study contributes initial quantitative evidence supporting complexity conservation during Latin-to-Spanish evolution. Two of three complexity measures showed significant changes consistent with conservation: dramatic article development ($p = 0.0007$) and systematic analytical construction emergence ($p = 0.0001$) suggest compensatory mechanisms that may maintain communicative distinctions through structural reorganization rather than overall complexity reduction.

These findings from Latin-Spanish evolution provide one data point supporting complexity conservation; replication across multiple language families is essential for theoretical validation. The methodology demonstrates computational approaches to testing theoretical hypotheses in historical linguistics, supporting functionalist approaches that emphasize cog-

nitive and communicative pressures in language change.

Future research should extend this approach to additional language families, incorporate multidimensional complexity measures, and develop specialized NLP tools for historical varieties. The complexity conservation framework provides a productive foundation for understanding language change as redistribution rather than simplification, with implications for cognitive science, language acquisition, and linguistic typology.

Appendix A. Sanity Checks and Validation

A.1 Article Counts: Regex vs. UD-Based Detection

Objective: Cross-validate Spanish article rates using a simple regex approach against UD-based DET-tag detection used in the main analysis.

Procedure: - Regex tokens counted as articles: ‘el’, ‘la’, ‘los’, ‘las’, ‘un’, ‘una’, ‘unos’, ‘unas’, and contractions ‘al’, ‘del’ (excluding ‘lo’ to avoid pronoun inflation). - Normalization: counts per 1000 whitespace-tokenized words. - UD-based counts: Stanza DET-tag analysis with language-specific filtering (Spanish only).

Table A.1. Spanish article rates: regex vs. UD-based (per 1000 words)

Text	Regex	UD-based
Auto de los Reyes Magos	59.58	73.778
Cantar de mio Cid	86.47	109.578
Berceo, Milagros	107.50	121.764
Fuero de Peñafiel	102.28	122.954

Interpretation: Absolute values differ due to tokenization and historical orthography, but the qualitative pattern (Spanish » Latin=0) is stable. UD-based results are reported in the paper; regex results serve as a sanity check confirming directionality.

Reproducibility: - UD-based counts are produced by `display/latin-spanish-complexity/code/02_nlp_` and summarized in `display/latin-spanish-complexity/data/processed/stanza_output.json`

and `display/latin-spanish-complexity/results/tables/statistical_summary.csv`.

A.2 Analytical Constructions: Regex Cross-Checks

Objective: Approximate the presence of analytic perfect and passive constructions in Early Spanish using regex, and compare with UD-based counts.

Regex patterns (illustrative): - Perfect: `(he|has|ha|hemos|han)` + past participle `(-ado|-ido)`
- Passive: `(es|son|fue|fueron)` + past participle `(-ado|-ido)`

Results (Early Spanish total): regex ~12 perfect, ~11 passive (~23 combined); UD-based totals: 14 perfect, 8 passive (22 combined).

A.3 Dependency Complexity: Outlier and Distribution Notes

Medieval Latin shows high variance with a documented outlier (Gregory of Tours; mean depth 18.38; max depth 98), while Classical and Early Spanish cluster around ~4–5. Kruskal–Wallis remains non-significant ($p = 0.1140$), so interpretations are cautious.

A.4 Medieval Latin Model Limitations

The Stanza Latin model (ITTB-trained) underdetects transitional analytical forms in Medieval Latin, producing structural zeros. Inference is therefore restricted to Classical vs. Spanish for the categorical test.

A.5 Reproducibility Metadata

- NLP: Stanza 1.5.x; Latin ‘la’ (ITTB), Spanish ‘es’ (AnCora).
- Stats: SciPy 1.9+; Kruskal–Wallis, Mann–Whitney; Fisher’s exact (2×2) for analytical shift.
- Code: `display/latin-spanish-complexity/code/02_nlp_analysis.py`, `display/latin-spanish-complexity/code/03_ud_analysis.py`
- Data: `display/latin-spanish-complexity/data/processed/stanza_output.json`, `display/latin-spanish-complexity/results/tables/statistical_summary.csv`, figures in `display/latin-spanish-complexity/results/figures`.

Acknowledgments

We thank the developers of the Stanza NLP library and the Perseus Digital Library for providing essential computational and textual resources. We acknowledge the limitations of automated analysis of historical texts and the ongoing need for philological expertise in computational historical linguistics.

References

- Adams, J. N. (2007). *The Regional Diversification of Latin 200 BC - AD 600*. Cambridge University Press.
- Dahl, Ö. (2004). *The Growth and Maintenance of Linguistic Complexity*. John Benjamins.
- Hawkins, J. A. (2009). An efficiency theory of complexity and related phenomena. In G. Sampson, D. Gil, & P. Trudgill (Eds.), *Language Complexity as an Evolving Variable* (pp. 252-268). Oxford University Press.
- Kusters, W. (2003). *Linguistic Complexity: The Influence of Social Change on Verbal Inflection*. LOT.
- Miestamo, M., Sinnemäki, K., & Karlsson, F. (Eds.). (2008). *Language Complexity: Typology, Contact, Change*. John Benjamins.
- Penny, R. (2002). *A History of the Spanish Language* (2nd ed.). Cambridge University Press.
- Qi, P., Zhang, Y., Zhang, Y., Bolton, J., & Manning, C. D. (2020). Stanza: A Python natural language processing toolkit for many human languages. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics: System Demonstrations* (pp. 101-108).
- Trudgill, P. (2011). *Sociolinguistic Typology: Social Determinants of Linguistic Complexity*. Oxford University Press.

Corresponding author: Zach Nielsen (zachnielsen@hey.com)

Data availability: Code and analysis — <https://github.com/nielsenz/Complexity-Conservation-in-Language-Evolution>; Display bundle — <https://github.com/nielsenz/Complexity-Conservation-in-Language-Evolution-Display>
