



The Rise of Software Supply-Chain Attacks

How Secure is your .NET App?

Niels Tanis



DDD 2020! Welcome



Be aware of others



Be friendly and patient



Be welcoming and respectful



Be open to all questions and viewpoints



Be understanding of differences



Be kind and considerate to others



For our full Code of Conduct or to report an issue, go to:
<https://bit.ly/DDDCofC>

Donate!

Developer!
DeveloperDeveloper
UK Community Events

<https://www.justgiving.com/fundraising/developerday2020>



Sponsors!

Developer!
DeveloperDeveloper!
UK Community Events



black
marble



Microsoft

sage

greymatter®

NDC { London }

Landmark
•●• INFORMATION

io

UNIVERSITY
OF HULL

Make it Social! Tweet!

Developer!
DeveloperDeveloper
UK Community Events

#DDD2020 @developerday



Enjoy your day!



0101
0101

Who am I?


- Niels Tanis
 - Security Researcher @ Veracode
 - Background in .NET Development
 - Application Security Consultancy
 - Pen-testing & Ethical Hacking
 - ISC² CSSLP



0101
0101


The Rise of Software Supply-Chain Attacks

How Secure is your .NET Application?



Picture is from Veracode report/site:

<https://www.veracode.com/sites/default/files/pdf/resources/whitepapers/everything-you-need-to-know-about-open-source-risk/index.html>



Agenda

- Hacker History
- Definition Software Supply-Chain
 - Development of .NET application
 - Building / Releasing / Deploying
- Securing our Software Supply-Chain
- Conclusion and Q&A


Hacking History

0101
0101

- Started out with phreaking in late '50-'60



The Tech



Vol. 83, No. 24 Cambridge, Mass., Wednesday, Nov. 20, 1963 5c


Services curtailed

Telephone hackers active

By Henry Lichstein

Many telephone services have been curtailed because of so-called hackers, according to Professor Carlton Tucker, administrator of the Institute phone system.

https://www.wikiwand.com/en/Blue_box
https://en.wikipedia.org/wiki/Kevin_Mitnick
<https://www.youtube.com/watch?v=8s4b2ZKyPHc>
<https://twitter.com/todayininfosec/status/1329977518645010432>



Getting connected!

- SATAN (Security Administrator Tool for Analyzing Networks) by Wietse Venema and Dan Farmer in 1995.
- NMAP (Network Mapper) by Gordon Lyon in 1997

```
Starting Nmap 7.60 ( https://nmap.org ) at 2018-01-14 11:05 CET
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.16s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 996 closed ports
PORT      STATE    SERVICE
22/tcp    open     ssh
25/tcp    filtered smtp
80/tcp    open     http
9929/tcp  open     nping-echo
```

https://en.wikipedia.org/wiki/Security_Administrator_Tool_for_Analyzing_Networks
<https://nmap.org>




Smashing the Stack...

- Phrack #49 in November 1996 Aleph One wrote about **buffer overflows**
- Based on tutorial by Mudge of L0pht

.oo Phrack 49 Oo.
Volume Seven, Issue Forty-Nine
File 14 of 16
BugTraq, r00t, and Underground.Org
bring you
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Smashing The Stack For Fun And Profit
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
by Aleph One
aleph1@underground.org
'smash the stack' [C programming] n. On many C implementations it is possible to corrupt the execution stack by writing past the end of an array declared auto in a routine. Code that does this is said to smash the stack, and can cause return from the routine to jump to a random address. This can produce some of the most insidious data-dependent bugs known to mankind. Variants include trash the stack, scribble the stack, mangle the stack; the term mung the stack is not used, as this is never done intentionally. See spam; see also alias bug, fandango on core, memory leak, precedence lossage, overrun screw.

<http://phrack.org/issues/49/14.html#article>

https://insecure.org/stf/mudge_buffer_overflow_tutorial.html



SQL Injection

- Phrack #54 in December 1998
Rain Forest Puppy wrote about SQL injection

----[ODBC and MS SQL server 6.5

Ok, topic change again. Since we've hit on web service and database stuff, let's roll with it. Onto ODBC and MS SQL server 6.5.

I worked with a fellow W3'er on this problem. He did the good thing and told Microsoft, and their answer was, well, hilarious. According to them, what you're about to read is not a problem, so don't worry about doing anything to stop it.

- WHAT'S THE PROBLEM? MS SQL server allows batch commands.

- WHAT'S THAT MEAN? I can do something like:


```
SELECT * FROM table WHERE x=1 SELECT * FROM table WHERE y=5
```

Exactly like that, and it'll work. It will return two record sets, with each set containing the results of the individual SELECT.

- WHAT'S THAT REALLY MEAN? People can possibly piggyback SQL commands into your statements. Let's say you have:

```
SELECT * FROM table WHERE x=%criteria from webpage user%
```

<http://www.phrack.org/issues/54/8.html>



Code Red & SQL Slammer

- Microsoft Internet Information Server, July 2001

```
GET /default.ida?NNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
%u9090%u6858%ucbd3%u7801%u9090%u6858%ucbd3%u7801  
%u9090%u6858%ucbd3%u7801%u9090%u9090%u8190%u00c3  
%u0003%u8b00%u531b%u53ff%u0078%u0000%u00=a HTTP/1.0
```

[https://en.wikipedia.org/wiki/Code_Red_\(computer_worm\)](https://en.wikipedia.org/wiki/Code_Red_(computer_worm))

https://en.wikipedia.org/wiki/SQL_Slammer

0101
0101

Bill Gates - Email to all MS FTE

BILL GATES BUSINESS 01.17.02 12:08 PM

Bill Gates: Trustworthy Computing

*This is the e-mail Bill Gates sent to every full-time employee at Microsoft, in which he describes the company's new strategy emphasizing security in its products.*From: Bill Gates
Sent: Tuesday, January 15, 2002 5:22 PM
To: Microsoft and Subsidiaries: All FTE
Subject: Trustworthy computing


Every few years I have sent out a memo talking about the highest priority for Microsoft. Two years ago, it was the kickoff of our .NET strategy. Before that, it was several memos about the importance of the Internet to our future and the ways we could make the Internet truly useful for people. Over the last year it has become clear that

<https://www.wired.com/2002/01/bill-gates-trustworthy-computing/>

0101
0101

Changes in Software Architecture

- Monolith
- Microservices
- Serverless




0101
0101

What is a Supply Chain?




Software Supply Chain

0101
0101



Software Supply Chain

0101
0101



0101
0101


Development Machine

- Secure Boot & Trusted Platform Module (TPM)
- Encrypt disk, harden operating system install updates
- But can you trust the hardware?




Hacking Hardware

0101
0101



<https://www.youtube.com/watch?v=RqQhWitJ1As>



Development Machine

- Installs on machine - HomeBrew on Mac


README.md

Homebrew (un)installer

Install Homebrew

```
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/master/install.sh)"
```

More installation information and options at <https://docs.brew.sh/installation.html>.



Development Machine

- Installs on machine - Chocolatey on Windows

Chocolatey Install:

[Individual](#) [Organization](#)

1. First, ensure that you are using an [administrative shell](#) - you can also install as a non-admin, check out [Non-Administrative Installation](#).

2. Install with powershell.exe

NOTE: Please inspect <https://chocolatey.org/install.ps1> prior to running any of these scripts to ensure safety. We already know it's safe, but you should verify the security and contents of **any** script from the internet you are not familiar with. All of these scripts download a remote PowerShell script and execute it on your machine. We take security very seriously. [Learn more about our security protocols.](#)

Octopus Scanner - NetBeans



May 28, 2020


The Octopus Scanner Malware: Attacking the open source supply chain



Alvaro Muñoz


Securing the open source supply chain is an enormous task. It goes far beyond a security assessment or just patching for the latest CVEs. Supply chain security is about the integrity of the entire software development and delivery ecosystem. From the code commits themselves, to how they flow through the CI/CD pipeline, to the actual delivery of releases, there's the potential for loss of integrity and security concerns, throughout the entire lifecycle.


<https://securitylab.github.com/research/octopus-scanner-malware-open-source-supply-chain>



Visual Studio Code


0101
0101






Visual Studio Code


0101
0101



0101
0101

Software Supply Chain





Development Machine


- Package manager e.g. NuGet / NPM
- Transport-Layer Security (TLS)
 - Root Authority Trust
 - Downgrade, TLS 1.0 - 1.1 deprecated on NuGet
- Domain Name Service (DNS)
 - DNSSEC → NuGet.org and GitHub.com don't support it



https://www.ssllabs.com/downloads/SSL_Threat_Model.png

<https://devblogs.microsoft.com/nuget/deprecating-tls-1-0-and-1-1-on-nuget-org/>

<https://dnssec-analyzer.verisignlabs.com/nuget.org>



<https://www.zdnet.com/article/canonical-github-account-hacked-ubuntu-source-code-safe/>

The screenshot shows a news article from threatpost.com. The title of the article is "Report: Microsoft's GitHub Account Gets Hacked". Below the title is a small image of a computer monitor displaying a GitHub interface. To the right of the article are three other news items under the heading "INFOSEC INSIDER".

Report: Microsoft's GitHub Account Gets Hacked

INFOSEC INSIDER

Helping Remote Workers Overcome Remote Attacks  June 10, 2020


Understanding the Payload-Less Email Attacks Evasion Your Security Team  June 4, 2020

Long Tail Analysis: A New Hope in the Cybercrime Battle 


<https://threatpost.com/report-microsofts-github-account-gets-hacked/155587/>

0101
0101

Use MFA on source-repository



<https://help.github.com/en/github/authenticating-to-github/configuring-two-factor-authentication>



<https://www.hanselman.com/blog/HowToSetupSignedGitCommitsWithAYubiKeyNEOA ndGPGAndKeybaseOnWindows.aspx>

EvenStream NPM

0101
0101

- November 2018
- Is transitive dependency of 2000 other libraries



Gary Bernhardt
@garybernhardt

Follow

An NPM package with 2,000,000 weekly downloads had malicious code injected into it. No one knows what the malicious code does yet.




I don't know what to say. · Issue #116 · dominictarr...
EDIT 26/11/2018: Am I affected?: If you are using anything crypto-currency related, then maybe. As discovered by @maths22, the target seems to have b...


github.com

<https://twitter.com/garybernhardt/status/1067111872225136640>

0101
0101

Software Supply Chain





Build / Deployment


- What about hardware? Vendor trust?
- TLS issues?
- Compromised Docker Images
 - Two-Factor authentication in beta
- Build Server can be compromised



<https://docs.docker.com/docker-hub/2fa/>

Twilio SDK

0101
0101



<https://www.twilio.com/blog/incident-report-taskrouter-js-sdk-july-2020>

0101
0101

Webmin Backdoor

The screenshot shows the official Webmin website at <https://www.webmin.com>. The top navigation bar includes links for Home, Downloads, Documentation, Usermin, Virtualmin, Cloudmin, and Community. A sidebar on the left provides download links for various operating systems (RPM, Debian Package, TAR file, Solaris Package, Development Versions, Third-Party Modules) and links to Webmin Links (Introduction To Webmin, Supported Systems). The main content area features a heading "Webmin 1.890 Exploit - What Happened?" followed by a detailed explanation of the exploit. It states that Webmin version 1.890 was released with a backdoor allowing remote command execution as root. Versions 1.900 to 1.920 also contained a similar backdoor. The exploit was discovered in April 2018, involving a modified password_change.cgi script with a timestamp set to the past.

Webmin 1.890 Exploit - What Happened?


Webmin version 1.890 was released with a backdoor that could allow anyone with knowledge of it to execute commands as `root`. Versions 1.900 to 1.920 also contained a backdoor using similar code, but it was not exploitable in a default Webmin install. Only if the admin had enabled the feature at Webmin -> Webmin Configuration -> Authentication to allow changing of expired passwords could it be used by an attacker.

Neither of these were accidental bugs - rather, the Webmin source code had been maliciously modified to add a non-obvious vulnerability. It appears that this happened as follows :

- At some time in April 2018, the Webmin development build server was exploited and a vulnerability added to the `password_change.cgi` script. Because the timestamp on the file was set back, it did not show up in any Git diffs. This was included in

Software Supply Chain

0101
0101



Reproducible/Deterministic Builds

0101
0101



Home

Contribute

Documentation

Tools

Who is involved?

News

Events

Talks

Definitions

When is a build reproducible?

A build is **reproducible** if given the same source code, build environment and build instructions, any party can recreate bit-by-bit identical copies of all specified artifacts.

The relevant attributes of the build environment, the build instructions and the source code as well as the expected reproducible artifacts are defined by the authors or distributors. The artifacts of a build are the parts of the build results that are the desired primary output.

<https://reproducible-builds.org/docs/definition/>



Reproducible/Deterministic Builds

- Roslyn v1.1 started supporting some kind of determinism on how items are emitted
- Given same inputs, the compiled output will always be deterministic
- Inputs can be found in Roslyn compiler docs
‘Deterministic Inputs’

<https://blog.paranoaicoding.com/2016/04/05/deterministic-builds-in-roslyn.html>

<https://github.com/dotnet/roslyn/blob/master/docs/compilers/Deterministic%20Inputs.md>

<https://github.com/clairernovotny/DeterministicBuilds>

0101
0101

Automotive Industry



0101
0101

Car Supply Chain



Tata Steel Factory


- Iron Ore from Sweden
- ISO 6892-1 Tested/Certified
 - Batch #1234

Bosch Factory

- Steel Batch #1234 Tata
- ECE-R90 Tested/Certified
 - Serie #45678
- Used by Ford, Volkswagen and KIA

Ford Manufacturing

- Bosch Disk #45678
- Bosal Exhaust #RE9876
- Goodyear Tires #GY8877
- Focus VIN 1234567890




Software Bill of Materials (SBOM)

- Industry standard of describing the software
 - Producer Identity - Who Created it?
 - Product Identity - What's the product?
 - Integrity - Is the project unaltered?
 - Licensing - How can the project be used?
 - Creation - How was the product created? Process meets requirements?
 - Materials - How was the product created? Materials/Source used?
- CycloneDX - Lightweight SBOM with dependency graph
- NTIA.org - SBOM

0101
0101

In-toto






In-Toto - Demo - Terminology

- **Functionaries** that are identified by public key our supply chain.
Niels (Project-Owner), Aimee (Developer) and Noud (Packager)
- **Project-Owner** defines a (**Supply Chain**) **Layout** that describes **what** happens and by **who** and what the produced **Materials** and **Byproducts** are
- Link metadata is output of executed step in the **Layout**
Materials are input, **Products** are output and can be used as **Materials** in later steps

<https://in-toto.io/>



<https://www.datadoghq.com/blog/engineering/secure-publication-of-datadog-agent-integrations-with-tuf-and-in-toto/>



Grafeas and Kritis by Google

- Grafeas - Component Metadata API
 - Container Analysis API on Google Cloud Platform
- Kritis - Deployment Authorization for Kubernetes Apps
 - Binary Authorization on Google Cloud Platform




<https://grafeas.io/>

<https://github.com/grafeas/kritis/blob/master/docs/binary-authorization.md>

<https://www.infoq.com/presentations/supply-grafeas-kritis/>


<https://www.youtube.com/watch?v=hOzH3mOApjs>

<https://www.youtube.com/watch?v=05zN-YQxEAM>



<https://devblogs.microsoft.com/devops/secure-software-supply-chain-with-azure-pipelines-artifact-policies/>

<https://docs.microsoft.com/en-us/azure/devops/pipelines/process/artifact-policy?view=azure-devops>



Conclusion

- Be aware of your own (and other used) software supply chain(s).
- Know what you're consuming and pulling into software projects.
- Use MFA on all accounts!
- Integrate security into your software lifecycle.
- Learn more on Software Bill of Materials (SBOM).

VERACODE

Thanks! Questions?

<https://github.com/nielstanis/ddd2020>

ntanis at veracode.com

@nielstanis on Twitter

