

The Rise of Software Supply-Chain Attacks

How Secure is your .NET App?

Niels Tanis

VERACODE



DDD 2020! Welcome

Developer
DeveloperDeveloper
UK Community Events



Be aware of others



Be friendly and patient



Be welcoming and respectful



Be open to all questions and viewpoints



Be understanding of differences



Be kind and considerate to others



For our full Code of Conduct or to report an issue, go to:
<https://bit.ly/DDDCofC>

Donate!

Developer!
DeveloperDeveloper!
UK Community Events

<https://www.justgiving.com/fundraising/developerday2020>



Sponsors!

Developer!
DeveloperDeveloper
UK Community Events



black
marble



Microsoft

sage

greymatter®

NDC { London }

Landmark®
INFORMATION

iO


UNIVERSITY
OF HULL

Make it Social! Tweet!

Developer!
DeveloperDeveloper!
UK Community Events

#DDD2020

@developerday



Enjoy your day!



0101
0101

Who am I?


- Niels Tanis
 - Security Researcher @ Veracode
 - Background in .NET Development
 - Application Security Consultancy
 - Pen-testing & Ethical Hacking
 - ISC² CSSLP



0101
0101

The Rise of Software Supply-Chain Attacks

How Secure is your .NET Application?






Agenda

- Hacker History
- Definition Software Supply-Chain
 - Development of .NET application
 - Building / Releasing / Deploying
- Securing our Software Supply-Chain
- Conclusion and Q&A

0101
0101

Hacking History

- Started out with phreaking in late '50-'60



The Tech



Vol. 83, No. 24 Cambridge, Mass., Wednesday, Nov. 20, 1963 5c

Services curtailed

Telephone hackers active

By Henry Lichstein

Many telephone services have been curtailed because of so-called hackers, according to Professor Carlton Tucker, administrator of the Institute phone system.

system to many areas without a prorata charge. Among the tie-lines discovered have been ones to the Millstone Radar Facility, the Sudbury defense installation, IBM in Kingston, New York, and the MITRE Corporation.

Getting connected!

0101
0101

- SATAN (Security Administrator Tool for Analyzing Networks) by Wietse Venema and Dan Farmer in 1995.
- NMAP (Network Mapper) by Gordon Lyon in 1997

```
Starting Nmap 7.60 ( https://nmap.org ) at 2018-01-14 11:05 CET
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.16s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 996 closed ports
PORT      STATE      SERVICE
22/tcp    open       ssh
25/tcp    filtered  smtp
80/tcp    open       http
9929/tcp  open       nping-echo
```

Smashing the Stack...

0101
0101

- Phrack #49 in November 1996 Aleph One wrote about **buffer overflows**
- Based on tutorial by Mudge of L0pth

.oo Phrack 49 Oo.

Volume Seven, Issue Forty-Nine

File 14 of 16

BugTraq, r00t, and Underground.Org
bring you

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Smashing The Stack For Fun And Profit
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

by Aleph One
aleph1@underground.org

`smash the stack` [C programming] n. On many C implementations it is possible to corrupt the execution stack by writing past the end of an array declared auto in a routine. Code that does this is said to smash the stack, and can cause return from the routine to jump to a random address. This can produce some of the most insidious data-dependent bugs known to mankind. Variants include trash the stack, scribble the stack, mangle the stack; the term mung the stack is not used, as this is never done intentionally. See spam; see also alias bug, fandango on core, memory leak, precedence lossage, overrun screw.

SQL Injection

0101
0101

- Phrack #54 in December 1998

Rain Forest Puppy wrote about SQL injection

----[ODBC and MS SQL server 6.5

Ok, topic change again. Since we've hit on web service and database stuff, let's roll with it. Onto ODBC and MS SQL server 6.5.

I worked with a fellow WT'er on this problem. He did the good thing and told Microsoft, and their answer was, well, hilarious. According to them, what you're about to read is not a problem, so don't worry about doing anything to stop it.

- WHAT'S THE PROBLEM? MS SQL server allows batch commands.

- WHAT'S THAT MEAN? I can do something like:

```
SELECT * FROM table WHERE x=1 SELECT * FROM table WHERE y=5
```

Exactly like that, and it'll work. It will return two record sets, with each set containing the results of the individual SELECT.

- WHAT'S THAT REALLY MEAN? People can possibly piggyback SQL commands into your statements. Let's say you have:

```
SELECT * FROM table WHERE x=%criteria from webpage user%  
-----
```



Code Red & SQL Slammer

- Microsoft Internet Information Server, July 2001

```
GET /default.ida?NNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN  
%u9090%u6858%ucbd3%u7801%u9090%u6858%ucbd3%u7801  
%u9090%u6858%ucbd3%u7801%u9090%u9090%u8190%u00c3  
%u0003%u8b00%u531b%u53ff%u0078%u0000%u00=a HTTP/1.0
```



Bill Gates - Email to all MS FTE

BILL GATES BUSINESS 01.17.02 12:00 PM

Bill Gates: Trustworthy Computing


This is the e-mail Bill Gates sent to every full-time employee at Microsoft, in which he describes the company's new strategy emphasizing security in its products.
From: Bill Gates
Sent: Tuesday, January 15, 2002 5:22 PM
To: Microsoft and Subsidiaries: All FTE
Subject: Trustworthy computing

Every few years I have sent out a memo talking about the highest priority for Microsoft. Two years ago, it was the kickoff of our .NET strategy. Before that, it was several memos about the importance of the Internet to our future and the ways we could make the Internet truly useful for people. Over the last year it has become clear that

Changes in Software Architecture


0101
0101

- Monolith
- Microservices
- Serverless




0101
0101

What is a Supply Chain?




Software Supply Chain

0101
0101



Software Supply Chain


0101
0101



0101
0101

Development Machine

- Secure Boot & Trusted Platform Module (TPM)
- Encrypt disk, harden operating system install updates
- But can you trust the hardware?



0101
0101

Hacking Hardware

BlueHat IL

Microsoft

Design or Implant?

- Complex, 3D bonding patterns
- Purpose: supply chain flexibility
 - Mfg will routinely swap out sub-components to optimize cost, yield

BlueHat IL 2019 - Andrew "bunnie" Huang - Supply Chain Security: "If I were a Nation State..."

12,251 views • 14 Feb 2019

234 2 SHARE SAVE ...

Up next

Injection (Gibson, Optical)

ToorCamp 2018 - Keynote: MAKING AND BREAKING... ToorCon

AUTOPLAY



Development Machine

0101
0101

- Installs on machine - HomeBrew on Mac


README.md

Homebrew (un)installer

Install Homebrew

```
/bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/master/install.sh)"
```

More installation information and options at <https://docs.brew.sh/Installation.html>.



Development Machine

- Installs on machine - Chocolatey on Windows

Chocolatey Install:

Individual

Organization

1. First, ensure that you are using an [administrative shell](#) - you can also install as a non-admin, check out [Non-Administrative Installation](#).
2. Install with powershell.exe

NOTE: Please inspect <https://chocolatey.org/install.ps1> prior to running any of these scripts to ensure safety. We already know it's safe, but you should verify the security and contents of *any* script from the internet you are not familiar with. All of these scripts download a remote PowerShell script and execute it on your machine. We take security very seriously. [Learn more about our security protocols](#).



Octopus Scanner - NetBeans

May 28, 2020



The Octopus Scanner Malware: Attacking the open source supply chain





Alvaro Muñoz

Securing the open source supply chain is an enormous task. It goes far beyond a security assessment or just patching for the latest CVEs. Supply chain security is about the integrity of the entire software development and delivery ecosystem. From the code commits themselves, to how they flow through the CI/CD pipeline, to the actual delivery of releases, there's the potential for loss of integrity and security concerns, throughout the entire lifecycle.

Visual Studio Code



Visual Studio Code



Visual Studio Code

0101
0101

The screenshot shows a web browser window with the title bar "CVE-2020-16881 | Visual Stud X". The address bar contains the URL <https://portal.msrc.microsoft.com/en-US/security-guidance/advis...>. The page content is from the Microsoft MSRC website, featuring the Microsoft logo and navigation links like "Report an issue", "Customer guidance", "Engage", "More", "All Microsoft", "Sign in", and a search bar. The text on the page describes a remote code execution vulnerability in Visual Studio Code, mentioning a malicious 'package.json' file and administrative user rights. A sidebar on the right is titled "On this page" with a link to "Executive Summary".

CVE-2020-16881 | Visual Studio JSON Remote Code Execution Vulnerability

Security Vulnerability

Published: 09/08/2020

MITRE CVE-2020-16881

A remote code execution vulnerability exists in Visual Studio Code when a user is tricked into opening a malicious 'package.json' file. An attacker who successfully exploited the vulnerability could run arbitrary code in the context of the current user. If the current user is logged on with administrative user rights, an attacker could take control of the

On this page

Executive Summary

Visual Studio Code

0101
0101

The screenshot shows a web browser displaying a GitHub issue page for the Microsoft/VSCode repository. The URL in the address bar is <https://github.com/microsoft/vscode/issues/107951>. The page title is "(Assumed) Fix for CVE-2020-16881 can be bypassed #107951". The issue was opened by justinsteven 12 days ago and has 0 comments. The issue is marked as "Closed". The GitHub interface includes a search bar, navigation links (Pull requests, Issues, Marketplace, Explore), and repository statistics (3k stars, 105k forks, 16.7k watchers). The repository card shows 5k+ issues, 239 pull requests, 3 actions, 3 projects, and a security section.

(Assumed) Fix for CVE-2020-16881 can be bypassed
#107951

Closed justinsteven opened this issue 12 days ago · 0 comments


justinsteven commented 12 days ago

Contributor

Assignees

Software Supply Chain


0101
0101






Development Machine

- Package manager e.g. NuGet / NPM
- Transport-Layer Security (TLS)
 - Root Authority Trust
 - Downgrade, TLS 1.0 - 1.1 deprecated on NuGet
- Domain Name Service (DNS)
 - DNSSEC → NuGet.org and GitHub.com don't support it



Canonical GitHub Account

0101
0101



ZDNet


MUST READ: Windows 10 critical process failure: Microsoft admits June updates are triggering reboots

Canonical GitHub account hacked, Ubuntu source code safe

Ubuntu source code appears to be safe; however Canonical is investigating.



By [Catalin Cimpanu](#) for [Zero Day](#) | July 7, 2019 -- 10:38 GMT (11:38 BST) | Topic: [Security](#)



Microsoft GitHub Account


0101
0101

≡ threatpost

f t in y d s Search


← Podcast: Shifting Cloud Security Left With Infrastructure-as-C → Hackers Breach 3.5 Million MobiFriends Dating App Credentials

Report: Microsoft's GitHub Account Gets Hacked



INFOSEC INSIDER


Helping Remote Workers Overcome Remote Attacks  June 10, 2020 1

Understanding the Payload-Less Email Attacks Evading Your Security Team  June 4, 2020

Long Tail Analysis: A New Hope in the Cybercrime Battle 

0101
0101

Use MFA on source-repository



GIT Commit Signing

0101
0101

The screenshot shows a GitHub repository page for `dotnet / roslyn`. The commit history is displayed, with several commits highlighted as signed. A tooltip provides details about a signed commit from May 20, 2020.

Commits on May 20, 2020:

- Merge pull request #44257 from 333fred/test ...
jaredpar committed on 21 May ✘

Commits on May 5, 2020:

- Merge pull request #43954 from jaredpar/maintain-perf ...
jaredpar committed on 5 May ✘

Commits on May 4, 2020:

- Enforce analyzer consistency in our builds ...
jaredpar committed on 4 May ✓

Commits on Apr 30, 2020:

- Move MS.CA.VisualBasic to be multi-targeted (#43805) ...
jaredpar committed on 30 Apr ✘

A tooltip for the May 4, 2020 commit shows the following details:

- This commit was created on GitHub.com and signed with a **verified signature** using GitHub's key.
- GPG key ID: 4AEE18F83AFDEB23
- [Learn about signing commits](#)

EvenStream NPM

- November 2018
- Is transitive dependency of 2000 other libraries



Gary Bernhardt

@garybernhardt

[Follow](#)



An NPM package with 2,000,000 weekly downloads had malicious code injected into it. No one knows what the malicious code does yet.




I don't know what to say. · Issue #116 · dominictarr...

EDIT 26/11/2018: Am I affected?: If you are using anything crypto-currency related, then maybe. As discovered by @maths22, the target seems to have b...

[github.com](#)

Software Supply Chain

0101
0101





Build / Deployment

- What about hardware? Vendor trust?
- TLS issues?
- Compromised Docker Images
 - Two-Factor authentication in beta
- Build Server can be compromised



Twilio SDK

0101
0101

A screenshot of a web browser displaying a Twilio blog post. The browser window has a dark header bar with the title "Incident Report: TaskRouter JS" and a URL "https://www.twilio.com/blog/incident-report-task...". Below the header is the Twilio logo and navigation links for "DOCS", "LOG IN", "SIGN UP", and "TWILIO". The main content features a large banner image of a busy street scene with people walking. Overlaid on the banner is the text "Build the future of communications." and a red button labeled "START BUILDING FOR FREE". At the bottom of the banner, there's a small "BY TWILIO • 2020-07-22" timestamp. Below the banner, the blog post title is displayed: "Incident Report: TaskRouter JS SDK Security Incident - July 19, 2020". At the very bottom of the page, there are social sharing icons for Twitter, Facebook, and LinkedIn.

Incident Report: TaskRouter JS SDK Security
Incident - July 19, 2020

Webmin Backdoor

0101
0101

The screenshot shows the official Webmin website. At the top, there's a blue header with the Webmin logo (a white asterisk-like icon) and the word "webmin". Below the header is a green navigation bar with links: Home, Downloads, Documentation, Usermin, Virtualmin, Cloudmin, and Community. The "Downloads" link is currently selected. On the left, there's a sidebar titled "Download Webmin 1.941" with links for RPM, Debian Package, TAR file, Solaris Package, Development Versions, and Third-Party Modules. Below that is another sidebar titled "Webmin Links" with links for Introduction To Webmin and Supported Systems. The main content area has a yellow header "Webmin 1.890 Exploit - What Happened?". The text discusses a backdoor in version 1.890 that could be exploited by anyone with knowledge of it. It also notes that versions 1.900 to 1.920 contained similar code but were not exploitable by default. A separate paragraph explains that the exploit was added maliciously to the source code. A bulleted list at the bottom details the specific exploit mechanism.

Webmin 1.890 Exploit - What Happened?


Webmin version 1.890 was released with a backdoor that could allow anyone with knowledge of it to execute commands as `root`. Versions 1.900 to 1.920 also contained a backdoor using similar code, but it was not exploitable in a default Webmin install. Only if the admin had enabled the feature at Webmin -> Webmin Configuration -> Authentication to allow changing of expired passwords could it be used by an attacker.


Neither of these were accidental bugs - rather, the Webmin source code had been maliciously modified to add a non-obvious vulnerability. It appears that this happened as follows :

- At some time in April 2018, the Webmin development build server was exploited and a vulnerability added to the `password_change.cgi` script. Because the timestamp on the file was set back, it did not show up in any Git diffs. This was included in

Software Supply Chain

0101
0101





Reproducible/Deterministic Builds



The screenshot shows a dark blue header bar with the "Reproducible Builds" logo on the left. Below it is a light gray sidebar containing links: Home, Contribute, Documentation (which is bolded), Tools, Who is involved?, News, Events, and Talks. The main content area to the right has a large title "Definitions" and a sub-section "When is a build reproducible?" with its definition.

Definitions

When is a build reproducible?

A build is **reproducible** if given the same source code, build environment and build instructions, any party can recreate bit-by-bit identical copies of all specified artifacts.

The relevant attributes of the build environment, the build instructions and the source code as well as the expected reproducible artifacts are defined by the authors or distributors. The artifacts of a build are the parts of the build results that are the desired primary output.




Reproducible/Deterministic Builds

- Roslyn v1.1 started supporting some kind of determinism on how items are emitted
- Given same inputs, the compiled output will always be deterministic
- Inputs can be found in Roslyn compiler docs
‘Deterministic Inputs’

0101
0101

Automotive Industry



Car Supply Chain

0101
0101



Tata Steel Factory

- Iron Ore from Sweden
- ISO 6892-1 Tested/Certified
 - Batch #1234

Bosch Factory

- Steel Batch #1234 Tata
- ECE-R90 Tested/Certified
 - Serie #45678
- Used by Ford, Volkswagen and KIA

Ford Manufacturing

- Bosch Disk #45678
- Bosal Exhaust #RE9876
- Goodyear Tires #GY8877
- Focus VIN 1234567890




Software Bill of Materials (SBOM)

- Industry standard of describing the software
 - Producer Identity - Who Created it?
 - Product Identity - What's the product?
 - Integrity - Is the project unaltered?
 - Licensing - How can the project be used?
 - Creation - How was the product created? Process meets requirements?
 - Materials - How was the product created? Materials/Source used?
- CycloneDX - Lightweight SBOM with dependency graph
- NTIA.org - SBOM

0101
0101

In-toto







In-Toto - Demo - Terminology

- **Functionaries** that are identified by public key our supply chain.
Niels (Project-Owner), Aimee (Developer) and Noud (Packager)
- **Project-Owner** defines a **(Supply Chain) Layout** that describes **what** happens and by **who** and what the produced **Materials** and **Byproducts** are
- Link metadata is output of executed step in the **Layout**
Materials are input, **Products** are output and can be used as **Materials** in later steps


DataDog & In-Toto





Grafeas and Kritis by Google

- Grafeas - Component Metadata API
 - Container Analysis API on Google Cloud Platform
- Kritis - Deployment Authorization for Kubernetes Apps
 - Binary Authorization on Google Cloud Platform



Azure Pipelines Artifact Policy

0101
0101

The screenshot shows a Microsoft Docs page titled "Artifact policy checks" for Azure Pipelines. The page is part of the "Documentation" section under the "Azure DevOps" category. The URL is <https://docs.microsoft.com/en-us/azure/devops/pipelines/process/artifact-pol...>. The page content includes a sidebar for "Version" (set to "Azure DevOps Services") and "Filter by title". The main content area features the title "Artifact policy checks" with a subtitle "11/05/2019 • 2 minutes to read • 📄 🎨 🎩 🎪 +1". It also includes sections for "In this article" (Prerequisites, Creating custom policies), a summary of what artifact policies do, and a note about adding a check to evaluate them.

Artifact policy checks

11/05/2019 • 2 minutes to read • 📄 🎨 🎩 🎪 +1

In this article

Prerequisites

Creating custom policies

Artifact policies are enforced before deploying to critical environments such as production. These policies are evaluated against all the deployable artifacts in the given pipeline run and block the deployment if the artifacts don't comply. Adding a check to evaluate Artifact requires



Conclusion

- Be aware of your own (and other used) software supply chain(s).
- Know what you're consuming and pulling into software projects.
- Use MFA on all accounts!
- Integrate security into your software lifecycle.
- Learn more on Software Bill of Materials (SBOM).

VERACODE

Thanks! Questions?

<https://github.com/nielstanis/ddd2020>

ntanis at veracode.com

@nielstanis on Twitter

